



5 CRYSTALS OF THE *ESCHERICHIA COLI* MEMBRANE-ASSOCIATED
GLYCOSYLTRANSFERASE (MurG) PROTEIN, ATOMIC COORDINATES
AND THREE DIMENSIONAL STRUCTURES THEREOF, ATOMIC
COORDINATES AND THREE DIMENSIONAL STRUCTURES OF BINDING
DOMAINS THEREOF, IMAGES THEREOF, AND METHODS OF
CRYSTALLIZING MurG PROTEINS, MODELS OF UDP
10 GLYCOSYLTRANSFERASES, MurG PROTEINS AND BINDING SITES,
METHODS OF MAKING MODELS, METHODS OF USING MODELS OF
MURG, COMPOUNDS THAT BIND, INHIBIT OR STIMULATE MURG
PROTEINS, AND THERAPEUTIC COMPOSITIONS THEREOF

15 This invention was made, in part, with U.S. governmental support under NIH grant AI44854-01. The U.S. government has certain rights in the invention.

FIELD OF THE INVENTION

20 The present invention relates to crystals of the *Escherichia coli* MurG, a membrane-associated UDP-glycosyltransferase involved in peptidoglycan biosynthesis. The present invention also relates to three-dimensional atomic coordinates of the MurG protein, three-dimensional structures of the protein, and images thereof. The present invention also relates to the atomic coordinates and three-dimensional structures of the α -carbon backbone of the MurG protein and images thereof. The present invention further relates to the atomic coordinates and three-dimensional structures of the α -carbon backbone and conserved amino acid residue sidechains of the MurG protein and images thereof. The present invention further relates to three-dimensional atomic coordinates of the donor nucleotide binding site, the acceptor binding site, and the membrane association site of the MurG protein, three-dimensional structures of the binding domains; and
25 images thereof. The present invention also relates to computer readable media encoded with sets of the three dimensional coordinates of the *E. coli* MurG protein, the α -carbon backbone of the MurG protein, the α -carbon backbone and the conserved amino acid residue sidechains of the MurG protein, the donor nucleotide binding site, the acceptor binding site, and the membrane association site. The present invention relates to methods of crystallizing MurG proteins.

30 The present invention relates to models of three dimensional structures of UDP-glycosyltransferases and, in particular, MurG proteins, based on the three dimensional structure of

1 The elucidation of the protein structure of a MurG protein is of importance in the
2 identification and formulation of anti-bacterial agents. Until the discovery of the present invention,
3 the structure and resulting mechanism by which MurG functions was not known. Thus, despite the
4 important role of MurG in peptidoglycan synthesis, development of useful agents for treatment or
5 diagnosis of disease was hindered by lack of structural information of the protein.

6 In order to obtain structural information on a MurG Protein, it is important to have
7 purified, active enzyme. The demonstration of activity requires a suitable assay, which in turn
8 requires access to the natural substrates or analogues thereof. The study of MurG was hampered by
9 difficulties obtaining and handling the lipid-linked NAM substrate (commonly known as Lipid 1).
10 This problem was overcome by Walker and coworkers, who developed a synthetic route to a set of
11 substrate analogues of Lipid I that were shown to function as glycosyl acceptors in a glycosyl
12 transfer reaction catalyzed by MurG. Some of these substrate analogues are freely water soluble,
13 making it possible to monitor the activity of purified *E. coli* MurG in buffer in the absence of
14 natural or artificial membranes or detergents.

15 The linear nucleic acid and amino acid sequences of *E. coli* MurG were reported in 1992.
16 Subsequently, the nucleic acid and amino acid sequence of *B. subtilis* MurG was reported. Since
17 then, many bacterial genomes have been sequenced and the information has been deposited in
18 databases. Information based only on linear sequences, however, cannot accurately predict the
19 three-dimensional structure of the protein and its functional domains.

20 Therefore, there is a need in the art to elucidate the three-dimensional structure of a MurG
21 protein. One three dimensional structure of a MurG protein can be used to construct models of
22 other MurG proteins and to facilitate the structure determination of crystalline forms of other
23 MurG proteins. Structures and models of MurG proteins can also be used to design proteins
24 containing only the donor binding site or the acceptor binding site. These proteins can be used in
25 assays, including NMR-based assays, to identify -- or characterize the mode of binding of --
26 ligands that bind in or near the vicinity of the substrates. These ligands or compounds can then be
27 used as leads for the design of inhibitors that have therapeutic activity. Structures and models of
28 MurG proteins can also be used in computer-based drug design.

30 SUMMARY OF THE INVENTION

31 The present invention relates to crystalline *Escherichia coli* MurG protein. Obtaining such
32 crystals is an unexpected result. It is well known in the protein crystallographic art that obtaining

crystals of quality sufficient for determining the structure of a protein is unpredictable. In particular, obtaining crystals of quality sufficient for determining the three-dimensional (3-D) structure of MurG has not been achievable until the crystallization of MurG as disclosed in the present application. As such, determination of the three-dimensional structure of MurG has not
5 been possible until the discovery of the present invention. Additionally, until the discovery of the present invention, derivation of the three-dimensional structure and models of other MurG proteins has not been possible. The present inventors are also the first to define the three-dimensional structure and provide three-dimensional models for drug design for MurG proteins.

10 Accordingly, one object of the present invention is to provide crystals of sufficient quality to obtain a determination of the three-dimensional atomic coordinates and structures of MurG to high resolution, preferably to the resolution of less than 2.0 angstroms (Å). The present invention also provides methods for producing crystalline MurG protein.

The value of the crystals of *E. coli* MurG protein extends beyond merely being able to
5 obtain such crystals. The knowledge obtained concerning the MurG crystal structure, for example, has been used by the present inventors to define the heretofore unknown tertiary structure of the MurG protein and to identify the location of the glycosyl donor and glycosyl acceptor binding domains, as well as the location of the amino acid residues that are invariant in all MurG proteins. This information can be used to design inhibitors of MurG that have therapeutic utility. The
20 atomic coordinates of *E. coli* MurG also are used to model the heretofore unknown tertiary structures of other MurG proteins having substantially related linear amino acid sequences, such as for MurG proteins from other microorganisms. It is anticipated that homology models can be constructed even from amino acid sequences with relatively low homology because the present inventors have identified the location of the invariant amino acid residues in MurG. The relative
25 spatial orientations of such residues is expected to be conserved in all MurG proteins.

Comparison of nucleic acid and amino acid sequences of MurG proteins indicates that the linear amino acid sequences can vary significantly. Homology between MurG proteins from different microorganisms varies from less than 30% to greater than 90%, reflecting the evolutionary relationship between the organisms. The low homology between distantly related
30 MurG homologues is not believed to reflect significantly different folded structures. It is well known that many amino acid sequences are capable of adopting the same general fold. *E. coli* MurG contains an alpha/beta folding pattern, one of the most common folds known in proteins. It

is likely that all MurG homologues contain a similar alpha/beta fold despite the differences in the linear amino acid sequences. What gives these proteins their identity is not the general fold, but the specific details - i.e., the presentation of certain amino acids on the folded structure. The present inventors have identified the location in *E. coli* MurG of a set of residues that are invariant in all MurG homologues. It is to be expected that these residues would adopt a similar spatial location with respect to the folded structure in all MurG homologues. Therefore, these invariant residues, which have been selected by evolution as the critical residues for the binding and catalytic function of the protein, provide essential information on the location of the active site and on critical contacts to the substrates/products. They also serve as constraints that make it possible to, predict the three-dimensional structures even of distantly related MurG homologues. Thus, knowledge of the three-dimensional structure of the *E. coli* MurG protein has provided a starting point for investigation into the structure of all MurG proteins.

Accordingly, a object of the present invention is to provide information regarding the atomic coordinates and three-dimensional structures of (1) the MurG protein, (2) the α -carbon backbone of the MurG protein, (3) the α -carbon backbone and conserved amino acid residues of the MurG protein, (4) the donor nucleotide binding site, (5) the acceptor binding site, and (6) the membrane association site MurG proteins.

It is also an object of this invention to solve the three-dimensional structure of UDP-glycosyltransferases, in particular target MURG proteins, and to determine their structure and/or atomic coordinates. Further, it is an object of this invention to use the structure or atomic coordinates of the *E. coli* MurG crystal to solve the structure of different MURG protein crystals, or a crystal of a mutant protein, homolog or co-complex of MurG.

The present invention relates to models of three dimensional structures of UDP-glycosyltransferases, in particular MurG proteins, based on the atomic coordinates of crystalline *E. coli* MurG protein.

It is a further object of this invention to provide UDP-glycosyltransferase enzyme mutants characterized by one or more different properties as compared with wild-type MURG. These properties include altered surface charge, increased stability to subunit dissociation, altered substrate specificity or higher specific activity. MURG mutants are useful to identify those amino acids that are most important for the enzymatic activity of MURG. This information, in turn, allows the design of improved inhibitors of MURG as compared with peptidic MURG inhibitors.

Another object of the present invention is to provide computer readable mediums encoded with a set of three-dimensional coordinates of the *E. coli* MurG protein, the α -carbon backbone of the MurG protein, the α -carbon backbone and conserved amino acid residues of the MurG protein, and the nucleotide donor binding site, the acceptor binding site, the membrane association site of the MurG protein.

Another embodiment of the present invention provides three-dimensional and two-dimensional computer images of the three dimensional structure of MurG protein, the α -carbon backbone of the MurG protein, the α -carbon backbone and conserved amino acid residues of the MurG protein, and the nucleotide donor binding site, the acceptor binding site, the membrane association site of the MurG protein.

The knowledge of the three dimensional structure of MurG also provides a means for designing proteins that have altered beneficial functions by analyzing the structure and interactions between individual amino acids of the protein. For example, the present inventors have shown that *E. coli* MurG consists of two domains separated by a cleft. Noncovalent interactions between the two domains are not extensive. The present inventors have shown that the domains fold independently and can, therefore, be expressed independently either alone or as part of a recombinant protein containing the acceptor binding site from one MurG homologue and the donor binding site from another MurG homologue. It would be expected that the domains of other MurG proteins could also be expressed independently, either alone or as chimaeras with other MurG domains. Independently expressed domains of the protein are useful for discovering ligands that bind to the individual domains.

The knowledge of the three-dimensional structure of *E. coli* MurG protein and models of other MurG proteins also provides a means for designing and producing compounds that regulate, inhibit or antagonize functions of the MurG protein (i.e., structure based drug design). For example, chemical compounds can be designed to block binding of UDP-GlcNAc to a MurG protein using various computer programs and models.

It is also an object of this invention to use the structure coordinates and atomic details of MURG, or its mutants or homologues or co-complexes, to design, evaluate computationally, synthesize and use inhibitors of MURG that avoid the undesirable physical and pharmacologic properties of peptidic MURG inhibitors. Another embodiment of the present invention is a composition comprising MurG protein in a crystalline form.

Yet another embodiment of the present invention is a method for producing crystals of MurG, comprising combining MurG protein in a suitable buffer with a suitable amount of a reservoir buffer containing a detergent, and inducing crystal formation to produce said MurG crystals.

5

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1. Pathway for peptidoglycan biosynthesis.

FIG. 2. Overall architecture of MurG. A. Stereo view of the MurG structure. The N domain is shown in purple; the C domain is shown in green. The figure was generated with the programs MOLSCRIPT (Klailis, 1991) and RASTER3D (Merrit & Murphy, 1994). B. Topology diagram of MurG.

FIG. 3. Identification of critical residues in MurG and related glycosyltransferases. A. Sequence alignment of *E. coli* MurG with homologs from seven other bacterial strains, deliberately chosen to represent a disparate group of organisms. The secondary structure of *E. coli* MurG is shown above the sequences. Gaps mapping to the loop regions of *E. coli* MurG suggest that some sequences include other structural elements. Residues highlighted in blue are invariant among the eighteen MurG sequences available. Residues highlighted in yellow are identical in 85% of the eighteen homologs, while in the remaining 15%, only closely related amino acid substitutions are found. Highly conserved residues that do not meet the stringent criteria established for highlighting are shown in the consensus sequence. A consensus motif for UDP-glucuronosyltransferases is also shown. Numbering is with respect to the overexpressed *E. coli* MurG construct, which contains an additional N-terminal methionine. B. Mapping of the G loops and other highlighted residues from Fig. 3a in red on the MurG structure. Side chains for highly conserved residues are also shown. C. Model for the proposed UDP-binding subdomain found in many UDP-glycosyltransferases based on the *E. coli* MurG structure. Conserved residues in UDP-glucuronosyltransferases are highlighted in red. Side chains are shown for residues that are located near the cleft and may be involved in substrate binding. The glutamate residue is proposed to interact with the ribose sugar. The dotted loop varies in length within the MurG family and in other UDP-sugar transferases, but the N and Q on the following helix are invariant. Note that the UDP-glucuronosyltransferases contain a conserved D preceding the Q, which is not shown on this model.

The term "mutant" refers to a MurG polypeptide, i.e., a polypeptide displaying the biological activity of a wild-type MurG, characterized by the replacement of at least one amino acid from the wild-type, *E. coli* MURG sequence according to Ikeda, et al., Nucleic Acids Res. 1990, and Mengin-LeCreux et al., Nucleic Acids Res. 1990. Such a mutant may be prepared, for example, by expression of MURG cDNA previously altered in its coding sequence by PCR-based mutagenesis method.

MurG mutants may also be generated by site-specific incorporation of unnatural amino acids into MURG proteins using the general biosynthetic method of Noren, C. J., et al., Science, 244, pp. 182-188 (1989). In this method, the codon encoding the amino acid of interest in wild-type MURG is replaced by a "blank" nonsense codon, TAG, using oligonucleotide-directed mutagenesis (described in detail, infra). A suppressor tRNA directed against this codon is then chemically aminoacylated in vitro with the desired unnatural amino acid. The aminoacylated tRNA is then added to an in vitro translation system to yield a mutant MURG enzyme with the site-specific incorporated unnatural amino acid.

Selenocysteine or selenomethionine may be incorporated into wild-type or mutant MURG by expression of MURG-encoding cDNAs in auxotrophic *E. coli* strains. Hendrickson, W. A. et al., EMBO J., 9(5), pp. 1665-1672 (1990). In this method, the wild-type or mutagenized MURG CDNA may be expressed in a host organism on a growth medium depleted of either natural cysteine or methionine (or both) but enriched in selenocysteine or selenomethionine (or both).

The term "altered surface charge" means a change in one or more of the charge units of a mutant polypeptide, at physiological pH, as compared to wild-type MURG. This is preferably achieved by mutation of at least one amino acid of wild-type MURG to an amino acid comprising a side chain with a different charge at physiological pH than the original wild-type side chain.

The change in surface charge is determined by measuring the isoelectric point (pI) of the polypeptide molecule containing the substituted amino acid and comparing it to the isoelectric point of the wild-type MURG molecule.

The term "altered substrate specificity" refers to a change in the ability of a mutant MURG to cleave a substrate as compared to wild-type MURG.

The "kinetic form" of MURG refers to the condition of the enzyme in its free or unbound form or bound to a chemical entity at either its active site or accessory binding site.

A "competitive" inhibitor is one that inhibits MURG activity by binding to the same kinetic form, of MURG, as its substrate binds-thus directly competing with the substrate for the active site of MURG. Competitive inhibition can be reversed completely by increasing the substrate concentration.

5 An "uncompetitive" inhibitor is one that inhibits MURG by binding to a different kinetic form of the enzyme than does the substrate. Such inhibitors bind to MURG already bound with the substrate and not to the free enzyme. Uncompetitive inhibition cannot be reversed completely by increasing the substrate concentration.

10 A "non-competitive" inhibitor is one that can bind to either the free or substrate bound form of MURG.

Those of skill in the art may identify inhibitors as competitive, uncompetitive or non-competitive, by computer fitting enzyme kinetic data using standard equations according to Segel, I. H., Enzyme Kinetics, J. Wiley & Sons, (1975). It should also be understood that uncompetitive or non-competitive inhibitors according to this invention may bind to the accessory binding site.

15 The term "homolog" means a protein having at least 25% amino acid sequence identity with MURG or any functional part of MURG, and including certain invariant amino acid residues corresponding to G14, G15, G18, H19, G104, H124, E125, G190, G191, S192, G194, A195, R261, G263, A264, E269, P281, Q289, N292 and A293 (as numbered in the *E.coli* MurG sequence set forth in Figure 3a) and also including three glycine rich loops. A homolog may contain- some or all of the invariant residues.

The term "co-complex" means MURG or a mutant or homologue of MURG in covalent or non-covalent association with a chemical entity or compound.

25 The term "associating with" refers to a condition of proximity between a chemical entity or compound, or portions thereof, and a MurG molecule or portions thereof. The association may be non-covalent--wherein the juxtaposition is energetically favored by hydrogen bonding or van der Waals or electrostatic interactions--or it may be dovalent.

30 The term ".beta.-sheet" refers to the conformation of a polypeptide chain stretched into an extended zig-zig conformation. Portions of polypeptide chains that run "parallel" all run in the same direction. Polypeptide chains that are "antiparallel" run in the opposite direction from the parallel chains.

The terms "atomic coordinates" or "structure coordinates" refer to mathematical coordinates derived from mathematical equations related to the patterns obtained on diffraction of a monochromatic beam of X-rays by the atoms (scattering centers) of a MurG molecule in crystal form. The diffraction data are used to calculate an electron density map of the repeating unit of the crystal. The electron density maps are used to establish the positions of the individual atoms within the unit cell of the crystal.

The term "heavy atom derivatization" refers to the method of producing a chemically modified form of a crystal of MURG. In practice, a MurG crystal is soaked in a solution containing heavy metal atom salts, or organometallic compounds, e.g., lead chloride, gold thiomalate, thimerosal, uranyl acetate or mercuric chloride, which can diffuse through the crystal and bind to the surface of the protein. The location(s) of the bound heavy metal atom(s) can be determined by X-ray diffraction analysis of the soaked crystal. This information, in turn, is used to generate the phase information used to construct three-dimensional structure of the enzyme. Blundel, T. L. and N. L. Johnson, Protein Crystallography, Academic Press (1976).

Those of skill in the art understand that a set of structure coordinates determined by X-ray crystallography is not without standard error. For the purpose of this invention, any set of structure coordinates for MURG or MURG homologues or MURG mutants that have a root mean square deviation of protein backbone atoms (N, C.alpha., C and O) of less than 0.75 Å when superimposed--using backbone atoms--on the structure coordinates listed in Table 1, Table 2 or Table 3 shall be considered identical.

The term "unit cell" refers to a basic parallelepiped shaped block. The entire volume of a crystal may be constructed by regular assembly of such blocks. Each unit cell comprises a complete representation of the unit of pattern, the repetition of which builds up the crystal.

The term "space group" refers to the arrangement of symmetry elements of a crystal.

The term "molecular replacement" refers to a method that involves generating a preliminary model of a MurG crystal whose structure coordinates are unknown, by orienting and positioning a molecule whose structure coordinates are known (e.g., MURG coordinates from Table 1, 2, or 3) within the unit cell of the unknown crystal so as best to account for the observed diffraction pattern of the unknown crystal. Phases can then be calculated from this model and combined with the observed amplitudes to give an approximate Fourier synthesis of the structure whose coordinates are unknown. This, in turn, can be subject to any of the several forms of refinement to provide a final, accurate structure of the unknown crystal. Lattman, E, "Use of the

Rotation and Translation Functions", in Methods in Enzymology, 115, pp. 55-77 (1985); M. G. Rossmann, ed., "The Molecular Replacement Method", Int. Sci. Rev. Ser., No. 13, Gordon & Breach, New York, (1972). Using the structure coordinates of MURG provided by this invention, molecular replacement may be used to determine the structure coordinates of a crystalline mutant or homologue of MURG or of a different crystal form of MURG.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to the discovery of the three-dimensional structure of the crystalline form of the *E. coli* MurG protein, models of such three-dimensional structures, a method of structure based drug design using such structures, methods to identify ligands or compounds that interact or bind with such structures, the compounds identified by such methods, and the use of such compounds in therapeutic compositions.

More particularly, the present invention relates to novel crystals of *E. coli* MurG protein, methods of production of such crystals, three dimensional coordinates of MurG protein, MurG structures and models derived from the *E. coli* MurG structure, and uses of such structures and models to derive other MurG structures and in ligand discovery and drug design strategies.

The present invention also relates to three-dimensional structures and coordinates of the donor nucleotide binding site, the acceptor binding site, and the membrane association site of the MurG protein, structures and models of the binding sites, and uses of such structures and models to derive the binding sites of other MurG proteins and in drug design strategies.

Solely for ease of explanation, the description of the invention is divided into the following sections: (1) crystals of MurG protein; (2) methods of crystallization; (3) threedimensional crystal coordinates and structure of *E. coli* MurG; (4) three-dimensional coordinates and structure of the donor nucleotide binding site of MurG; (5) coordinates and structure of the acceptor binding site of MurG; (5) three dimensional coordinates and structure of the membrane association site; (6) two dimensional and three dimensional images of the protein, α -carbon backbone, α -carbon backbone with conserved amino acid residues, and binding sites; and (7) computer readable mediums comprising the three dimensional coordinates of the MurG protein, α -carbon backbone, α -carbon backbone with conserved amino acid residues, and binding sites; (8) images of structures of MurG proteins and binding sites; (9) models of MurG proteins and binding sites thereof and methods of using the structure of MurG to determine the structures of other MurG proteins and binding sites;

(10) structure based drug design using models of MurG protein and binding site structures; (11) compounds derived from structure based drug design; and (12) therapeutic compositions using drugs designed from structure based drug design.

5

CRYSTALS

One embodiment of the present invention includes a composition comprising a MurG protein in a crystalline form (i.e., MurG crystals). As used herein, the terms (crystalline MurG" and "MurG crystal" both refer to crystallized MurG protein and are intended to be used interchangeably. More particularly, an embodiment of the present invention includes a composition comprising an *E. coli* MurG protein in a crystalline form. Preferably, a crystalline MurG is produced using the crystal formation method described herein, in particular according to the method disclosed in Example 1. A MurG crystal of the present invention comprises any crystal structure and preferably precipitates as a triclinic crystal. Preferably, a composition of the present invention includes MurG crystal molecules arranged in a crystalline manner in a P1 space group with two molecules per asymmetric unit so as to form a unit cell of dimensions $a=60.613 \text{ \AA}$, $b=66.356 \text{ \AA}$, $c=67.902 \text{ \AA}$, $\alpha=64.294$, $\beta=83.520$, $\gamma=65.448$. A preferred crystal of the present invention provides X-ray diffraction data for determination of atomic coordinates to a resolution of about 3.0 \AA , preferably to about 2.4 \AA , and more preferably to about 1.8 \AA .

10

15

20

25

Another embodiment of the present invention includes crystalline MurG protein co-crystallized with a donor nucleotide or substrate or substrate analog. Preferably, a donor nucleotide is UDP or UDP-GlcNAc (UDP-N-acetylglucosamine) or an analog thereof. The substrate or substrate analog is preferably Lipid I or Lipid II, or analogs of Lipid I or Lipid II. More specifically, Lipid I and II analogs are as described in PCT/US99/02187, published as W099/38958 and US Provisional Application Nos. 60/122,966 filed March 3, 1999 and 60/137,696 filed June 4, 1999, and International Application No. PCT/USOO/05554 entitled "Bacterial transglycosylases: Assays for monitoring the activity using lipid II substrate analogs and methods for discovering antibiotics," all incorporated herein by reference in their entirety.

30

Included in the present invention, a variety of MurG proteins from numerous organisms can be used to prepare MurG crystals, including but not limited to, microorganisms such as bacteria, higher-order bacteria, then-nal stable bacteria, spirochetes, small pathogenic organisms, fungi, protozoa, cyanobacteria, and trypanosomes. More particularly, bacteria such as but not

limited to, *Escherichia coli*, *Bacillus subtilis*, *Aquefex aeolicus*, *Borrelia burgdorferi*, *Chlamydia pneumoniae*, *Chlamydia trachomatis*, *Enterococcus faecalis*, *Enterococcus hirae*, *Haemophilus influenzae*, *Helicobacter pylori* J99, *Helicobacter pylori*, *Mycobacterium tuberculosis*, *Porphyromonas gingivalis*, *Rickettsia prowazekii*, *Streptomyces coelicolor*, *Streptomyces collinus*,
5 *Streptococcus pneumoniae*, *Synechocystis* sp. (strain PCC6803), *Thermotoga maritima*, and *Treponema pallidum*.

In another embodiment of the present invention, the MurG proteins or fragments thereof, mutants or homologs are expressed in, for example, an *E. coli* host cell for use expressing sufficient quantities of sufficiently purified protein to form crystals. The present inventors have
10 demonstrated that it is possible to express *Enterococcus faecalis* MurG in *E. coli* cells - so the MurG proteins from many organisms can be cloned into expression vectors suitable for expression in *E. coli* cells. This would facilitate obtaining sufficient quantities of isolated or purified MurG proteins.. The expression of *E. faecalis* MurG protein in *E. coli* host cells is performed, for example, by expressing the *E. faecalis* MurG gene cloned into a pET21b expression vector and
15 transformed into an *E. coli* host cell. The MurG protein is over-expressed with a C-terminal his tag (LEHHHHHH) which allows the protein to be purified using a His-tag affinity column. The protein is then crystallized and the atomic coordinates are determined using X-ray diffraction and methods known to those skilled in the art.

It is another embodiment of the present invention to provide for the construction and
20 expression of chimeric MurG proteins to enable the crystallization and determination of the three dimensional coordinates of such chimeras. For example, if there are problems obtaining or crystallizing MurGs from other organisms, the present invention provides information that makes it possible to make chimaeric proteins containing the donor or acceptor binding site from *E. coli* MurG and the corresponding acceptor or donor binding site from another organism. Chimaeric
25 proteins could be easier to express, handle, or crystallize. For example, we have found that *E. faecalis* MurG is more difficult to solubilize than *E. coli* MurG (requiring more detergent). It is believed that the problems are related to the acceptor binding domain having a stronger affinity for the bacterial membranes. To overcome this problem, one can attach the donor binding domain of *E. faecalis* to the *E. coli* acceptor binding site and determine structure to see details of *E. faecalis*
30 donor binding domain.

According to the present invention, crystalline MurG can be used to determine the ability of a chemical compound to bind to a MurG protein in a manner predicted by a structure based

drug design method of the present invention. Preferably, a MurG crystal is soaked in a solution containing a chemical compound of the present invention. Binding of the chemical compound to the crystal is then determined by methods standard in the art. Thereby, the co-crystal of MurG and a compound of interest is determined.

5

METHODS OF CRYSTALLIZATION

The present invention includes a method for producing crystals of MurG proteins, comprising: combining MurG protein with a reservoir solution and inducing crystal formation to produce MurG crystals. Another embodiment of the present invention, a method for producing crystals of MurG protein comprises combining MurG protein with UDP-GlcNAc in a 1:3 ratio and with a reservoir solution and inducing crystal formation to produce MurG crystals.

10

Preferably, crystals of MurG are formed using a solution containing a range of MurG protein from about 1 mg/ml to about 20 mg/ml, more preferably above 5 mg/ml, limited only by the solubility of the protein, which may vary depending on the specific amino acid sequence. A reservoir solution contains the buffer, the precipitant, and additives if necessary. A suitable reservoir buffer of the present invention comprises NaMES (2-[N-morpholino]ethanesulfonic acid, sodium salt) buffer, NaHEPES (N-[2-hydroxyethyl]piperazine-N'-[2-ethanesulfonic acid, sodium salt) buffer, Tris (tris[hydroxymethyl]aminomethane) buffer, and any buffer which has the PKa between 5.5 and 8.0. A suitable NaMES buffer solution has a pH range from about 5.6-6.5. Most preferably, the NaMES buffer has a pH of about 6.5. The precipitant comprises ammonium sulfate, saturated sodium and potassium tartrate and polyethylene glycol. A suitable concentration of ammonium sulfate can range from 0.8 M to 1.5 M. Most preferably, the ammonium sulfate concentration is about 0.96 M. A suitable additive comprises detergents like Triton X-100 and n-octyl-beta-glucoside. The concentration of Triton X-100 can range from 0.1% to 1%. Most preferably, the concentration of Triton X-100 is 0.4%.

15

20

25

In a preferred embodiment, MurG crystals are produced by a method comprising concentrating MurG protein in a buffer solution, mixing the protein concentrate with UDP-GlcNAc in a 1:3 molar ratio, mixing equal volumes of protein solution with a reservoir solution, and inducing crystal formation to produce MurG crystals.

30

In a particular embodiment of the invention, MurG crystals are produced by a method comprising concentrating MurG protein to 10 mg/ml in a buffer of 20 mM TrisHCl, pH 7.9/150mM NaCl and 50 mM EDTA; mixing the protein concentrate with UDP-GlcNAc in a

1:3 molar ratio; mixing equal volumes of protein solution with a reservoir solution comprising (0.1 M NaMES, pH 6.5, 0.96 M $(\text{NH}_4)_2\text{SO}_4$, 0.4% TRITON® X-100, and 10 mM dithiothreitol (DTT)), and inducing crystal formation using hanging drop vapor-diffusion. This preferred method is described in greater detail in Example 1.

Supersaturated solutions of MurG protein can be induced to crystallize by several methods including, but not limited to, vapor diffusion, liquid diffusion, batch crystallization, constant temperature and temperature induction or a combination thereof. Preferably, supersaturated solutions of MurG protein are induced to crystallize by vapor diffusion (i.e., hanging drop method). In a vapor diffusion method, a MurG protein solution is combined with a reservoir solution of the present invention that will cause the MurG protein solution to become supersaturated and form MurG crystals at a constant temperature. Vapor diffusion is preferably performed under a controlled temperature in the range of from about 15°C to about 30°C, more preferably from about 20°C to about 25°C, and most preferably at a constant temperature of about 22° C.

In another preferred embodiment, the present invention includes a method to produce crystals of MurG protein comprising the steps of: (a) preparing an about 10 mg/ml solution of MurG protein in a Tris-HCl buffer, (b) mixing UDP-GlcNAc with the Mur-G protein solution in a 3:1 molar ratio, (c) dropping 2 μl droplet of this protein sample onto a coverslip, (d) adding an equal volume of reservoir solution to this droplet and inverting this over a well containing about 1 ml of the reservoir solution; and (e) incubating until crystals of MurG form.

Any isolated MurG protein can be used with the present method. An isolated MurG protein can be isolated from its natural milieu or produced using recombinant DNA technology (e.g., polymerase chain reaction (PCR) amplification, cloning) or chemical synthesis. To produce recombinant MurG protein, a nucleic acid molecule encoding a MurG protein can be inserted into any vector capable of expressing the nucleic acid in a host cell. Suitable and preferred nucleic acid molecules to include in recombinant vectors of the present invention are as disclosed herein. Such suitable and preferred nucleic acid molecules include numerous MurG encoding genes that have been isolated to date, and that will be isolated in the future. A preferred nucleic acid molecule of the present invention encodes a homologue of MurG. Homologues of MurG can be recognized by the presence of certain conserved amino acid residues or sequences.

A sequence alignment for six MurG sequences is shown in fig. 3A. Highlighted residues include those that are invariant or almost invariant across all MurG proteins. A nucleic acid molecule

of the present invention can encode any portion of a MurG protein, preferably a full-length MurG protein or either of the two domains. A more preferred nucleic acid molecule to include in a recombinant vector, and particularly in a recombinant molecule, includes a nucleic acid molecule encoding a protein having the amino acid sequence represented by amino acid sequences of MurG proteins as deposited in the NCBI database and are identified with Accession Nos. CAB51993, A71316, E70579, C71699, F70195, A43727, JC1275, BVECMG, CEECAM, O83535, Q9ZK59, CAB85280, AAF39020, BAA18775, AAD26629, CAB73295, P37585, Q9ZHA9, Q9ZHDC0, Q9ZBA5, Q9X4H4, Q9WY74, P74657, O06224, Q9Z702, 084766, 069552,)67238, O51708, O25770, O07670, O07109, P45065, CAB66324, AAC68356, AAF06830, P18579, P17443, P17952, P16457, P07862, AAE23178, AAD53936, CAA18668, CAA38869, CAA38868, CAA38867, CAA38866, AAD08196, BAA01453, BAA01455, BAA01454, AAD19042, CAA45558, CAA74235, AAD10537, AAD06652, AAC95450, CAA14869, AAC73201, AAC65509, AAC67113, AAC45636, CAB08640, AAC22793, AAC07193, BAA24357, CAB13395, BAA01355, AAB35538, 1904153C, 1808265B, 1808265A, CAA36866, CAA36869, CAA36868, CAA36867, CAA36776, and AAA99436. Further, examples of nucleic acid molecules encoding MurG proteins have been deposited in NCBI, Genbank, and have Accession Nos. AL162758, AE00228 1, D90917, AF110367, AL139077, AJ242646, AE000520, AE000511, L42023, U00096, NC-000922, AE000783, AE000657, AE001348, AF099188, AR048673, AR048672, AF179611, AL022602, AL109663, X55034, AE000621, D10602, AE001670, X64259, Y13922, U10879, AE001535, AF068902, AJ235271, AE000118, AE001227, AE001176, U94707, Z95388, U32793, AE000727, D84504, Z99111, D10483, X52644, X52540, and L24773. These sequences are known and are publicly available. Further, as additional genomes and genes are sequenced, more MurG encoding nucleotide sequences will become available, and can be used in the present invention.

In specific embodiments of the invention, the protein sequence of *E. coli* MurG was reported in 1990 (Ikeda et al. Nucleic Acids Res. 1990, 19:4014; and Mengin Lecreux, D. et al., Nucleic Acids Res. 1990, 18:2810.). *E. coli* genomic DNA can be purified from *E. coli* or purchased from ATCC, or the gene for *E. coli* MurG is cloned into a plasmid can be obtained from numerous sources. Primers were designed to the portions of the gene corresponding to the N and C termini of the protein. The primers also encoded restriction enzyme sites outside the protein coding region. The gene sequence was amplified; the corresponding double stranded nucleic acid molecule was cut with appropriate restriction enzymes for cloning into a commercially available expression vector (pET expression vectors available from Novagen provide for numerous

variations of MurG protein - wild-type or fusion proteins or proteins with affinity tags at N or C terminus. We have worked with several constructs but found that MurG with a His-tag at C-terminus crystallized best; the protein sequence contained an extra methionine at N-terminus and eight extra residues at C terminus, six of which were histidines. The vector used was pET21b.
5 (as described in Ha et al. J. Am. Chem. Soc. 121, (1999) 8415-8426 hereby incorporated by reference in its entirety).

A recombinant vector of the present invention can be either RNA (probably not) or DNA, and typically includes, but is not limited to, a virus or plasmid. Any recombinant vector and host cell that provides for expression of a MurG protein encoding nucleic acid sequence can be used
10 in the present invention to express MurG protein for crystallization. Preferred vectors are engineered for high level expression in *E. coli* such as, but not limited to, pET vectors. We have found that over-expression of Murg from either *E. coli* or *E. faecalis* in *E. coli* cells is not toxic and, thus, this approach will work for other MurG proteins.

As used herein, an expression vector is a DNA vector that is capable of transforming a host cell and of affecting expression of a specified nucleic acid molecule. Expression vectors of the
15 present invention include any vectors that function (i.e., direct gene expression) in recombinant cells of the present invention, including bacterial, fungal, and other microorganisms cells. Preferred expression vectors of the present invention direct expression in bacterial cells from a plasmid. A preferred recombinant molecule of the present invention comprises pET21b with *E. coli* MurG gene cloned into the Nde I and Xho I sites.
20

An expression vector of the present invention can be transformed into any suitable host cell to form a recombinant cell. A suitable host cell includes any cell capable of expressing a nucleic acid molecule inserted into the expression vector. For example, a procaryotic expression vector can be transformed into a bacterial host cell. If the expression vector contains a T7
25 promoter then a source of T7 RNA polymerase must be provided to induce expression. Some host cells contain the T7 RNA polymerase gene in a repressed state. Expression of T7 RNA polymerase can be induced with a chemical signal such as IPTG or heat. Alternatively, a source of T7 RNA polymerase can be introduced at the appropriate time by infection with a phage containing a copy of T7 RNA polymerase. A wide range of hosts strains can be infected with a suitable phage. Some
30 host strains have been engineered to contain inducible copies of T7 RNA polymerase gene. Such host strains include BL21(DE3) and derivatives thereof. A preferred host strain of the present invention is BL21(DE3)pLysS or BL21(DE3)pLysE, which are commercially available from

Novagen and can be readily transformed with a DNA plasmid vector containing a MurG gene under the control of the T7 promoter. As already stated above, a preferred vector is a pET vector, preferably containing a restriction enzyme site penning cloning of the gene as a fusion containing a C-terminal his tag.

5 In a preferred embodiment, one method to isolate MurG protein useful for producing MurG crystals includes recovery of MurG protein having a C-terminal LEHHHHHH (His tag) sequence purified as described in Ha et al. (1999, J. Amer. Chem. Soc. 121:8415-8426). One of skill in the art is able to modify this procedure in order to purify other proteins can be produced as C-terminal histidine (his) tags. The purification conditions for specific MurG proteins will vary
10 depending upon the particular characteristics of the proteins such as their isoelectric point, molecular weight, etc. It is known that the isoelectric points of different Murg homologues vary a bit, although they are generally relatively high. Also, some Murg homologues may be more hydrophobic than others, which will mean differences in amount of detergent necessary for purification. It is likely that all the Murg homologues can be purified over nickel affinity columns
15 using the C-terminal his-tag as a handle. Those skilled in the art of protein purification will know how to modify purification parameters depending upon the protein characteristics, in order to purify the protein for crystallization.

STRUCTURE OF MURG PROTEIN

20 One embodiment of the present invention includes a model of a MurG protein, in which the model represents a three dimensional structure of a MurG protein. Another embodiment of the present invention includes the three dimensional structure of a MurG protein. A three dimensional structure of a MurG protein encompassed by the present invention substantially conforms with the atomic coordinates represented in Table 1. According to the present invention, the use of the term
25 "substantially conforms" refers to at least a portion of a three dimensional structure of a MurG protein which is sufficiently spatially similar to at least a portion of a specified three-dimensional configuration of a particular set of atomic coordinates (e.g., those represented by Table 1) to allow the three dimensional structure of another MurG protein to be modeled or calculated using the particular set of atomic coordinates defining the three dimensional configuration of the MurG
30 protein. For example, but not meant to be a limitation, homology modeling can be done using the linear sequence of a different MurG and E. coli coordinates; molecular replacement can allow the solution of a different MurG structure using the E. coli MurG coordinates and experimental data

such as x-ray diffraction pattern from a different MurG crystal. According to the present invention, a three dimensional structure of a given portion or chain of a first MurG protein can substantially conform to at least a portion of the atomic coordinates which represent a three dimensional configuration of a second MurG.

5 More particularly, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of such structure has an average root-mean-square deviation (RMSD) of less than about 2.5 Å for the α -carbon or C-alpha backbone atoms in secondary structure elements in each domain, and more preferably, less than about 2.0 Å for the C-alpha backbone atoms in secondary structure elements in each domain, and, 10 in increasing preference, less than about 1.5 Å, less than about 1.0 Å, less than about 0.7 Å, and more preferably, less than about 0.5 Å for the C-alpha backbone atoms in secondary structure elements in each domain. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of such structure has the recited average root-mean-square deviation (RMSD) value, and more preferably, at least about 15 90% of such structure has the recited average RMSD value, and most preferably, about 100% of such structure has the recited average RMSD value.

16 In an even more preferred embodiment, the above definition of "substantially conforms" can be extended to include atoms of amino acid side chains. As used herein, the phrase "common amino acid side chains" refers to amino acid side chains that are common to both the structure which substantially conforms to a given set of atomic coordinates and the structure that is actually 20 represented by such atomic coordinates. Preferably, a three dimensional structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of the common amino acid side chains have an average RMSD value of less than about 1.5 Å, and more preferably, less than about 1.3 Å, and in increasing preference, less than about 1.0 Å, less than 25 about 0.7 Å, and most preferably, less than about 0.3 Å.

26 In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of the common amino acid side chains have the recited average RMSD value, and more preferably, at least about 90% of the common amino acid side chains have the recited average RMSD value, and most preferably, about 30 100% of the common amino acid side chains have the recited average RMSD value.

In more preferred embodiments of the present invention, a large number of different "rotamers" or "rotational isomers" of the MurG protein are encompassed by three dimensional

structures of the invention in which the amino acid side chains are at a variety of positions in crystalline forms of the protein or for the protein in solution. Different rotamers refer to molecules of identical configuration may be distinguished as having different conformations after rotation about the various molecular bonds. Therefore, while the same or similar amino acids may be present, the exact location will vary depending upon the freedom of rotation of the bonds due to hydrogen bonding, and other molecular forces.

STRUCTURE OF THE α -CARBON BACKBONE OF MURG AND THE α -CARBON BACKBONE AND CONSERVED AMINO ACID RESIDUES

The present invention includes the three dimensional structure of the α -carbon or C-alpha backbone of a MurG protein, in particular the *E. coli* MurG protein. A three dimensional structure of the C-alpha backbone of the MurG protein encompassed by the present invention substantially conforms with the atomic coordinates represented in Table 2.

More particularly, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of such structure has an average root-mean-square deviation (RMSD) of less than about 2.5 Å for the C-alpha backbone atoms in secondary structure elements in each domain, and more preferably, less than about 2.0 Å for the C-alpha backbone atoms in secondary structure elements in each domain, and, in increasing preference, less than about 1.5 Å, less than about 1.0 Å, less than about 0.7 Å, and more preferably, less than about 0.5 Å for the C-alpha backbone atoms in secondary structure elements in each domain. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of such structure has the recited average root-mean-square deviation (RMSD) value, and more preferably, at least about 90% of such structure has the recited average RMSD value, and most preferably, about 100% of such structure has the recited average RMSD value. The C-alpha backbone of MurG proteins is expected to be more conserved than the location of the particular amino acid residue side chains.

The present invention also includes the three dimensional structure of the (α -carbon or C-alpha backbone and conserved or invariant amino acid residue side chains of a MurG protein, in particular the *E. coli* MurG protein. A three dimensional structure of the C-alpha backbone and conserved amino acid residues of the MurG protein encompassed by the present invention substantially conforms with the atomic coordinates represented in Table 3. The conserved amino

acids are highlighted in blue in Figure 3a and include G14, G15, G18, H19, G104, H124, E125, G190, G191, S192, G194, A195, R261, G263, A264, E269, P281, Q289, N292 and A293 (as numbered in the *E. coli* MurG sequence set forth in Figure 3a).

More particularly, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of such structure has an average root-mean-square deviation (RMSD) of less than about 2.5 Å, for the C-alpha backbone and conserved amino acid residue atoms in secondary structure elements in each domain, and more preferably, less than about 2.0 Å for the backbone atoms in secondary structure elements in each domain, and, in increasing preference, less than about 1.5 Å, less than about 1.0 Å, less than about 0.7 Å, and more preferably, less than about 0.5 Å for the backbone atoms in secondary structure elements in each domain. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of such structure has the recited average rootmean-square deviation (RMSD) value, and more preferably, at least about 90% of such structure has the recited average RMSD value, and most preferably, about 100% of such structure has the recited average RMSD value.

STRUCTURE OF THE DONOR NUCLEOTIDE BINDING SITE OF MURG PROTEINS

An embodiment of the present invention includes the three dimensional structure of a donor nucleotide binding site of a MurG protein, in particular an *E. coli* MurG protein. A more preferred embodiment of the present invention includes a three dimensional structure of a donor nucleotide binding site of a MurG protein wherein the three dimensional structure of the donor nucleotide binding site substantially conforms to the atomic coordinates in Table 4. In a preferred embodiment, the donor nucleotide binding site is a UDP-GlcNAc binding site of a MurG protein.

As described in Example 1, the donor nucleotide binding site is located in the C-terminal domain (see Fig. 4a). This binding site is based on the comparison of β -glucosyltransferase (BGT) and *E. coli* MurG and based on experiments done in our laboratory showing that the isolated C domain binds to a UDP-hexose column (See Example 1). The atomic coordinates of Table 4 set forth the donor nucleotide binding site three dimensional structure without a donor nucleotide such as UDP-GlcNAc bound to the MurG protein.

According to the present invention, the use of the term "substantially conforms" refers to at least a portion of a three dimensional structure of a donor nucleotide binding site of a MurG protein which is sufficiently spatially similar to at least a portion of a specified three-dimensional configuration of a particular set of atomic coordinates (e.g., those represented by Table 4) to allow the three dimensional structure of the donor nucleotide binding domain to be modeled or calculated (i.e., by molecular replacement) using the particular set of atomic coordinates defining the three dimensional configuration of the donor nucleotide binding site of a MurG protein. According to the present invention, a three dimensional structure of a given donor nucleotide binding site of a first MurG protein can substantially conform to at least a portion of the atomic coordinates which represent a three dimensional configuration of a second MurG. Since the atomic coordinates of Table 4 were obtained from the *E. coli* MurG crystal protein without a donor nucleotide bound, there will be some variation from the atomic coordinates of the donor nucleotide binding site when a nucleotide is bound vs. unbound. Therefore, a structure "substantially conforming" to that represented by the atomic coordinates in Table 4, will include a structure obtained from co-crytallization of the protein with a donor nucleotide.

More particularly, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of such structure has an average root-mean-square deviation (RMSD) of less than about 1.5 Å for the C-alpha backbone atoms in secondary structure elements in each domain, and more preferably, less than about 1.3 Å for the C-alpha backbone atoms in secondary structure elements in each domain, and, in increasing preference, less than about 1.0 Å, less than about 0.7 Å, and more preferably less than about 0.5 Å for the C-alpha backbone atoms in secondary structure elements in each domain. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of such structure has the recited average root-mean-square deviation (RMSD) value, and more preferably, at least about 90% of such structure has the recited average RMSD value.

In an even more preferred embodiment, the above definition of "substantially conforms" can be extended to include atoms of the conserved or invariant amino acid side chains located within the binding site. As used herein, the phrase "conserved amino acid side chains" refers to amino acid side chains that are conserved between MurG proteins within the donor nucleotide binding site. The conserved amino acid residues of the donor nucleotide binding site have been identified as I125, R261, G263, A264, E269, P281, Q289, N292 and, A293 (as numbered in the *E.*

coli MurG sequence set forth in Figure 3a) and the G loop found between residues numbered 190-195 having residues G190, G191, S192, G194, and A195. Some or all of these conserved residues are necessary for binding the nucleotide donor.

Preferably, a three dimensional structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of the conserved amino acid side chains have an average RMSD value of less than about 1.5 Å, and more preferably, less than about 1.3 Å, and in increasing preference, less than about 1.0 Å, less than about 0.7 Å, and most preferably, less than about 0.3 Å. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of the conserved amino acid side chains have the recited average RMSD value, and more preferably, at least about 90% of the conserved amino acid side chains have the recited average RMSD value, and most preferably, about 100% of the conserved amino acid side chains have the recited average RMSD value.

STRUCTURE OF THE ACCEPTOR BINDING SITE OF MURG PROTEIN

An embodiment of the present invention includes the three dimensional structure of an acceptor binding site of a MurG protein. A three dimensional structure of a acceptor binding site of a MurG protein encompassed by the present invention substantially conforms with the atomic coordinates represented in Table 5. A more preferred embodiment of the present invention includes a three dimensional structure of an acceptor binding site of a MurG protein wherein the three dimensional structure of the acceptor binding site substantially conforms to the atomic coordinates Table 5.

According to the present invention, the use of the term "acceptors" refers to Lipid I and analogues thereof. For the purposes of obtaining co-crystals containing acceptor analogues bound to the acceptor binding site better, the analogues need not be functional acceptors in a MurG assay. In particular embodiments of the present invention, the acceptor is selected from the group consisting of, but not limited to Lipid I, and analogs of Lipid I (see compounds described in Ha et al., J. Amer. Chem. Soc. 1999, vol. 121:8415-26, incorporated by herein by reference in its entirety).

As described in Example 1, the acceptor binding site is located in the N-terminal domain of a MurG protein (see Fig. 3a and 4c). The acceptor binding site or domain is characterized by three highly conserved regions, two of which are glycine-rich loops (also referred to as "G loops") that face the cleft between the C-terminal and N-terminal domains. The conserved residues of the

acceptor binding site comprise G14, G15, G18, H19, G104, H124, and E125 (as numbered in the *E. coli* MurG sequence set forth in Figure 3a) and two conserved G loop structures.

According to the present invention, the use of the term "substantially conforms" refers to at least a portion of a three dimensional structure of an acceptor binding site of a MurG protein which is sufficiently spatially similar to at least a portion of a specified three-dimensional configuration of a particular set of atomic coordinates (e.g., those represented by Table 5) to allow the three dimensional structure of the acceptor binding site to be modeled or calculated (i.e., by homology modeling) using the particular set of atomic coordinates defining the three dimensional configuration of the acceptor binding site of a MurG protein. According to the present invention, a three dimensional structure of a given acceptor binding site of a first MurG protein can substantially conform to at least a portion of the atomic coordinates which represent a three dimensional configuration of a second MurG.

In an even more preferred embodiment, the above definition of "substantially conforms" can be extended to include atoms of the conserved amino acid side chains. As used herein, the phrase "conserved amino acid side chains" refers to the conserved or invariant amino acid side chains that are common to MurG proteins. Preferably, a three dimensional structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of the conserved amino acid side chains have an average RMSD value of less than about 1.5 Å, and more preferably, less than about 1.3 Å, and in increasing preference, less than about 1.0 Å, less than about 0.7 Å, and most preferably, less than about 0.3 Å. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of the conserved amino acid side chains have the recited average RMSD value, and more preferably, at least about 90% of the conserved amino acid side chains have the recited average RMSD value, and most preferably, about 100% of the conserved amino acid side chains have the recited average RMSD value.

STRUCTURE OF A MEMBRANE ASSOCIATION SITE OF MurG PROTEIN

An embodiment of the present invention includes the three dimensional structure of a membrane association site of a MurG protein. A three dimensional structure of a membrane association site of a MurG protein encompassed by the present invention substantially conforms

with the atomic coordinates represented in Table 6. A more preferred embodiment of the present invention includes a three dimensional structure of an acceptor binding site of a MurG protein wherein the three dimensional structure of the acceptor binding site substantially conforms to the atomic coordinates in Table 6.

5

According to the present invention, the use of the term "membrane association site" refers to the region of a MurG protein that associates with cytoplasmic surface of bacterial membranes where it performs the reaction of coupling a soluble donor sugar to the membrane anchored acceptor sugar, Lipid I. Analysis of the *E. coli* MurG protein structure shows a hydrophobic patch consisting of residues I75, L79, F82, W85, and W116 in the N-domain. The membrane association site is where the MurG protein associates with the bacterial membranes, and that it is target for inhibitors if we find that a) we can bind to it with another molecule; b) we can disrupt membrane association by binding to it; or c) disrupting membrane association inhibits activity.

10

As described in Example 1, the membrane association site is located in the N-terminal domain of a MurG protein (see Fig. 4c). The location of the membrane association site is in close proximity to the acceptor binding site and membrane association in this patch would bring the two M-terminal G-loops close to the membrane surface where the diphosphate portion of the acceptor is located.

15

According to the present invention, the use of the term "substantially conforms" refers to at least a portion of a three dimensional structure of a membrane association site of a MurG protein which is sufficiently spatially similar to at least a portion of a specified three-dimensional configuration of a particular set of atomic coordinates (e.g., those represented by Table 6) to allow the three dimensional structure of the membrane association site to be modeled or calculated (i.e., by molecular replacement) using the particular set of atomic coordinates defining the three dimensional configuration of the membrane association site of a MurG protein. According to the present invention, a three dimensional structure of a given membrane association site of a first MurG protein can substantially conform to at least a portion of the atomic coordinates which represent a three dimensional configuration of a second MurG.

20

25

More particularly, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of such structure has an average root-mean-square deviation (RMSD) of less than about 1.5 Å for the structural elements in the site, and more preferably, less than about 1.3 Å for the structure elements in each site, and, in increasing

30

preference, less than about 1.0 Å, less than about 0.7 Å, less than about 0.5 Å, and more preferably, less than about 0.3 Å for the structural elements in each site. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of such structure has the recited average root-mean-square deviation (RMSD) value, and more preferably, at least about 90% of such structure has the recited average RMSD value, and most preferably, about 100% of such structure has the recited average RMSD value.

In an even more preferred embodiment, the above definition of "substantially conforms" can be extended to include atoms of α -carbon backbone and conserved amino acid side chains. As used herein, the phrase "conserved amino acid side chains" refers to amino acid side chains that are conserved between MurG proteins. Preferably, a three dimensional structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 50% of the conserved α -carbon backbone and conserved amino acid side chains have an average RMSD value of less than about 1.5 Å, and more preferably, less than about 1.3 Å, and in increasing preference, less than about 1.0 Å, less than about 0.7 Å, and most preferably, less than about 0.3 Å. In a more preferred embodiment, a structure that substantially conforms to a given set of atomic coordinates is a structure wherein at least about 75% of the α -carbon backbone and conserved amino acid side chains have the recited average RMSD value, and more preferably, at least about 90% of the α -carbon backbone and conserved acid side chains have the recited average RMSD value, and most preferably, about 100% of the α -carbon and conserved amino acid side chains have the recited average RMSD value.

COMPUTER READABLE MEDIUM

Another embodiment of the present invention relates to a computer-readable medium encoded with, a set three dimensional coordinates selected from the group consisting of the three dimensional coordinates represented in Table 1, the three dimensional coordinates represented in Table 2, the three dimensional coordinates represented in Table 3, the three dimensional coordinates represented in Table 4, the three dimensional coordinates represented in Table 5, or the three dimensional coordinates represented in Table 6, wherein using a graphical display software program, the three dimensional coordinates create an electronic file that can be visualized on a computer capable of representing said electronic file as a three dimensional image.

Preferably, the three dimensional image is of a MurG protein, the α -carbon backbone of MurG, the α -carbon backbone and conserved amino acid residue sidechains of MurG, the donor nucleotide binding site of MurG, the acceptor binding site of MurG, or the membrane association site of MurG.

5 Yet another embodiment of the present invention relates to a computer-readable medium encoded with a set of three dimensional coordinates of a three dimensional structure which substantially conforms to the three dimensional coordinates represented in Table 1, wherein using a graphical display software program, the three dimensional coordinates create an electronic file that can be visualized on a computer capable of representing said electronic file as a three
10 dimensional image. In other embodiments, the present invention relates to a computer-readable medium encoded with a set of three dimensional coordinates of a three dimensional structure which substantially conforms to the three dimensional coordinates represented in Table 2, Table 3, Table 4, Table 5 or Table 6, wherein using a graphical display software program, the three dimensional coordinates create an electronic file that can be visualized on a computer capable of
15 representing said electronic file as a three dimensional image. Preferably, the three dimensional image is of a MurG protein, the α -carbon backbone of MurG, the α -carbon backbone and conserved amino acid residue sidechains of MurG, the donor nucleotide binding site of MurG, the acceptor binding site of MurG, or the membrane association site of MurG.

20 IMAGES

One embodiment of the present invention relates to a two dimensional image of an *E. coli* MurG protein including those illustrated in Figures 3-4. Most of these figures were drawn with the
25 MOLSCRIPT program. Preferably, the two dimensional image is of a MurG protein, the α -carbon backbone of MurG, the α -carbon backbone and conserved amino acid residue sidechains of MurG, the donor nucleotide binding site of MurG, the acceptor binding site of MurG, or the membrane association site of MurG.

Another embodiment of the present invention includes a three dimensional computer image
30 of the three dimensional structure of a MurG protein, preferably the *E. coli* MurG protein. Suitable structures of which to produce three dimensional computer images are disclosed herein.

Preferably, a computer image is created to a structure substantially conforming with the three dimensional coordinates represented in Table 1.

Another embodiment of the present invention includes an image of an MurG protein that is generated when a set of three dimensional coordinates comprising the three dimensional coordinates represented in Table 1 are analyzed on a computer using a graphical display software program to create an electronic file of the image and visualizing the electronic file as a three dimensional image. Suitable structures to image are disclosed herein. Preferably, the three dimensional structures are of a MurG protein, the α -carbon backbone of MurG, the α -carbon backbone and conserved amino acid residue sidechains of MurG, the donor nucleotide binding site of MurG, the acceptor binding site of MurG, or the membrane association site of MurG. Most preferably, the MurG protein is the *E. coli* MurG protein described herein. A computer image of the present invention can be produced using any suitable software program, including, but not limited to, MOLSCRIPT 2.0 (Avatar Software AB, Helenebrgsgatan 21 C, SE- 11713, Stockholm, Sweden), the graphical display program O (Jones et al., Acta Crystallography, vol. A47, p. 110, 1991), or the graphical display program GRASP. Suitable computer hardware useful for producing an image of the present invention are known to those of skill in the art. Preferred computer hardware includes a Silicon Graphics Workstation.

MODELS OF MURG PROTEINS AND BINDING SITES

According to the present invention, a three dimensional structure of the *E. coli* MurG protein and its binding sites of the present invention can be used to derive a model of the three dimensional structure of another MurG protein and its binding sites (i.e., a structure to be modeled). As used herein, a "structure" of a protein refers to the components and the manner of arrangement of the components to constitute a protein or binding site. Also, as used herein, the term "model" refers to a representation of a tangible medium of the three dimensional structure of a protein, polypeptide or peptide, or binding site of a protein. For example, a model can be a representation of the three dimensional structure in a electronic file, on a computer screen, on a piece of paper (i.e., on a two dimensional medium), and/or as a ball-and-stick figure. Physical three-dimensional models are tangible and include, but are not limited to, stick models and space-filling models. The phrase "imaging the model on a computer screen" refers to the ability to express (or represent) and manipulate the model on a computer screen using appropriate computer hardware and software technology known to those skilled in the art. Such technology is available

from a variety of sources including, for example, Evans and Sutherland, Salt Lake City, Utah, and Biosym Technologies, San Diego, CA. The phrase "providing a picture of the model" refers to the ability to generate a "hard copy" of the model. Computer screen images and pictures of the model can be visualized in a number of formats including space-filling representations, α -carbon traces, ribbon diagrams and electron density maps.

Suitable target MurG proteins and their associated binding sites to model using a method of the present invention include any MurG protein and binding sites that are at least in part structurally related to the *E. coli* MurG protein or its binding sites. A preferred target MurG structure that is at least in part structurally related includes a target MurG structure having an amino acid sequence that is at least about 25%, preferably at least about 30%, more preferably at least about 36%, more preferably at least about 40%, even more preferably at least about 50%, more preferably at least about 60%, more preferably at least about 70%, more preferably at least about 80%, and more preferably at least about 90% identical to an amino acid sequence of the *E. coli* MurG protein, across the full-length of the target MurG structure sequence when using, for example, a sequence alignment program such as DNAsis™ program (available from Hitachi Software, San Bruno, CA) or the MacVector™ program (available from the Eastman Kodak Company, New Haven, CT) or the GCγ™ program (available from the "GCγ", University of Wisconsin, Madison, WI), such alignment being performed for example, using the standard default values accompanying such alignment programs.

Preferred MurG proteins and their binding sites are set forth in the amino acid sequences of MurG proteins as deposited in the NCBI database and are identified with Accession Nos. CAB51993, A71316, E70579, C71699, F70195, A43727, JC1275, BVECMG, CEECAM, O83535, Q9ZK59, CAB85280, AAF39020, BAA18775, AAD26629, CAB73295, P37585, Q9ZHA9, Q9ZHDC0, Q9ZBA5, Q9X4H4, Q9WY74, P74657, O06224, Q9Z702, O84766, O69552, O67238, O51708, O25770, O07670, O07109, P45065, CAB66324, AAC68356, AAF06830, P18579, P17443, P17952, P16457, P07862, AAE23178, AAD53936, CAA18668, CAA38869, CAA38868, CAA38867, CAA38866, AAD08196, BAA01453, BAA01455, BAA01454, AAD19042, CAA45558, CAA74235, AAD10537, AAD06652, AAC95450, CAA14869, AAC73201, AAC65509, AAC67113, AAC45636, CAB08640, AAC22793, AAC07193, BAA24357, CAB13395, BAA01355, AAB35538, 1904153C, 1808265B, 1808265A,

CAA36866, CAA36869, CAA36868, CAA36867, CAA36776, and AAA99436. The amino acid sequences are publicly available.

A variety of MurG proteins from numerous organisms can be used to prepare models of MurG proteins and binding sites, including but not limited to, microorganisms such as bacteria, higher-order bacteria, thermal stable bacteria, spirochetes, small pathogenic organisms, fungi, protozoa, cyanobacteria, and trypanosomes. More particularly, bacteria such as but not limited to, *Escherichia coli*, *Bacillus subtilis*, *Aquefex aeolicus*, *Borrelia burgdorferi*, *Chlamydia pneumoniae*, *Chlamydia trachomatis*, *Enterococcus faecalis*, *Enterococcus hirae*, *Haemophilus influenzae*, *Helicobacter pylori* J99, *Helicobacter pylori*, *Mycobacterium tuberculosis*, *Porphyromonas gingivalis*, *Rickettsia prowazekii*, *Streptomyces coelicolor*, *Streptomyces collinus*, *Streptococcus pneumoniae*, *Synechocystis* sp. (strain PCC6803), *Thermotoga maritime*, and *Treponoma pallidum*. It is noted that nucleotide and amino acid sequences for many of the above identified organisms are known and publicly available.

Preferred target MurG proteins and binding site structures to model also include, but are not limited to, derivatives of MurG proteins, such as a MurG protein having one or more amino acid residues substituted, deleted or added (referred to herein as MurG mutants), or proteins encoded by natural variants of a nucleic acid molecule encoding a MurG.

In another embodiment of the invention, the process of building a homology model for a protein is divided into the following steps:

- (1) Determine which proteins are related to the model protein;
- (2) Determine structurally conserved regions (SCRs);
- (3) Align the amino acid sequence of the unknown protein with those of the reference protein(s) within the SCRs;
- (4) Assign coordinates in the conserved regions;
- (5) Predict conformations for the rest of the peptide chain, including loops between the SCRs and possibly the N- and C-termini;
- (6) Search for the optimum side chain conformations for residues that differ from those in the reference proteins; and
- (7) Use energy minimization and molecular dynamics to refine the molecular structure so that steric strain introduced during the model-building process can be relieved.

Published sequences are readily available through on-line databases on the Internet, such as SwissProt (<http://www.expasy.ch/sprot/sprot-top.html>). MurG specific and related sequences are obtained for use for building homology models by text-based or sequence similarity searching. SCRs for MurG is the entire protein, considering the E. coli MurG crystal structure is the only similar sequence with structural data. Alignment of the sequences using an appropriate alignment program and algorithm, such as Clustal W, allows appropriate assignment of the E. coli protein coordinates to a MurG sequence of unknown structure. The Modeler program performs the conformational predictions for the peptide chain and side chains. Dynamics and minimization using an appropriate program and algorithm, such as Discover.

Modeler Description:

Modeler is an automated homology-modeling scheme designed to find the most probable three-dimensional structure of a protein, given its amino acid sequence and its alignment with related structures. It derives 3D protein models without the time consuming separate stages of core region identification and loop region building or searching that is inherent to manual homology modeling schemes. The related or reference protein structures are used to derive spatial restraints expressed as probability density functions (PDFs) for each of the restrained features of the model. As an example, the main chain conformation of a given residue in the model will be described by restraints that depend upon the residue type, the main chain conformation of equivalent residues in the reference proteins and the local sequence similarity. The probability distribution functions that are used in restraining the model structure are derived from correlations between structural features in a database of families of homologous proteins aligned on the basis of their 3D structure. These functions are used to restrain C-C distances, main chain N--O distances, main chain and side chain dihedral angles, etc. The individual restraints are assembled into a single molecular probability density function (MPDF). The three-dimensional protein model is then obtained by an optimization of this MPDF. The optimization procedure itself consists of a variable target function method (Braun and Go, 1985) with conjugate gradient minimization scheme followed by an optional restrained simulated annealing molecular dynamics scheme.

While several reference structures are used in the traditional homology model building process, only one set of coordinates can be used in any one peptide segment. Modeler is able to simultaneously incorporate structural data from one or more reference proteins. Structural features in the reference proteins are used to derive spatial restraints which in turn are used to generate

model protein structures using conjugate gradient and simulated annealing optimization procedures.

Clustal W description:

5

Clustal W aligns multiple sequences using a progressive pairwise alignment algorithm. It first generates all possible pairwise alignments for a list of sequences and then builds the guide tree based on their pairwise sequence identity, aligning the sequences following the order of the guide tree. Several unique features in Clustal W improve the sensitivity of the alignment of divergent protein sequences (Thompson et al, 1994a).

10

- (1) Individual weights are assigned to each sequence in a partial alignment in order to downweight near-duplicate sequences and upweight the most divergent ones.
- (2) Amino acid substitution matrices are varied at different alignment stages according to the divergence of the sequences to be aligned.
- (3) Residue-specific gap penalties and locally reduced gap penalties in hydrophilic regions encourage new gaps in potential loop regions rather than regular secondary structure.
- (4) Positions in early alignments, where gaps have been opened, receive locally reduced gap penalties to encourage the opening of new gaps at these positions.

15

Discover Description:

20

The Discover program performs energy minimization, template forcing, torsion forcing, and dynamic trajectories and calculates properties such as interaction energies, derivatives, mean square displacements, and vibrational frequencies. It provides tools for performing simulations under various conditions including constant temperature, constant pressure, constant stress, periodic boundaries, and fixed and restrained atoms. Homology modeling methods are known to those skilled in the art and are described in the following homology references:

25

Bacon, D.J.; Anderson, W.F. "Multiple sequence alignment," J. Mol. Biol., 191, 153-161 (1990).

30

Barker, W. C.; George, D. G.; Hunt, L. T. "Protein Sequence Database," in Methods in Enzymology, 183, 49, Academic Press:San Diego (1990).

- Barton, G.J. "Protein multiple sequence alignment and flexible pattern matching," *Meth Enzymol*, 183, 403-428 (1990).
- Benedetti, E.; Morelli, G.; Nemethy, G; Scheraga H. A. "Statistical and Energetic Analysis of Side-chain Conformations in Oligopeptides," *Int. J. Peptide Protein Res.* 22, 1-15 (1983).
- 5 Berger, M.P.; Munson, P.J. "A novel randomized iterative strategy for aligning multiple protein sequences," *Comput Appl Biosci*, 7, 479-484 (1991).
- Blundell, T. L.; Sibanda, B. L.; Stenberg, M. J. E.; Thornton, J. M. "Knowledge-based prediction of protein structures and the design of novel molecules," *Nature*, 326, 347 (1987).
- Blundell, T.L.; Carney, D.; Gardner, S.; Hayes, F.; Howlin, B.; Hubbard, T.; Overington, J.; Singh,
10 D. A.; Sibanda, B. L.; Sutcliffe, M. "Knowledge-based protein modelling and design," *Eur. J. Biochem.*, 172, 513 (1988).
- Browne, W.J.; North, A.C.T.; Phillips, D. C.; Brew, K.; Vanaman, T. C.; Hill, R. L. "A Possible Three-dimensional Structure of Bovine γ -Lactalbumin based on that of Hen's Egg-White Lysozyme," *J. Mol. Biol.*, 42, 65 (1969).
- 15 Burks, C. et al. "GenBank: Current Status and Future Directions," in *Methods in Enzymology*, 183, 3-4, Academic Press: San Diego (1990).
- Chothia, C. "Hydrophobic Bonding and Accessible Surface Area in Proteins", *Nature*, 248, 338-339 (1974).
- Chothia, C. "The Nature of the Accessible and Buried Surfaces in Proteins," *J. Mol. Biol.*, 105, 1-14
20 (1976).
- Connolly, M.L. "Solvent-Accessible Surfaces of Proteins and Nucleic Acids", *Science*, 221, 709-713 (1983).
- Dayhoff, M. O.; Barker, W. C.; Hunt, L. T. "Establishing Homologies in Protein Sequences," *Methods in Enzymology*, 91, 524 (1983).
- 25 Dayhoff, M.O.; Schwartz, R.M.; Orcutt, B.C. "A model of evolutionary change in proteins," In: *Atlas of protein sequence and structure*, Dayhoff M.O., Ed., Washington:Natl. Biomed. Res. Found., Vol. 5, Suppl. 3, 345-352 (1978).
- Depiereux, E.; Feytrnans, E. "Simultaneous and multivariate alignment of protein sequences: correspondence between physicochemical profiles and structurally conserved regions (SCR),"
30 *Protein Engng*, 4, 603-613 (1991).
- Dill, K. "Dominant Forces in Protein Folding", *Biochem.*, 29, 7133-7155 (1990).

- Eisenberg, D.; Weiss, R.M.; Terwilliger, T.C.; Wilcox, W. "Hydrophobic Moments and Protein Structure," Faraday Symp. Chem. Soc., 17, 109-120 (1982).
- Eisenberg, D.; McLachlan, A.D. "Solvation Energy in Protein Folding and Binding", Nature, 319, 199-203 (1986).
- 5 EMBL Data Library; European Molecular Biology Laboratory, Postfach 10.2209, 6900, Heidelberg, Germany
- Engelman, D. M.; Steitz, T. A. "The spontaneous insertion of proteins into and across membranes: the helical hairpin hypothesis," Cell, 23, 411 (1981).
- Engelman, D. M.; Steitz, T. A.; Goldman, A. "Identifying Nonpolar Transbilayer Helices in
- 10 Amino Acid Sequences of Membrane Proteins," Ann. Rev. Biophys. Chem., 15, 321 (1986).
- Garner, J.; Robson, B. in Prediction of Protein Structure and the Principles of Protein Conformation, Fasman, G., Ed., Plenum: New York, Ch. 10, 417-465 (1989)
- GenBank database; IntelliGenetics, Inc., 700 El Camino Real East, Mountain View, CA 94040
- Gonnet, G.H. Cohen, M.A. Brenner, S.A. Science, 256,1433 (1992).
- 15 Greer, J. "Model for haptoglobin heavy chain based upon structural homology," Proc. Nat. Acad. Sci. U.S.A., 77, 3393 (1980).
- Greer, J. "Comparative Model-building of the Mammalian Serine Proteases," J. Mol. Biol., 153, 1027 (1981).
- Greer, J. "Model Structure for the Inflammatory Protein C5a," Science, 228, 1055 (1985).
- 20 Henikoff, S. and Henikoff, J.G. Proc. Natl. Acad. Sci. USA 89, 10915-10919 (1992).
- Hopp, T.P.; Woods, K. "Prediction of protein antigenic determinants from amino acid sequences," Proc. Natl. Acad. Sci. USA, 78, 3824-3828 (1981).
- Jackson, R.M.; Sternberg, M.J. "Protein Surface Area Defined", Nature, 366, 638 (1993).
- Janin, J. "Surface and inside volumes in globular proteins," Nature, 277, 491-492 (1979).
- 25 Johnson, M.S.; Doolittle, R.F. "A method for the simultaneous alignment of three or more amino acid sequence," J. Mol. Evol., 23, 267-278 (1986).
- Kabsch, W.; Sander, C. "Dictionary of protein secondary structure: Pattern recognition of hydrogen-bonded and geometrical features," Biopolymers, 22, 2577-2637 (1983).
- Kahn, P.; Cameron, G. "EMBL Data Library," in Methods in Enzymology, 183, 26, 31, Academic
- 30 Press: San Diego (1990).
- Karlin, S.; Altschul, S.F. "Methods for assessing the statistical significance of molecular sequence features by using general scoring schemes," Proc. Natl. Acad. Sci. USA, 87, 2264-2268 (1990).

- Karlin, S.; Dembo, A.; Kawabata, T. "Statistical composition of high-scoring segments from molecular sequences," *Ann. Stat.*, 18, 571-581 (1990).
- Karlin, S.; Brendel, V. "Chance and statistical significance in protein and DNA sequence analysis," *Science*, 257, 39-49 (1992).
- 5 Kyte, J.; Doolittle, R. F. "A Simple Method for Displaying the Hydrophobic Character of a Protein," *J. Mol. Biol.*, 157, 105-132 (1982).
- Lee, B.; Richards, F.M. "The Interpretation of Protein Structures: Estimation of Static Accessibility", *J. Mol. Biol.*, 55, 379-400 (1971).
- Lipman, D. J.; Pearson, W. R. "Rapid and Sensitive Protein Similarity Searches," *Science*, 227,
10 1435-1441 (1985).
- Lipman, D.J.; Altschul, S.F.; Kececioglu, J.D. "A tool for multiple sequence alignment," *Proc. Natl. Acad. Sci. USA*, 86, 4412-4415 (1989).
- Mas, M.T.; Smith, K.C.; Yarmush, D.L.; Aisaka, K.; Fine, R.M. "Modeling the anti-CEA antibody combining site by homology and conformational search," *Proteins: Struct., Func., and Genet.*, 14,
15 483-498 (1992).
- McGregor, M. J.; Islam, S. A.; Sternberg, M. J. "Analysis of the Relationship between Side-chain Conformation and Secondary Structure in Globular Proteins," *J. Mol. Biol.* 198, 195-210 (1987).
- Murata, M.; Richardson, J.S.; Sussman, J.L. "Simultaneous comparison of three protein sequences," *Proc. Natl. Acad. Sci. USA*, 82, 3073-3077 (1985).
- 20 Needleman, S. B.; Wunsch, C. D. "A General Method Applicable to the Search for Similarities in the Amino Acid Sequence of Two Proteins," *J. Mol. Biol.*, 48, 443-453 (1970).
- Novotny, J.; Brucoleri, R.; Karplus, M. "An Analysis of Incorrectly Folded Protein Models", *J. Mol. Biol.*, 177, 787-818 (1984).
- Ooi, T.; Oobatake, M.; Nernethy, G.; Scheraga, H. "Accessible Surface Areas as a Measure of the
25 Thermodynamic Parameters of Hydration of Peptides", *Proc. Natl. Acad. Sci.*, 84, 3086-3090 (1987).
- Pascarella, S. and Argos, P. "Analysis of insertions/deletions in protein structures", *J. Mol. Biol.* 224,461-471 (1992).
- Pearson, W. R.; Lipman, D. J. "Improved tools for biological sequence comparison," *Proc. Natl. Acad. Sci. USA*, 85, 2444-2448 (1988).
- 30 Pearson, W. R. "Rapid and sensitive sequence comparison with FASTP and FASTA," *Methods in Enzymology*, 183, 63-98 (1990).

PIR/NBRF database, National Biomedical Research Foundation, Georgetown University Medical Center, 3900 Reservoir Rd., NW, Washington, D.C. 20007

Ponder, J. W.; Richards, F. M. "Tertiary Templates in Proteins. Use of Packing Criteria in the Enumeration of Allowed Sequences for Different Structural Classes," *J. Mol.Biol.*, 193, 775-791 (1987).

Press, W. H.; Flannery, B. P.; Teukolsky, S. A.; Vetterling, W. T. *Numerical Recipes in C*, Cambridge University Press: Cambridge (1988).

Prevelige, Jr., P.; Fasman, G. in *Prediction of Protein Structure and the Principles of Protein Conformation*; Fasman, G., Ed.; Plenum: New York, Ch. 9, 391-416 (1989).

Saitou, N. and Nei, M. "The neighbor-joining method: a new method for reconstructing phylogenetic trees" *Mol. Biol. Evol.* 4, 406-425 (1987).

Schuler, G.D.; Altschul, S.F.; Lipman, D.J. "A workbench for multiple alignment construction and analysis," *Proteins Struct. Func. Gen.*, 9, 180-190 (1991).

Shenkin, P. S., Private communication (1992).

Shenkin, P. S.; Yarmush, D. L.; Fine, R. M.; Wang, H.; Levinthal, C. "Predicting Antibody Hypervariable Loop Conformation. 1. Ensembles of Random Conformations for Ringlike Structures," *Biopolymers*, 26, 2053-2085 (1987).

Shotton, D. M.; Watson, H. C. "Three-dimensional Structure of Tosyl-elastase," *Nature*, 225, 811 (1970).

Shrake, A.; Rupley, J.A. "Environment and Exposure to Solvent of Protein Atoms. Lysozyme and Insulin", *J. Mol. Biol.*, 79, 351-371 (1973).

Still, W. C.; Tempczyk, A.; Hawley, R. C.; Hendrickson, T. "Semianalytical Treatment of Solvation for Molecular Mechanics and Dynamics", *J. Am. Chem. Soc.*, 112, 6127-6129 (1990).

Summers, N. L.; Carlson, W. D.; Karplus, M. "Analysis of Side-chain Orientations in Homologous Proteins," *J. Mol. Biol.* 196, 175-198 (1987).

Thompson, J.D. Higgins, D.G. and Gibson, T.J. "CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice" *Nucl. Acids Res.* 22, 4673-4680(1994a).

Thompson, J.D. Higgins, D.G. and Gibson, T.J. "Improved sensitivity of profile searches through the use of sequence weights and gap excision" *CABIOS*, 10, 19-29 (1994b).

Vila, J.; Williams, R.L.; Vasquez, M.; Scheraga, H. A. "Empirical Solvation Models Can be Used to Differentiate Native From Near-native Conformations of Bovine Pancreatic Trypsin Inhibitor", *Proteins*, 10, 199-218 (1991).

Vingron, M; Argos, P. "A fast and sensitive multiple sequence alignment algorithm," *Comput. Appl. Biosci.*, 5, 115-121 (1989).

von Freyberg, B.; Richmond, T.J.; Braun, W. "Surface Area Included in Energy Refinement of Proteins: A Comparative Study on Atomic Solvation Parameters", *J. Mol. Biol.*, 233, 275-292 (1993).

Wesson, L.; Eisenberg, D. "Atomic Solvation Parameters Applied to Molecular Dynamics of Proteins in Solution", *Protein Science*, 1, 227-235 (1992).

Allen, F.H.; Kennard, O. "3D Search and Research Using the Cambridge Structural Database", *Chemical Design Automation News*, 8, 31-37 (1993).

Engh, R.A.; Huber, R. "Accurate Bond and Angle Parameters for X-ray Protein Structure Refinement", *Acta Cryst.*, A47, 292-300 (1991).

Laskowski, R.A.; MacArthur, M.W.; Moss, D.S.; Thornton, J.M. "PROCHECK: A Program to Check the Stereochemical Quality of Protein Structures", *J. Appl. Cryst.*, 26: 283(1993).

MacArthur, M.W.; Thornton, J.M. "Conformational Analysis of Protein Structures Derived From NMR Data", *Proteins*, 17, 232-251 (1993).

Mardia, K.V. *Statistics of Directional Data*, Academic Press, New York, p. 133 (1972).

Morris, A.L.; MacArthur, M.W.; Hutchinson, E.G.; Thornton, J.M. "Stereochemical Quality of Protein Structure Coordinates", *Proteins*, 12, 345-364 (1992).

The Modeler Program is known to those skilled in the art and is discussed in the following references:

Bernstein, F.C.; T.F.Koetzle, G.J.B.Williams, E.F.Meyer Jr, M.D.Brice, J.R.Rodgers, O.Kennard, T.Schimanouchi, M.Tasumi, "The protein data bank: A computer based archival file for macromolecular structures," *J.Mol. Biol.* 112, 535-542 (1977).

Blundell, T. L.; B. L. Sibanda; M. J. E. Sternberg; J. M. Thornton "Knowledge-based prediction of protein structures and the design of novel molecules" *Nature (London)* 326 347-352 (1987).

Blundell, T. L.; D. Carney; S. Gardner; F. Hayes; B. Howlin; T. Hubbard; J. Overinton; D. A. Singh; B. L. Sibanda; M. Sutcliffe "Knowledge-based protein modelling and design" *Eur. J. Biochem.* 172 513 (1988)

- Browne, W. J.; A.C.T. North; D.C. Phillips; K. Brew; T. C. Vanaman; R.C. Hill "A possible three-dimensional structure of bovine-lactalbumin based on that of hen's eggwhite lysozyme" J. Mol. Biol. 42 65-86 (1969).
- Braun, W. and N. Go "Calculation of protein conformations by proton-proton distance constraints: A new efficient algorithm" J. Mol. Biol. 186, 611-626 (1985).
- Brooks, B.R.; R.E. Bruccoleri, B.D. Olafson, D.J. States, S. Swaminathan, M.Karplus, J.Comp.Chem. 4,187 (1983)
- Greer, J. "Model for haptoglobin heavy chain based upon structural homology" Proc. Nat. Acad. Sc. U.S.A. 77 3393 (1980).
- Greer, J. "Comparative model-building of the mammalian serine proteases" J. Mol. Biol. 153 1027-1042 (1981).
- Greer, J. "Model structure for the Inflammatory Protein C5a" Science 228 1055 (1985).
- Matsumoto, R., A. ali, N. Ghildyal, M. Karplus, R. L. Stevens "Packaging of proteases and proteoglycans in the granules of mast cells and other hematopoietic cells" J. Biol. Chem, 270, 19524- 19531 (1995).
- Melo, F. & Feytmans, E. "Novel knowledge-based mean force potential at the atomic level" J. Mol. Biol. 267, 207-222 (1997)
- Nilsson, L.; M. Karplus, J. Comp. Chem., 7, 591 (1986). Ponder, Richards, J.Mol. Biol. 194 775-791 (1987).
- Sali, A. "Modeling mutations and homologous proteins," Curr. Opin. Biotech., 6 437-451 (1995a).
- Sali, A. "Protein modeling by satisfaction of spatial restraints" Molecular Medicine Today, 1 270-277 (1995b).
- Sali, A.; T.L. Blundell, "Definition of general topological equivalence in protein structures: A procedure involving comparison of properties and relationships through simulated annealing and dynamic programming," J. Mol. Biol., 212 403-428 (1990).
- Sali, A.; T.L. Blundell, "Comparative protein modeling,by satisfaction of spatial restraints," Mol. Biol., 234 779-815 (1993a).
- Sali, A.; R. Matsumoto, H.P. McNeil, M. Karplus, R.L. Stevens, "Three-dimensional models of four mouse mast cell chymases. Identification of proteoglycan-binding regions and protease-specific antigenic epitopes," J. Biol. Chem., 268 9023-9034 (1993b).
- Sali, A.; J.P. Overington, "Derivation of rules for comparative protein modeling from a database of protein structure alignments," Protein Sci., 31582-1596 (1994).

Sali, A.; L. Pottertone, F. Yuan, H. van Vlijmen and M. Karplus "Evaluation of comparative protein modeling by MODELLER" Proteins 23, 318-326 (1995).

Shotton, D. M.; H. C. Watson "Three-dimensional STructure of Tosyl-elastase" Nature 225 811 (1970).

5

The CFF Force Field is known to those skilled in the art and is discussed in the following references:

Baldridge, K.; Fine, R.; Hagler, A. J. Comp. Chem. 15, 1217-1227 (1994).

Dinur, U.; Hagler, A. T. J. Amer. Chem. Soc. 111, 5149-5151 (1989).

10 Dinur, U.; Hagler, A. T. In Reviews in Computational Chemistry, Vol. 2, K. B. Lipkowitz; D. B. Boyd, Eds., VCH Publishers: New York, 99-164 (1991).

Franci, M. M.; Pietro, W. J.; Hehre, W. J.; Binkley, J. S.; Gordon, M. S.; DeFrees, D. J.; Pople, J. A. J. Chem. Phys. 77, 3654-3665 (1982).

Hagler, A. T.; Huler, E.; Lifson, S. J. Amer. Chem. Soc. 96, 5319-5327 (1974).

15 Hagler, A. T.; Lifson, S.; Dauber, P. J. Amer. Chem. Soc. 101, 5122-5130 (1979a).

Hagler, A. T.; Dauber, P.; Lifson, S. J. Amer. Chem. Soc. 101, 5131-5141 (1979b).

Hariharan, P. C.; Pople, J. A. Theor. Chim. Acta 28, 213-222 (1973).

Hassan, M.; Nguyen, D. T.; Li, Z.; Hwang, M.-J.; Kitson, D. H.; Hagler, A. T. (in preparation).

Hwang, M.-J.; Stockfisch, T. P.; Hagler, A. T. J. Amer. Chem. Soc. 116, 2515-2525 (1994).

20 Kurihara, H.; Nguyen, D. T.; Hassan, M.; Hagler, A. T. (in preparation).

Maple, J. R.; Hwang, MA.; Stockfisch, T. P.; Dinur, U.; Waldman, M.; Ewig, C. S.; Hagler, A. T. J. Comp. Chem. 15, 162-182 (1994).

Michalska, D.; Schaad, L. J.; Carsky, P.; Hess, Jr., B. A.; Ewig, C. S. J. Comp. Chem., 9, 495(1988).

Waldman, M.; Hagler, A. T. J. Comp. Chem. 14,1077-1084 (1993).

25

All the references cited above are incorporated by reference in the entirety.

STRUCTURE BASED DRUG DESIGN

30

The present invention relates to the use of the crystal structure of the *E. coli* MurG protein represented by the atomic coordinates in Table 1 to make models of MurG proteins and binding sites

thereof. The present invention also relates to the use of the crystal structure, α -carbon backbone, α -carbon backbone plus conserved amino acid residue side chains or binding sites of the *E. coli* MurG protein to construct models of these structures in other MurG proteins.

For the first time, the present invention permits the use of molecular design techniques to design, select and synthesize chemical entities and compounds, including inhibitory compounds, capable of binding to the active site or accessory binding site of MURG, in whole or in part.

On approach enabled by this invention, is to use the structure coordinates of MURG to design compounds that bind to the enzyme and alter the physical properties of the compounds in different ways, e.g., solubility. For example, this invention enables the design of compounds that act as inhibitors of the MURG enzyme by binding to, all or a portion of, the active site of MURG.

A second design approach is to probe a MurG crystal with molecules composed of a variety of different chemical entities to determine optimal sites for interaction between candidate MURG inhibitors and the enzyme. For example, high resolution Xray diffraction data collected from crystals saturated with solvent allows the determination of where each type of solvent molecule sticks. Small molecules that bind tightly to those sites can then be designed and synthesized and tested for their MURG inhibitor activity. Travis, J., Science, 262, p. 1374 (1993).

This invention also enables the development of compounds that can isomerize to short-lived reaction intermediates in the chemical reaction of a substrate or other compound that binds to MURG, with MURG. Thus, the time-dependent analysis of structural changes in MURG during its interaction with other molecules is enabled. The reaction intermediates of MURG can also be deduced from the reaction product in co-complex with MURG. Such information is useful to design improved analogues of known MURG inhibitors or to design novel classes of inhibitors based on the reaction intermediates of the MURG enzyme and MURG-inhibitor co-complex. This provides a novel route for designing MURG inhibitors with both high specificity and stability.

Another approach made possible and enabled by this invention, is to screen computationally small molecule data bases for chemical entities or compounds that can bind in whole, or in part, to the MURG enzyme. In this screening, the quality of fit of such entities or compounds to the binding site may be judged either by shape complementarity or by estimated interaction energy. Meng, E. C. et al., J. Coma. Chem., 13, pp. 505-524 (1992).

Because MURG may crystallize in more than one crystal form, the structure coordinates of MURG, or portions thereof, as provided by this invention are particularly useful to solve the structure of those other crystal forms of MURG. They may also be used to solve the structure of

MURG mutants, MURG co-complexes, or of the crystalline form of any other protein with significant amino acid sequence homology to any functional domain of MURG.

One method that may be employed for this purpose is molecular replacement. In this method, the unknown crystal structure, whether it is another crystal form of MURG, a MurG mutant, or a MurG co-complex, or the crystal of some other protein with significant amino acid sequence homology to any functional domain of MURG, may be determined using the MURG structure coordinates of this invention as provided in Tables 1-6. This method will provide an accurate structural form for the unknown crystal more quickly and efficiently than attempting to determine such information ab initio.

In addition, in accordance with this invention, MURG mutants may be crystallized in co-complex with known MURG inhibitors. The crystal structures of a series of such complexes may then be solved by molecular replacement and compared with that of wild-type MURG. Potential sites for modification within the various binding sites of the enzyme may thus be identified. This information/provides an additional tool for determining the most efficient binding interactions, for example, increased hydrophobic interactions, between MURG and a chemical entity or compound.

All of the complexes referred to above may be studied using well-known X-ray diffraction techniques and may be refined versus 2-3 .ANG. resolution X-ray data to an R value of about 0.20 or less using computer software, such as X-PLOR (Yale University, .COPYRGHT.1992, distributed by Molecular Simulations, Inc.). See, e.g., Blundel & Johnson, *supra*; Methods in Enzymology, vol. 114 & 115, H. W. Wyckoff et al., eds., Academic Press (1985). This information may thus be used to design, synthesize and optimize novel classes of MURG inhibitors.

The structure coordinates of MURG mutants provided in this invention also facilitate the identification of related proteins or enzymes analogous to MURG in function, structure or both, thereby further leading to novel therapeutic modes for treating or preventing UDP-glycosyltransferase mediated diseases.

The design of compounds that bind to or inhibit MURG according to this invention generally involves consideration of two factors. First, the compound must be capable of physically and structurally associating with MURG. Non-covalent molecular interactions important in the association of MURG with its substrate include hydrogen bonding, van der Waals and hydrophobic interactions.

Second, the compound must be able to assume a conformation that allows it to associate with MURG. Although certain portions of the compound will not directly participate in this association

with MURG, those portions may still influence the overall conformation of the molecule. This, in turn, may have a significant impact on potency. Such conformational requirements include the overall three-dimensional structure and orientation of the chemical entity or compound in relation to all or a portion of the binding site, e.g., active site or accessory binding site of MURG, or the spacing
5 between functional groups of a compound comprising several chemical entities that directly interact with MURG.

The potential inhibitory or binding effect of a chemical compound on MURG may be analyzed prior to its actual synthesis and testing by the use of computer modelling techniques. If the theoretical structure of the given compound suggests insufficient interaction and association between
10 it and MURG, synthesis and testing of the compound is obviated. However, if computer modelling indicates a strong interaction, the molecule may then be synthesized and tested for its ability to bind to MURG and inhibit using the assay of Walker et al. patents (cited supra). In this manner, synthesis of inoperative compounds may be avoided.

An inhibitory or other binding compound of MURG may be computationally evaluated and
15 designed by means of a series of steps in which chemical entities or fragments are screened and selected for their ability to associate with the individual binding pockets or other areas of MURG.

One skilled in the art may use one of several methods to screen chemical entities or fragments for their ability to associate with MURG and more particularly with the individual binding pockets of the MURG donor nucleotide binding site, acceptor binding site or membrane association
20 site. This process may begin by visual inspection of, for example, the binding sites on the computer screen based on the MURG coordinates in Tables 1-6. Selected fragments or chemical entities may then be positioned in a variety of orientations, or docked, within an individual binding pocket of MURG as defined supra. Docking may be accomplished using software such as Quanta and Sybyl, followed by energy minimization and molecular dynamics with standard molecular mechanics
25 forcefields, such as CHARMM and AMBER.

Specialized computer programs may also assist in the process of selecting fragments or chemical entities, including but not limited to:

1. GRID (Goodford, P. J., "A Computational Procedure for Determining Energetically Favorable Binding Sites on Biologically Important Macromolecules" J. Med. Chem., 28, pp. 849-857
30 (1985)). GRID is available from Oxford University, Oxford, UK.

2. MCSS (Miranker, A. and M. Karplus, "Functionality Maps of Binding Sites: A Multiple Copy Simultaneous Search Method." *Proteins: Structure, Function and Genetics*, 11, pp. 29-34 (1991)). MCSS is available from Molecular Simulations, Burlington, Mass.

3. AUTODOCK (Goodsell, D. S. and A. J. Olsen, "Automated Docking of Substrates to Proteins by Simulated Annealing" *Proteins: Structure, Function, and Genetics*, 8, pp. 195-202 (1990)) (AUTODOCK is available from Scripps Research Institute, La Jolla, Calif.).

4. DOCK (Kuntz, I. D. et al., "A Geometric Approach to Macromolecule-Ligand Interactions" *J. Mol. Biol.*, 161, pp. 269-288 (1982)). DOCK is available from University of California, San Francisco, Calif.

Once suitable chemical entities or fragments have been selected, they can be assembled into a single compound or inhibitor. Assembly may be proceed by visual inspection of the relationship of the fragments to each other on the three-dimensional image displayed on a computer screen in relation to the structure coordinates of MURG. This would be followed by manual model building using software such as Quanta or Sybyl.

Useful programs to aid one of skill in the art in connecting the individual chemical entities or fragments include, but are not limited to:

1. CAVEAT (Bartlett, P. A. et al, "CAVEAT: A Program to Facilitate the Structure - Derived Design of Biologically Active Molecules". In *Molecular Recognition in Chemical and Biological Problems*", Special Pub., Royal Chem. Soc., 78, pp. 182-196 (1989)). CAVEAT is available from the University of California, Berkeley, Calif.

2. 3D Database systems such as MACCS-3D (MDL Information Systems, San Leandro, Calif). This area is reviewed in Martin, Y. C., "313 Database Searching in Drug Design", *J. Med. Chem.*, 35, pp. 2145-2154 (1992)).

3. HOOK (available from Molecular Simulations, Burlington, Mass.).

Instead of proceeding to build a MurG inhibitor in a step-wise fashion one fragment or chemical entity at a time as described above, inhibitory or other MURG binding compounds may be designed as a whole or "de novo" using either an empty active site or optionally including some portion(s) of a known inhibitor(s). These methods include, but are not limited to:

1. LUDI (Bohm, H.-J., "The Computer Program LUDI: A New Method for the De Novo Design of Enzyme Inhibitors", *J. ComR. Aid. Molec. Design*, 6, pp. 61-78 (1992)). LUDI is available from Biosym Technologies, San Diego, Calif.

2. LEGEND (Nishibata, Y. and A. Itai, Tetrahedron, 47, p. 8985 (1991)). LEGEND is available from Molecular Simulations, Burlington, Mass.

3. LeapFrog (available from Tripos Associates, St. Louis, Mo.).

5

10

Other molecular modeling techniques may also be employed in accordance with this invention. See, e.g., Cohen, N. C. et al., "Molecular Modeling Software and Methods for Medicinal Chemistry, J. Med. Chem., 33, pp. 883-894 (1990). See also, Navia, M. A. and M. A. Murcko, "The Use of Structural Information in Drug Design", Current Opinions in Structural Biology, 2, pp. 202-210 (1992).

15

20

Once a compound has been designed or selected by the above methods, the efficiency with which that compound may bind to MURG may be tested and optimized by computational evaluation. For example, a compound that has been designed or selected to function as a MurG-inhibitor must also preferably traverse a volume not overlapping that occupied by the active site when it is bound to the native substrate. An effective MURG inhibitor must preferably demonstrate a relatively small difference in energy between its bound and free states (i.e., a small deformation energy of binding). Thus, the most efficient MURG inhibitors should preferably be designed with a deformation energy of binding of not greater than about 10 kcal/mole, preferably, not greater than 7 kcal/mole. MURG inhibitors may interact with the enzyme in more than one conformation that is similar in overall binding energy. In those cases, the deformation energy of binding is taken to be the difference between the energy of the free compound and the average energy of the conformations observed when the inhibitor binds to the enzyme.

25

A compound designed or selected as binding to MURG may be further computationally optimized so that in its bound state it would preferably lack repulsive electrostatic interaction with the target enzyme. Such non-complementary (e.g., electrostatic) interactions include repulsive charge-charge, dipole-dipole and chargedipole interactions. Specifically, the sum of all electrostatic interactions between the inhibitor and the enzyme when the inhibitor is bound to MURG, preferably make a neutral or favorable contribution to the enthalpy of binding.

30

Specific computer software is available in the art to evaluate compound deformation energy and electrostatic interaction. Examples of programs designed for such uses include, but are not limited to: Gaussian 92, revision C [M. J. Frisch, Gaussian, Inc., Pittsburgh, Pa. COPYRIGHT. 1992]; AMBER, version 4.0 [P. A. Kollman, University of California at San Francisco,

COPYRIGHT. 1994]; QUANTA/CHARMM [Molecular Simulations, Inc., Burlington, Mass. COPYRIGHT. 1994]; and Insight II[Discover (Biosym Technologies Inc., San Diego, Calif COPYRIGHT. 1994). These programs may be implemented, for instance, using a Silicon Graphics workstation, IRIS Octane or IBM RISC/6000 workstation. Other hardware systems and software packages will be known to those skilled in the art.

Once a MurG-binding compound has been optimally selected or designed, as described above, substitutions may then be made in some of its atoms or side groups in order to improve or modify its binding properties. Generally, initial substitutions are conservative, i.e., the replacement group will have approximately the same size, shape, hydrophobicity and charge as the original group. It should, of course, be understood that components known in the art to alter conformation should be avoided. Such substituted chemical compounds may then be analyzed for efficiency of fit to MURG by the same computer methods described in detail, above.

COMPOUNDS AND COMPOSITIONS COMPRISING COMPOUNDS DERIVED FROM STRUCTURE BASED DRUG DESIGN

One embodiment of the present invention is a compound that is capable of binding to a MurG protein, inhibiting the activity of a MurG protein, or stimulating the activity of a MurG protein. Suitable inhibitory compounds of the present invention can: (1) inhibit (i.e., prevent or block) the activity of MurG enzyme by binding to a MurG donor nucleotide binding site and interfering with the binding of the donor nucleotide molecule; (2) inhibit the activity of MurG enzyme by binding to the MurG acceptor binding site and interfering with the binding of the acceptor molecule; (3) inhibit the activity of a MurG enzyme by binding to the membrane association site and interfering with the association of the protein with the bacterial membrane and/or acceptor molecule.

Another embodiment of the present invention is a compound that is capable of stimulating MurG activity. Suitable stimulatory compounds of the present invention can stimulate the activity of a MurG enzyme by binding to the protein at a binding site and causing an increase in enzymatic activity, for example, by increasing the enzymes affinity to bind a donor nucleotide, an acceptor molecule or improve the enzymes stability or increasing the binding affinity of a molecule to MurG.

Such compounds that bind to, inhibit or stimulate activity of a MurG protein include, for example, compounds that mimic donor nucleotide molecules. In preferred embodiments, the

compound includes, for example, pyrimidine nucleoside analogues. In yet another preferred embodiment, the compounds include compounds comprising a pyrimidine nucleoside with a substituent containing at least one heteroatom attached to the C5 hydroxyl. In more particular embodiments, pyrimidine derivatives make complementary hydrogen bonding contacts to the amide backbone segment containing Ile 245 and also contact glutamate 269.

Another embodiment of the present invention is a compound that binds to the acceptor binding site of the MurG protein, hereinafter referred to as acceptor analogs. An acceptor analog refers to a compound that interacts with (e.g., binds to, associates with, modifies) the acceptor binding site of a MurG protein. An acceptor analog, for example, is a compound that mimics the natural acceptor molecule, Lipid I. Examples of such acceptor analogs are set forth in Ha et al., J. Amer. Chem. Soc. 1999, and PCT/US99/02187, U.S. Provisional Application No. 60/073,376 filed February 2, 1998, incorporated herein by reference.

Another embodiment of the present invention is a compound that binds to the MurG protein, that are enzyme product analogs, hereinafter referred to as Lipid II analogs. A Lipid II analog refers to a compound that interacts with (i.e., binds to, associates with, modifies) the acceptor binding site of a Mur G protein which mimics the product of the transglycosylase reaction.

Inhibitory and stimulatory compounds of the present invention can be identified by various means known to those of skill in the art. For example, binding of an inhibitory compound to, or otherwise interaction with, a MurG protein, can be determined with MurG in solution, for example, using assays described in PCT/US99/02187, U.S. Provisional Application No. 60/073,376 filed February 2, 1998, and PCT/US00/05554, U.S. Provisional Application Nos. 60/122,966 and 60/137,696, incorporated herein by reference.

According to the present invention, suitable compounds of the present invention include peptides or other organic molecules, and inorganic molecules. Suitable organic molecules include small organic molecules. Preferably, a compound of the present invention is not harmful (i.e., toxic) to an animal when administered to an animal.

Compounds of the present invention also can be identified using structure based drug design techniques known to those skilled in the art and described herein above.

Also according to the present invention, compounds are suitable for use in the inhibition of bacterial or microbial growth in an animal, and for example, function as an antibiotic for treatment of bacterial infections in animals.

The present invention also includes compositions comprising compounds of the present invention that inhibit or stimulate MurG activity which function as antibiotics or antimicrobial agents in animals. Compositions of the present invention can be used therapeutically or diagnostically in an animal. Compositions of the present invention comprises at least one compound
5 of the present invention. In a preferred embodiment, compositions of the present invention further comprise a carrier. More particularly, a suitable carrier is a pharmaceutically acceptable carrier known to those skilled in the art.

TABLE 1- ATOMIC COORDINATES OF E. COLI MURG PROTEIN

```

REMARK coordinates from minimization refinement
REMARK refinement resolution: 40.0 - 1.9 A
5  REMARK starting r= 0.2200 free_r= 0.2466
REMARK final    r= 0.2200 free_r= 0.2466
REMARK rmsd bonds= 0.005558  rmsd angles=  1.29505
REMARK wa= 1.08391
REMARK target= mlf cycles= 1 steps= 30
10  REMARK sg= P1 a= 60.613 b= 66.356 c= 67.902 alpha= 64.294 beta= 83.520 gamma= 65.448
REMARK parameter file 1 : CNS_TOPPAR:protein_rep.param
REMARK parameter file 2 : CNS_TOPPAR:water_rep.param
REMARK parameter file 3 : CNS_TOPPAR:ion.param
REMARK molecular structure file: gen.mtf
15  REMARK input coordinates: gen.pdb
REMARK reflection file= native.cv
REMARK ncs= none
REMARK B-correction resolution: 6.0 - 1.9
REMARK initial B-factor correction applied to fobs :
20  REMARK  B11=  0.747 B22=  2.098 B33= -2.845
REMARK  B12= -1.847 B13= -3.752 B23=  6.401
REMARK B-factor correction applied to coordinate array B:  0.038
REMARK bulk solvent: density level= 0.351665 e/A^3, B-factor= 43.8282 A^2
REMARK reflections with |Fobs|/sigma_F < 2.0 rejected
25  REMARK reflections with |Fobs| > 10000 * rms(Fobs) rejected
REMARK theoretical total number of refl. in resol. range:  68102 (100.0 % )
REMARK number of unobserved reflections (no entry or |F|=0):  2825 (  4.1 % )
REMARK number of reflections rejected:  3288 (  4.8 % )
REMARK total number of reflections used:  61989 ( 91.0 % )
30  REMARK number of reflections in working set:  55765 ( 81.9 % )
REMARK number of reflections in test set:  6224 (  9.1 % )
CRYST1  60.613  66.356  67.902  64.29  83.52  65.45 P 1
REMARK FILENAME="minimize5.pdb"
REMARK DATE:14-Jan-00  15:25:36      created by user: sha
35  REMARK VERSION:0.5
ATOM      1  CB  LYS  A   7           0.142   3.434  35.023   1.00  43.02   AAAA
ATOM      2  CG  LYS  A   7           1.076   4.457  35.641   1.00  46.34   AAAA
ATOM      3  CD  LYS  A   7           0.452   5.841  35.634   1.00  47.39   AAAA
ATOM      4  CE  LYS  A   7           1.345   6.846  36.332   1.00  48.65   AAAA
40  ATOM      5  NZ  LYS  A   7           0.780   8.221  36.276   1.00  51.04   AAAA
ATOM      6  C   LYS  A   7          -2.239   2.733  34.833   1.00  39.64   AAAA
ATOM      7  O   LYS  A   7          -2.050   1.717  34.160   1.00  39.64   AAAA
ATOM      8  N   LYS  A   7          -0.974   2.320  36.947   1.00  42.05   AAAA
ATOM      9  CA  LYS  A   7          -1.170   3.245  35.788   1.00  41.31   AAAA
45  ATOM     10  N   ARG  A   8          -3.357   3.451  34.773   1.00  37.24   AAAA

```

5	ATOM	11	CA	ARG	A	8	-4.469	3.076	33.906	1.00	34.91	AAAA
	ATOM	12	CB	ARG	A	8	-5.782	3.109	34.686	1.00	36.65	AAAA
	ATOM	13	CG	ARG	A	8	-5.950	2.017	35.721	1.00	39.89	AAAA
	ATOM	14	CD	ARG	A	8	-7.323	2.124	36.356	1.00	42.12	AAAA
	ATOM	15	NE	ARG	A	8	-7.663	0.960	37.163	1.00	45.03	AAAA
	ATOM	16	CZ	ARG	A	8	-7.031	0.610	38.279	1.00	46.29	AAAA
	ATOM	17	NH1	ARG	A	8	-6.015	1.337	38.725	1.00	46.88	AAAA
	ATOM	18	NH2	ARG	A	8	-7.420	-0.466	38.952	1.00	47.41	AAAA
10	ATOM	19	C	ARG	A	8	-4.584	3.999	32.696	1.00	32.27	AAAA
	ATOM	20	O	ARG	A	8	-4.602	5.224	32.832	1.00	31.60	AAAA
	ATOM	21	N	LEU	A	9	-4.663	3.403	31.512	1.00	29.57	AAAA
	ATOM	22	CA	LEU	A	9	-4.792	4.171	30.283	1.00	27.45	AAAA
15	ATOM	23	CB	LEU	A	9	-3.581	3.954	29.362	1.00	26.31	AAAA
	ATOM	24	CG	LEU	A	9	-3.752	4.466	27.916	1.00	25.77	AAAA
	ATOM	25	CD1	LEU	A	9	-3.670	5.985	27.895	1.00	24.31	AAAA
	ATOM	26	CD2	LEU	A	9	-2.679	3.870	26.993	1.00	26.22	AAAA
20	ATOM	27	C	LEU	A	9	-6.038	3.762	29.523	1.00	25.97	AAAA
	ATOM	28	O	LEU	A	9	-6.397	2.587	29.485	1.00	25.57	AAAA
	ATOM	29	N	MET	A	10	-6.713	4.738	28.928	1.00	25.37	AAAA
	ATOM	30	CA	MET	A	10	-7.866	4.429	28.101	1.00	24.70	AAAA
25	ATOM	31	CB	MET	A	10	-9.142	5.101	28.612	1.00	25.60	AAAA
	ATOM	32	CG	MET	A	10	-10.323	4.873	27.675	1.00	25.77	AAAA
	ATOM	33	SD	MET	A	10	-11.916	4.958	28.492	1.00	26.63	AAAA
	ATOM	34	CE	MET	A	10	-12.197	3.222	28.862	1.00	25.72	AAAA
30	ATOM	35	C	MET	A	10	-7.528	4.943	26.715	1.00	23.31	AAAA
	ATOM	36	O	MET	A	10	-7.198	6.116	26.544	1.00	24.02	AAAA
	ATOM	37	N	VAL	A	11	-7.574	4.059	25.727	1.00	22.25	AAAA
	ATOM	38	CA	VAL	A	11	-7.278	4.461	24.359	1.00	22.34	AAAA
35	ATOM	39	CB	VAL	A	11	-6.444	3.386	23.624	1.00	22.75	AAAA
	ATOM	40	CG1	VAL	A	11	-6.256	3.768	22.158	1.00	20.51	AAAA
	ATOM	41	CG2	VAL	A	11	-5.082	3.239	24.310	1.00	21.75	AAAA
	ATOM	42	C	VAL	A	11	-8.612	4.654	23.646	1.00	22.94	AAAA
40	ATOM	43	O	VAL	A	11	-9.525	3.843	23.804	1.00	23.37	AAAA
	ATOM	44	N	MET	A	12	-8.722	5.734	22.878	1.00	22.18	AAAA
	ATOM	45	CA	MET	A	12	-9.949	6.034	22.146	1.00	23.10	AAAA
	ATOM	46	CB	MET	A	12	-10.496	7.399	22.589	1.00	22.78	AAAA
45	ATOM	47	CG	MET	A	12	-10.359	7.655	24.096	1.00	23.92	AAAA
	ATOM	48	SD	MET	A	12	-10.955	9.279	24.657	1.00	25.51	AAAA
	ATOM	49	CE	MET	A	12	-9.641	10.349	24.162	1.00	22.79	AAAA
	ATOM	50	C	MET	A	12	-9.582	6.072	20.673	1.00	22.97	AAAA
	ATOM	51	O	MET	A	12	-8.917	6.997	20.226	1.00	21.16	AAAA
	ATOM	52	N	ALA	A	13	-9.992	5.057	19.921	1.00	26.97	AAAA
	ATOM	53	CA	ALA	A	13	-9.665	5.008	18.498	1.00	30.88	AAAA
	ATOM	54	CB	ALA	A	13	-8.381	4.212	18.288	1.00	31.18	AAAA
	ATOM	55	C	ALA	A	13	-10.813	4.412	17.685	1.00	34.35	AAAA

	ATOM	56	O	ALA	A	13	-11.328	3.335	18.006	1.00	35.86	AAAA
	ATOM	57	N	GLY	A	14	-11.176	5.127	16.622	1.00	37.37	AAAA
	ATOM	58	CA	GLY	A	14	-12.287	4.762	15.757	1.00	40.54	AAAA
	ATOM	59	C	GLY	A	14	-12.239	3.583	14.808	1.00	41.52	AAAA
5	ATOM	60	O	GLY	A	14	-11.267	2.831	14.755	1.00	43.26	AAAA
	ATOM	61	N	GLY	A	15	-13.322	3.451	14.042	1.00	42.70	AAAA
	ATOM	62	CA	GLY	A	15	-13.491	2.363	13.094	1.00	43.13	AAAA
	ATOM	63	C	GLY	A	15	-12.660	2.286	11.825	1.00	43.41	AAAA
	ATOM	64	O	GLY	A	15	-13.212	2.187	10.730	1.00	44.39	AAAA
10	ATOM	65	N	THR	A	16	-11.340	2.333	11.966	1.00	43.38	AAAA
	ATOM	66	CA	THR	A	16	-10.426	2.204	10.833	1.00	43.22	AAAA
	ATOM	67	CB	THR	A	16	-10.120	3.551	10.110	1.00	44.23	AAAA
	ATOM	68	OG1	THR	A	16	-9.302	4.375	10.949	1.00	44.41	AAAA
	ATOM	69	CG2	THR	A	16	-11.404	4.286	9.754	1.00	43.74	AAAA
15	ATOM	70	C	THR	A	16	-9.118	1.679	11.402	1.00	43.06	AAAA
	ATOM	71	O	THR	A	16	-8.728	2.042	12.517	1.00	42.99	AAAA
	ATOM	72	N	GLY	A	17	-8.453	0.810	10.649	1.00	41.81	AAAA
	ATOM	73	CA	GLY	A	17	-7.190	0.268	11.109	1.00	40.71	AAAA
	ATOM	74	C	GLY	A	17	-6.202	1.401	11.275	1.00	39.54	AAAA
20	ATOM	75	O	GLY	A	17	-5.275	1.330	12.085	1.00	39.73	AAAA
	ATOM	76	N	GLY	A	18	-6.413	2.460	10.500	1.00	37.79	AAAA
	ATOM	77	CA	GLY	A	18	-5.539	3.611	10.572	1.00	35.68	AAAA
	ATOM	78	C	GLY	A	18	-5.394	4.116	11.994	1.00	34.88	AAAA
	ATOM	79	O	GLY	A	18	-4.285	4.441	12.427	1.00	35.21	AAAA
25	ATOM	80	N	HIS	A	19	-6.503	4.186	12.728	1.00	32.89	AAAA
	ATOM	81	CA	HIS	A	19	-6.454	4.664	14.110	1.00	32.14	AAAA
	ATOM	82	CB	HIS	A	19	-7.759	5.371	14.504	1.00	30.28	AAAA
	ATOM	83	CG	HIS	A	19	-8.150	6.504	13.605	1.00	28.85	AAAA
	ATOM	84	CD2	HIS	A	19	-9.336	6.808	13.027	1.00	27.83	AAAA
30	ATOM	85	ND1	HIS	A	19	-7.288	7.524	13.265	1.00	28.68	AAAA
	ATOM	86	CE1	HIS	A	19	-7.926	8.407	12.517	1.00	28.09	AAAA
	ATOM	87	NE2	HIS	A	19	-9.170	7.996	12.358	1.00	27.45	AAAA
	ATOM	88	C	HIS	A	19	-6.229	3.533	15.108	1.00	31.91	AAAA
	ATOM	89	O	HIS	A	19	-5.480	3.684	16.072	1.00	31.76	AAAA
35	ATOM	90	N	VAL	A	20	-6.895	2.407	14.881	1.00	31.82	AAAA
	ATOM	91	CA	VAL	A	20	-6.813	1.271	15.788	1.00	33.08	AAAA
	ATOM	92	CB	VAL	A	20	-7.875	0.215	15.430	1.00	33.31	AAAA
	ATOM	93	CG1	VAL	A	20	-7.766	-0.982	16.361	1.00	33.91	AAAA
	ATOM	94	CG2	VAL	A	20	-9.260	0.830	15.540	1.00	34.25	AAAA
40	ATOM	95	C	VAL	A	20	-5.452	0.587	15.898	1.00	33.31	AAAA
	ATOM	96	O	VAL	A	20	-4.977	0.337	17.008	1.00	32.99	AAAA
	ATOM	97	N	PHE	A	21	-4.823	0.288	14.765	1.00	33.64	AAAA
	ATOM	98	CA	PHE	A	21	-3.526	-0.385	14.794	1.00	33.68	AAAA
	ATOM	99	CB	PHE	A	21	-3.020	-0.648	13.368	1.00	35.58	AAAA
45	ATOM	100	CG	PHE	A	21	-3.900	-1.578	12.577	1.00	39.10	AAAA

	ATOM	146	CB	HIS	A	28	1.024	-4.214	22.924	1.00	30.20	AAAA
	ATOM	147	CG	HIS	A	28	-0.112	-5.080	22.483	1.00	31.65	AAAA
	ATOM	148	CD2	HIS	A	28	-0.764	-5.162	21.299	1.00	31.33	AAAA
	ATOM	149	ND1	HIS	A	28	-0.717	-5.996	23.319	1.00	31.81	AAAA
5	ATOM	150	CE1	HIS	A	28	-1.696	-6.600	22.670	1.00	32.38	AAAA
	ATOM	151	NE2	HIS	A	28	-1.747	-6.112	21.443	1.00	32.85	AAAA
	ATOM	152	C	HIS	A	28	2.054	-2.989	24.823	1.00	30.90	AAAA
	ATOM	153	O	HIS	A	28	2.537	-3.601	25.779	1.00	30.92	AAAA
	ATOM	154	N	HIS	A	29	2.636	-1.939	24.263	1.00	30.28	AAAA
10	ATOM	155	CA	HIS	A	29	3.899	-1.415	24.742	1.00	30.76	AAAA
	ATOM	156	CB	HIS	A	29	4.276	-0.195	23.911	1.00	31.40	AAAA
	ATOM	157	CG	HIS	A	29	5.679	0.274	24.122	1.00	33.14	AAAA
	ATOM	158	CD2	HIS	A	29	6.188	1.226	24.939	1.00	33.77	AAAA
	ATOM	159	ND1	HIS	A	29	6.748	-0.240	23.420	1.00	34.47	AAAA
15	ATOM	160	CE1	HIS	A	29	7.855	0.381	23.791	1.00	34.76	AAAA
	ATOM	161	NE2	HIS	A	29	7.542	1.275	24.711	1.00	34.09	AAAA
	ATOM	162	C	HIS	A	29	3.835	-1.032	26.227	1.00	31.63	AAAA
	ATOM	163	O	HIS	A	29	4.763	-1.315	26.990	1.00	30.76	AAAA
	ATOM	164	N	LEU	A	30	2.744	-0.388	26.638	1.00	29.72	AAAA
20	ATOM	165	CA	LEU	A	30	2.603	0.035	28.028	1.00	30.08	AAAA
	ATOM	166	CB	LEU	A	30	1.631	1.225	28.126	1.00	29.45	AAAA
	ATOM	167	CG	LEU	A	30	2.107	2.503	27.420	1.00	28.69	AAAA
	ATOM	168	CD1	LEU	A	30	1.026	3.587	27.477	1.00	27.76	AAAA
	ATOM	169	CD2	LEU	A	30	3.383	2.998	28.075	1.00	28.99	AAAA
25	ATOM	170	C	LEU	A	30	2.153	-1.096	28.950	1.00	30.55	AAAA
	ATOM	171	O	LEU	A	30	2.538	-1.136	30.120	1.00	31.28	AAAA
	ATOM	172	N	MET	A	31	1.340	-2.012	28.438	1.00	31.26	AAAA
	ATOM	173	CA	MET	A	31	0.884	-3.130	29.256	1.00	33.71	AAAA
	ATOM	174	CB	MET	A	31	-0.118	-3.999	28.494	1.00	34.12	AAAA
30	ATOM	175	CG	MET	A	31	-1.452	-3.341	28.249	1.00	34.98	AAAA
	ATOM	176	SD	MET	A	31	-2.618	-4.475	27.485	1.00	38.51	AAAA
	ATOM	177	CE	MET	A	31	-2.086	-4.401	25.803	1.00	37.49	AAAA
	ATOM	178	C	MET	A	31	2.078	-3.987	29.664	1.00	35.03	AAAA
	ATOM	179	O	MET	A	31	2.101	-4.548	30.758	1.00	36.09	AAAA
35	ATOM	180	N	ALA	A	32	3.062	-4.085	28.776	1.00	35.62	AAAA
	ATOM	181	CA	ALA	A	32	4.262	-4.871	29.044	1.00	37.61	AAAA
	ATOM	182	CB	ALA	A	32	5.049	-5.087	27.755	1.00	37.79	AAAA
	ATOM	183	C	ALA	A	32	5.133	-4.158	30.070	1.00	38.72	AAAA
	ATOM	184	O	ALA	A	32	6.223	-4.621	30.409	1.00	39.48	AAAA
40	ATOM	185	N	GLN	A	33	4.654	-3.022	30.560	1.00	38.28	AAAA
	ATOM	186	CA	GLN	A	33	5.408	-2.275	31.548	1.00	38.14	AAAA
	ATOM	187	CB	GLN	A	33	5.903	-0.969	30.941	1.00	39.68	AAAA
	ATOM	188	CG	GLN	A	33	6.856	-1.210	29.791	1.00	42.76	AAAA
	ATOM	189	CD	GLN	A	33	7.262	0.061	29.096	1.00	44.20	AAAA
45	ATOM	190	OE1	GLN	A	33	7.803	0.975	29.717	1.00	46.28	AAAA

	ATOM	191	NE2	GLN	A	33	7.002	0.131	27.795	1.00	44.60	AAAA
	ATOM	192	C	GLN	A	33	4.576	-2.020	32.787	1.00	36.68	AAAA
	ATOM	193	O	GLN	A	33	4.822	-1.075	33.532	1.00	37.34	AAAA
	ATOM	194	N	GLY	A	34	3.585	-2.877	33.000	1.00	35.86	AAAA
5	ATOM	195	CA	GLY	A	34	2.738	-2.755	34.170	1.00	35.52	AAAA
	ATOM	196	C	GLY	A	34	1.461	-1.951	34.008	1.00	34.34	AAAA
	ATOM	197	O	GLY	A	34	0.611	-1.974	34.897	1.00	33.67	AAAA
	ATOM	198	N	TRP	A	35	1.314	-1.248	32.890	1.00	34.23	AAAA
	ATOM	199	CA	TRP	A	35	0.121	-0.435	32.661	1.00	33.63	AAAA
10	ATOM	200	CB	TRP	A	35	0.324	0.509	31.474	1.00	34.84	AAAA
	ATOM	201	CG	TRP	A	35	1.150	1.722	31.753	1.00	35.09	AAAA
	ATOM	202	CD2	TRP	A	35	0.722	3.087	31.659	1.00	36.11	AAAA
	ATOM	203	CE2	TRP	A	35	1.840	3.897	31.957	1.00	36.13	AAAA
	ATOM	204	CE3	TRP	A	35	-0.499	3.705	31.350	1.00	37.33	AAAA
15	ATOM	205	CD1	TRP	A	35	2.469	1.759	32.099	1.00	35.78	AAAA
	ATOM	206	NE1	TRP	A	35	2.893	3.062	32.221	1.00	34.49	AAAA
	ATOM	207	CZ2	TRP	A	35	1.776	5.293	31.955	1.00	37.71	AAAA
	ATOM	208	CZ3	TRP	A	35	-0.563	5.095	31.348	1.00	37.99	AAAA
	ATOM	209	CH2	TRP	A	35	0.570	5.874	31.650	1.00	38.17	AAAA
20	ATOM	210	C	TRP	A	35	-1.153	-1.228	32.402	1.00	33.77	AAAA
	ATOM	211	O	TRP	A	35	-1.136	-2.282	31.763	1.00	32.95	AAAA
	ATOM	212	N	GLN	A	36	-2.261	-0.704	32.912	1.00	32.90	AAAA
	ATOM	213	CA	GLN	A	36	-3.567	-1.301	32.696	1.00	33.08	AAAA
	ATOM	214	CB	GLN	A	36	-4.448	-1.160	33.937	1.00	34.93	AAAA
25	ATOM	215	CG	GLN	A	36	-4.240	-2.228	34.992	1.00	38.58	AAAA
	ATOM	216	CD	GLN	A	36	-5.272	-2.143	36.103	1.00	40.36	AAAA
	ATOM	217	OE1	GLN	A	36	-5.295	-1.186	36.874	1.00	42.12	AAAA
	ATOM	218	NE2	GLN	A	36	-6.140	-3.146	36.181	1.00	42.80	AAAA
	ATOM	219	C	GLN	A	36	-4.160	-0.482	31.552	1.00	32.42	AAAA
30	ATOM	220	O	GLN	A	36	-4.114	0.748	31.583	1.00	31.42	AAAA
	ATOM	221	N	VAL	A	37	-4.697	-1.157	30.541	1.00	32.07	AAAA
	ATOM	222	CA	VAL	A	37	-5.276	-0.456	29.403	1.00	31.91	AAAA
	ATOM	223	CB	VAL	A	37	-4.436	-0.656	28.123	1.00	32.46	AAAA
	ATOM	224	CG1	VAL	A	37	-5.010	0.179	26.983	1.00	32.66	AAAA
35	ATOM	225	CG2	VAL	A	37	-2.994	-0.269	28.379	1.00	31.40	AAAA
	ATOM	226	C	VAL	A	37	-6.693	-0.917	29.118	1.00	32.15	AAAA
	ATOM	227	O	VAL	A	37	-7.017	-2.104	29.225	1.00	31.04	AAAA
	ATOM	228	N	ARG	A	38	-7.532	0.046	28.752	1.00	30.74	AAAA
	ATOM	229	CA	ARG	A	38	-8.925	-0.202	28.433	1.00	31.08	AAAA
40	ATOM	230	CB	ARG	A	38	-9.807	0.325	29.562	1.00	33.01	AAAA
	ATOM	231	CG	ARG	A	38	-11.251	-0.116	29.499	1.00	37.13	AAAA
	ATOM	232	CD	ARG	A	38	-11.532	-1.185	30.529	1.00	39.30	AAAA
	ATOM	233	NE	ARG	A	38	-12.937	-1.567	30.519	1.00	41.65	AAAA
	ATOM	234	CZ	ARG	A	38	-13.464	-2.495	31.308	1.00	43.12	AAAA
45	ATOM	235	NH1	ARG	A	38	-12.697	-3.142	32.176	1.00	43.84	AAAA

5	ATOM	236	NH2	ARG	A	38	-14.758	-2.773	31.227	1.00	43.90	AAAA
	ATOM	237	C	ARG	A	38	-9.196	0.568	27.143	1.00	29.87	AAAA
	ATOM	238	O	ARG	A	38	-8.574	1.601	26.883	1.00	28.94	AAAA
	ATOM	239	N	TRP	A	39	-10.119	0.072	26.332	1.00	28.69	AAAA
	ATOM	240	CA	TRP	A	39	-10.414	0.729	25.071	1.00	28.19	AAAA
10	ATOM	241	CB	TRP	A	39	-10.321	-0.305	23.939	1.00	29.84	AAAA
	ATOM	242	CG	TRP	A	39	-10.046	0.269	22.583	1.00	33.23	AAAA
	ATOM	243	CD2	TRP	A	39	-8.774	0.339	21.919	1.00	33.62	AAAA
	ATOM	244	CE2	TRP	A	39	-8.995	0.945	20.661	1.00	34.00	AAAA
	ATOM	245	CE3	TRP	A	39	-7.470	-0.052	22.261	1.00	33.80	AAAA
15	ATOM	246	CD1	TRP	A	39	-10.955	0.823	21.729	1.00	34.36	AAAA
	ATOM	247	NE1	TRP	A	39	-10.332	1.230	20.573	1.00	33.43	AAAA
	ATOM	248	CZ2	TRP	A	39	-7.960	1.171	19.743	1.00	34.56	AAAA
	ATOM	249	CZ3	TRP	A	39	-6.442	0.171	21.350	1.00	35.28	AAAA
	ATOM	250	CH2	TRP	A	39	-6.695	0.779	20.102	1.00	34.47	AAAA
20	ATOM	251	C	TRP	A	39	-11.790	1.395	25.081	1.00	26.35	AAAA
	ATOM	252	O	TRP	A	39	-12.683	0.994	25.826	1.00	26.68	AAAA
	ATOM	253	N	LEU	A	40	-11.935	2.438	24.269	1.00	25.04	AAAA
	ATOM	254	CA	LEU	A	40	-13.197	3.159	24.130	1.00	23.18	AAAA
	ATOM	255	CB	LEU	A	40	-13.074	4.602	24.637	1.00	22.55	AAAA
25	ATOM	256	CG	LEU	A	40	-14.395	5.381	24.623	1.00	20.79	AAAA
	ATOM	257	CD1	LEU	A	40	-15.314	4.801	25.675	1.00	21.21	AAAA
	ATOM	258	CD2	LEU	A	40	-14.149	6.868	24.905	1.00	21.72	AAAA
	ATOM	259	C	LEU	A	40	-13.495	3.179	22.634	1.00	22.87	AAAA
	ATOM	260	O	LEU	A	40	-12.718	3.721	21.854	1.00	22.99	AAAA
30	ATOM	261	N	GLY	A	41	-14.608	2.580	22.232	1.00	25.02	AAAA
	ATOM	262	CA	GLY	A	41	-14.946	2.553	20.821	1.00	25.95	AAAA
	ATOM	263	C	GLY	A	41	-16.426	2.332	20.594	1.00	28.01	AAAA
	ATOM	264	O	GLY	A	41	-17.234	2.555	21.494	1.00	28.82	AAAA
	ATOM	265	N	THR	A	42	-16.783	1.884	19.395	1.00	29.77	AAAA
35	ATOM	266	CA	THR	A	42	-18.185	1.641	19.059	1.00	31.41	AAAA
	ATOM	267	CB	THR	A	42	-18.603	2.497	17.855	1.00	32.12	AAAA
	ATOM	268	OG1	THR	A	42	-18.293	3.871	18.119	1.00	34.95	AAAA
	ATOM	269	CG2	THR	A	42	-20.098	2.367	17.611	1.00	34.55	AAAA
	ATOM	270	C	THR	A	42	-18.458	0.168	18.741	1.00	32.23	AAAA
40	ATOM	271	O	THR	A	42	-17.721	-0.463	17.986	1.00	29.57	AAAA
	ATOM	272	N	ALA	A	43	-19.541	-0.360	19.306	1.00	34.77	AAAA
	ATOM	273	CA	ALA	A	43	-19.920	-1.760	19.127	1.00	37.23	AAAA
	ATOM	274	CB	ALA	A	43	-21.173	-2.060	19.948	1.00	37.66	AAAA
	ATOM	275	C	ALA	A	43	-20.126	-2.232	17.686	1.00	39.10	AAAA
45	ATOM	276	O	ALA	A	43	-20.088	-3.434	17.422	1.00	39.09	AAAA
	ATOM	277	N	ASP	A	44	-20.333	-1.304	16.757	1.00	40.78	AAAA
	ATOM	278	CA	ASP	A	44	-20.557	-1.671	15.361	1.00	42.78	AAAA
	ATOM	279	CB	ASP	A	44	-21.678	-0.812	14.774	1.00	44.80	AAAA
	ATOM	280	CG	ASP	A	44	-21.438	0.670	14.973	1.00	46.37	AAAA

5	ATOM	281	OD1	ASP	A	44	-20.464	1.206	14.400	1.00	48.22	AAAA
	ATOM	282	OD2	ASP	A	44	-22.220	1.302	15.712	1.00	49.14	AAAA
	ATOM	283	C	ASP	A	44	-19.324	-1.559	14.472	1.00	43.14	AAAA
	ATOM	284	O	ASP	A	44	-19.320	-2.061	13.349	1.00	44.14	AAAA
	ATOM	285	N	ARG	A	45	-18.281	-0.904	14.970	1.00	42.77	AAAA
10	ATOM	286	CA	ARG	A	45	-17.056	-0.730	14.199	1.00	42.34	AAAA
	ATOM	287	CB	ARG	A	45	-16.415	0.614	14.550	1.00	44.43	AAAA
	ATOM	288	CG	ARG	A	45	-17.206	1.822	14.056	1.00	48.23	AAAA
	ATOM	289	CD	ARG	A	45	-17.272	1.845	12.533	1.00	51.20	AAAA
	ATOM	290	NE	ARG	A	45	-17.950	3.029	12.014	1.00	54.35	AAAA
15	ATOM	291	CZ	ARG	A	45	-17.526	4.279	12.191	1.00	56.26	AAAA
	ATOM	292	NH1	ARG	A	45	-16.417	4.522	12.881	1.00	56.45	AAAA
	ATOM	293	NH2	ARG	A	45	-18.212	5.290	11.670	1.00	57.50	AAAA
	ATOM	294	C	ARG	A	45	-16.054	-1.872	14.401	1.00	41.11	AAAA
	ATOM	295	O	ARG	A	45	-16.194	-2.679	15.320	1.00	40.45	AAAA
20	ATOM	296	N	MET	A	46	-15.041	-1.928	13.543	1.00	39.55	AAAA
	ATOM	297	CA	MET	A	46	-14.038	-2.990	13.604	1.00	39.67	AAAA
	ATOM	298	CB	MET	A	46	-13.041	-2.839	12.444	1.00	39.68	AAAA
	ATOM	299	CG	MET	A	46	-12.239	-1.544	12.423	1.00	42.15	AAAA
	ATOM	300	SD	MET	A	46	-10.690	-1.620	13.352	1.00	44.74	AAAA
25	ATOM	301	CE	MET	A	46	-9.559	-2.332	12.128	1.00	41.92	AAAA
	ATOM	302	C	MET	A	46	-13.279	-3.148	14.926	1.00	38.68	AAAA
	ATOM	303	O	MET	A	46	-12.772	-4.232	15.219	1.00	38.02	AAAA
	ATOM	304	N	GLU	A	47	-13.198	-2.092	15.730	1.00	37.48	AAAA
	ATOM	305	CA	GLU	A	47	-12.486	-2.198	17.002	1.00	36.91	AAAA
30	ATOM	306	CB	GLU	A	47	-12.309	-0.820	17.650	1.00	35.19	AAAA
	ATOM	307	CG	GLU	A	47	-13.615	-0.150	18.058	1.00	34.12	AAAA
	ATOM	308	CD	GLU	A	47	-14.142	0.807	17.003	1.00	34.06	AAAA
	ATOM	309	OE1	GLU	A	47	-13.712	0.707	15.832	1.00	33.13	AAAA
	ATOM	310	OE2	GLU	A	47	-14.995	1.652	17.350	1.00	32.08	AAAA
35	ATOM	311	C	GLU	A	47	-13.225	-3.123	17.972	1.00	36.96	AAAA
	ATOM	312	O	GLU	A	47	-12.612	-3.744	18.842	1.00	37.00	AAAA
	ATOM	313	N	ALA	A	48	-14.541	-3.222	17.818	1.00	36.76	AAAA
	ATOM	314	CA	ALA	A	48	-15.342	-4.066	18.700	1.00	36.98	AAAA
	ATOM	315	CB	ALA	A	48	-16.823	-3.917	18.365	1.00	37.33	AAAA
40	ATOM	316	C	ALA	A	48	-14.943	-5.533	18.623	1.00	38.23	AAAA
	ATOM	317	O	ALA	A	48	-15.100	-6.281	19.590	1.00	37.91	AAAA
	ATOM	318	N	ASP	A	49	-14.430	-5.947	17.470	1.00	39.31	AAAA
	ATOM	319	CA	ASP	A	49	-14.027	-7.332	17.286	1.00	40.97	AAAA
	ATOM	320	CB	ASP	A	49	-14.477	-7.832	15.909	1.00	42.68	AAAA
45	ATOM	321	CG	ASP	A	49	-15.988	-7.912	15.783	1.00	44.91	AAAA
	ATOM	322	OD1	ASP	A	49	-16.612	-8.681	16.549	1.00	45.64	AAAA
	ATOM	323	OD2	ASP	A	49	-16.552	-7.205	14.918	1.00	46.44	AAAA
	ATOM	324	C	ASP	A	49	-12.524	-7.519	17.426	1.00	40.10	AAAA
	ATOM	325	O	ASP	A	49	-12.069	-8.518	17.974	1.00	40.92	AAAA

	ATOM	326	N	LEU	A	50	-11.761	-6.549	16.940	1.00	39.40	AAAA
	ATOM	327	CA	LEU	A	50	-10.306	-6.623	16.982	1.00	39.05	AAAA
	ATOM	328	CB	LEU	A	50	-9.710	-5.578	16.036	1.00	38.17	AAAA
	ATOM	329	CG	LEU	A	50	-8.183	-5.562	15.942	1.00	38.18	AAAA
5	ATOM	330	CD1	LEU	A	50	-7.685	-6.916	15.462	1.00	37.91	AAAA
	ATOM	331	CD2	LEU	A	50	-7.740	-4.460	14.999	1.00	37.50	AAAA
	ATOM	332	C	LEU	A	50	-9.666	-6.486	18.365	1.00	39.12	AAAA
	ATOM	333	O	LEU	A	50	-8.805	-7.286	18.732	1.00	38.56	AAAA
	ATOM	334	N	VAL	A	51	-10.084	-5.483	19.132	1.00	38.79	AAAA
10	ATOM	335	CA	VAL	A	51	-9.516	-5.257	20.459	1.00	37.64	AAAA
	ATOM	336	CB	VAL	A	51	-10.127	-3.989	21.111	1.00	36.87	AAAA
	ATOM	337	CG1	VAL	A	51	-9.571	-3.795	22.523	1.00	35.15	AAAA
	ATOM	338	CG2	VAL	A	51	-9.810	-2.777	20.256	1.00	34.42	AAAA
	ATOM	339	C	VAL	A	51	-9.647	-6.449	21.415	1.00	37.87	AAAA
15	ATOM	340	O	VAL	A	51	-8.695	-6.790	22.115	1.00	37.54	AAAA
	ATOM	341	N	PRO	A	52	-10.825	-7.093	21.465	1.00	38.44	AAAA
	ATOM	342	CD	PRO	A	52	-12.141	-6.700	20.932	1.00	38.92	AAAA
	ATOM	343	CA	PRO	A	52	-10.959	-8.237	22.373	1.00	39.32	AAAA
	ATOM	344	CB	PRO	A	52	-12.436	-8.602	22.253	1.00	39.97	AAAA
20	ATOM	345	CG	PRO	A	52	-13.080	-7.277	21.962	1.00	38.98	AAAA
	ATOM	346	C	PRO	A	52	-10.035	-9.392	21.974	1.00	40.07	AAAA
	ATOM	347	O	PRO	A	52	-9.685	-10.232	22.805	1.00	40.30	AAAA
	ATOM	348	N	LYS	A	53	-9.649	-9.427	20.699	1.00	40.35	AAAA
	ATOM	349	CA	LYS	A	53	-8.752	-10.463	20.193	1.00	40.58	AAAA
25	ATOM	350	CB	LYS	A	53	-8.812	-10.541	18.661	1.00	41.25	AAAA
	ATOM	351	CG	LYS	A	53	-10.093	-11.169	18.129	1.00	43.24	AAAA
	ATOM	352	CD	LYS	A	53	-10.033	-11.383	16.627	1.00	44.40	AAAA
	ATOM	353	CE	LYS	A	53	-11.280	-12.102	16.133	1.00	45.87	AAAA
	ATOM	354	NZ	LYS	A	53	-11.250	-12.342	14.659	1.00	47.88	AAAA
30	ATOM	355	C	LYS	A	53	-7.323	-10.184	20.636	1.00	39.99	AAAA
	ATOM	356	O	LYS	A	53	-6.426	-11.006	20.432	1.00	39.70	AAAA
	ATOM	357	N	HIS	A	54	-7.112	-9.014	21.231	1.00	38.65	AAAA
	ATOM	358	CA	HIS	A	54	-5.790	-8.642	21.727	1.00	37.71	AAAA
	ATOM	359	CB	HIS	A	54	-5.408	-7.233	21.272	1.00	37.50	AAAA
35	ATOM	360	CG	HIS	A	54	-4.903	-7.164	19.864	1.00	37.59	AAAA
	ATOM	361	CD2	HIS	A	54	-5.483	-7.502	18.687	1.00	37.67	AAAA
	ATOM	362	ND1	HIS	A	54	-3.658	-6.666	19.546	1.00	37.90	AAAA
	ATOM	363	CE1	HIS	A	54	-3.492	-6.698	18.235	1.00	37.11	AAAA
	ATOM	364	NE2	HIS	A	54	-4.586	-7.202	17.691	1.00	36.75	AAAA
40	ATOM	365	C	HIS	A	54	-5.788	-8.711	23.248	1.00	37.10	AAAA
	ATOM	366	O	HIS	A	54	-4.871	-8.214	23.899	1.00	37.35	AAAA
	ATOM	367	N	GLY	A	55	-6.828	-9.331	23.800	1.00	36.15	AAAA
	ATOM	368	CA	GLY	A	55	-6.948	-9.477	25.240	1.00	36.70	AAAA
	ATOM	369	C	GLY	A	55	-7.266	-8.200	25.997	1.00	36.66	AAAA
45	ATOM	370	O	GLY	A	55	-7.145	-8.157	27.222	1.00	36.89	AAAA

	ATOM	371	N	ILE	A	56	-7.686	-7.163	25.277	1.00	35.61	AAAA
	ATOM	372	CA	ILE	A	56	-8.009	-5.885	25.900	1.00	34.03	AAAA
	ATOM	373	CB	ILE	A	56	-7.389	-4.723	25.100	1.00	32.39	AAAA
	ATOM	374	CG2	ILE	A	56	-7.748	-3.386	25.750	1.00	31.80	AAAA
5	ATOM	375	CG1	ILE	A	56	-5.869	-4.904	25.031	1.00	31.50	AAAA
	ATOM	376	CD1	ILE	A	56	-5.149	-3.900	24.144	1.00	30.46	AAAA
	ATOM	377	C	ILE	A	56	-9.516	-5.668	26.017	1.00	34.37	AAAA
	ATOM	378	O	ILE	A	56	-10.263	-5.908	25.067	1.00	34.29	AAAA
	ATOM	379	N	GLU	A	57	-9.955	-5.224	27.193	1.00	34.18	AAAA
10	ATOM	380	CA	GLU	A	57	-11.370	-4.969	27.432	1.00	34.19	AAAA
	ATOM	381	CB	GLU	A	57	-11.638	-4.733	28.922	1.00	37.08	AAAA
	ATOM	382	CG	GLU	A	57	-11.301	-5.913	29.837	1.00	41.06	AAAA
	ATOM	383	CD	GLU	A	57	-12.180	-7.127	29.591	1.00	44.07	AAAA
	ATOM	384	OE1	GLU	A	57	-12.011	-8.135	30.313	1.00	45.83	AAAA
15	ATOM	385	OE2	GLU	A	57	-13.040	-7.078	28.682	1.00	46.00	AAAA
	ATOM	386	C	GLU	A	57	-11.751	-3.723	26.645	1.00	32.88	AAAA
	ATOM	387	O	GLU	A	57	-10.905	-2.870	26.368	1.00	31.69	AAAA
	ATOM	388	N	ILE	A	58	-13.022	-3.611	26.285	1.00	31.36	AAAA
	ATOM	389	CA	ILE	A	58	-13.454	-2.454	25.529	1.00	29.92	AAAA
20	ATOM	390	CB	ILE	A	58	-13.390	-2.749	24.009	1.00	29.51	AAAA
	ATOM	391	CG2	ILE	A	58	-14.175	-4.015	23.689	1.00	28.67	AAAA
	ATOM	392	CG1	ILE	A	58	-13.895	-1.543	23.216	1.00	29.61	AAAA
	ATOM	393	CD1	ILE	A	58	-13.578	-1.623	21.734	1.00	29.09	AAAA
	ATOM	394	C	ILE	A	58	-14.843	-1.984	25.927	1.00	29.49	AAAA
25	ATOM	395	O	ILE	A	58	-15.791	-2.764	25.968	1.00	27.83	AAAA
	ATOM	396	N	ASP	A	59	-14.939	-0.700	26.252	1.00	29.28	AAAA
	ATOM	397	CA	ASP	A	59	-16.202	-0.091	26.626	1.00	29.70	AAAA
	ATOM	398	CB	ASP	A	59	-15.999	0.916	27.759	1.00	30.90	AAAA
	ATOM	399	CG	ASP	A	59	-15.676	0.245	29.083	1.00	32.17	AAAA
30	ATOM	400	OD1	ASP	A	59	-16.485	-0.591	29.540	1.00	33.00	AAAA
	ATOM	401	OD2	ASP	A	59	-14.615	0.554	29.664	1.00	33.03	AAAA
	ATOM	402	C	ASP	A	59	-16.723	0.608	25.378	1.00	30.39	AAAA
	ATOM	403	O	ASP	A	59	-15.947	1.165	24.600	1.00	30.45	AAAA
	ATOM	404	N	PHE	A	60	-18.033	0.570	25.180	1.00	31.29	AAAA
35	ATOM	405	CA	PHE	A	60	-18.612	1.183	24.000	1.00	32.36	AAAA
	ATOM	406	CB	PHE	A	60	-19.469	0.166	23.239	1.00	33.01	AAAA
	ATOM	407	CG	PHE	A	60	-18.720	-1.056	22.793	1.00	33.55	AAAA
	ATOM	408	CD1	PHE	A	60	-19.033	-2.307	23.318	1.00	34.07	AAAA
	ATOM	409	CD2	PHE	A	60	-17.720	-0.964	21.832	1.00	34.02	AAAA
40	ATOM	410	CE1	PHE	A	60	-18.362	-3.451	22.890	1.00	33.73	AAAA
	ATOM	411	CE2	PHE	A	60	-17.042	-2.104	21.397	1.00	34.93	AAAA
	ATOM	412	CZ	PHE	A	60	-17.366	-3.348	21.928	1.00	34.12	AAAA
	ATOM	413	C	PHE	A	60	-19.469	2.395	24.300	1.00	32.89	AAAA
	ATOM	414	O	PHE	A	60	-20.062	2.508	25.372	1.00	33.13	AAAA
45	ATOM	415	N	ILE	A	61	-19.502	3.309	23.338	1.00	34.43	AAAA

	ATOM	416	CA	ILE	A	61	-20.326	4.500	23.421	1.00	36.08	AAAA
	ATOM	417	CB	ILE	A	61	-19.545	5.785	23.056	1.00	36.15	AAAA
	ATOM	418	CG2	ILE	A	61	-20.511	6.957	22.913	1.00	36.47	AAAA
	ATOM	419	CG1	ILE	A	61	-18.504	6.092	24.136	1.00	37.27	AAAA
5	ATOM	420	CD1	ILE	A	61	-17.711	7.360	23.875	1.00	38.32	AAAA
	ATOM	421	C	ILE	A	61	-21.380	4.230	22.353	1.00	37.27	AAAA
	ATOM	422	O	ILE	A	61	-21.050	3.901	21.215	1.00	36.29	AAAA
	ATOM	423	N	ARG	A	62	-22.644	4.337	22.728	1.00	39.91	AAAA
	ATOM	424	CA	ARG	A	62	-23.732	4.087	21.797	1.00	43.16	AAAA
10	ATOM	425	CB	ARG	A	62	-24.818	3.268	22.494	1.00	44.19	AAAA
	ATOM	426	CG	ARG	A	62	-26.183	3.312	21.825	1.00	48.33	AAAA
	ATOM	427	CD	ARG	A	62	-27.207	2.581	22.680	1.00	50.28	AAAA
	ATOM	428	NE	ARG	A	62	-28.584	2.906	22.319	1.00	52.71	AAAA
	ATOM	429	CZ	ARG	A	62	-29.646	2.419	22.951	1.00	53.14	AAAA
15	ATOM	430	NH1	ARG	A	62	-29.482	1.586	23.968	1.00	54.03	AAAA
	ATOM	431	NH2	ARG	A	62	-30.870	2.767	22.573	1.00	53.49	AAAA
	ATOM	432	C	ARG	A	62	-24.302	5.400	21.280	1.00	44.33	AAAA
	ATOM	433	O	ARG	A	62	-24.942	6.140	22.021	1.00	43.98	AAAA
20	ATOM	434	N	ILE	A	63	-24.053	5.686	20.005	1.00	46.60	AAAA
	ATOM	435	CA	ILE	A	63	-24.537	6.912	19.378	1.00	49.26	AAAA
	ATOM	436	CB	ILE	A	63	-23.369	7.834	18.965	1.00	49.17	AAAA
	ATOM	437	CG2	ILE	A	63	-23.903	9.208	18.593	1.00	50.31	AAAA
	ATOM	438	CG1	ILE	A	63	-22.368	7.967	20.113	1.00	49.48	AAAA
	ATOM	439	CD1	ILE	A	63	-21.158	8.822	19.775	1.00	49.03	AAAA
25	ATOM	440	C	ILE	A	63	-25.316	6.540	18.123	1.00	50.72	AAAA
	ATOM	441	O	ILE	A	63	-24.724	6.219	17.093	1.00	50.90	AAAA
	ATOM	442	N	SER	A	64	-26.639	6.591	18.209	1.00	52.58	AAAA
	ATOM	443	CA	SER	A	64	-27.488	6.235	17.078	1.00	54.45	AAAA
	ATOM	444	CB	SER	A	64	-28.731	5.491	17.574	1.00	54.65	AAAA
30	ATOM	445	OG	SER	A	64	-29.528	6.329	18.391	1.00	55.29	AAAA
	ATOM	446	C	SER	A	64	-27.927	7.433	16.242	1.00	55.33	AAAA
	ATOM	447	O	SER	A	64	-27.919	8.571	16.713	1.00	55.34	AAAA
	ATOM	448	N	GLY	A	65	-28.301	7.158	14.993	1.00	56.31	AAAA
	ATOM	449	CA	GLY	A	65	-28.774	8.196	14.090	1.00	57.42	AAAA
35	ATOM	450	C	GLY	A	65	-27.751	9.156	13.508	1.00	58.34	AAAA
	ATOM	451	O	GLY	A	65	-28.052	10.333	13.315	1.00	58.53	AAAA
	ATOM	452	N	LEU	A	66	-26.552	8.668	13.207	1.00	59.08	AAAA
	ATOM	453	CA	LEU	A	66	-25.514	9.530	12.648	1.00	59.80	AAAA
	ATOM	454	CB	LEU	A	66	-24.147	9.153	13.229	1.00	59.99	AAAA
40	ATOM	455	CG	LEU	A	66	-23.927	9.513	14.704	1.00	60.38	AAAA
	ATOM	456	CD1	LEU	A	66	-23.983	11.026	14.877	1.00	60.37	AAAA
	ATOM	457	CD2	LEU	A	66	-24.983	8.840	15.565	1.00	60.47	AAAA
	ATOM	458	C	LEU	A	66	-25.467	9.497	11.121	1.00	60.04	AAAA
	ATOM	459	O	LEU	A	66	-25.049	10.466	10.484	1.00	59.29	AAAA
45	ATOM	460	N	ARG	A	67	-25.892	8.378	10.541	1.00	60.97	AAAA

	ATOM	461	CA	ARG	A	67	-25.923	8.224	9.089	1.00	61.57	AAAA
	ATOM	462	CB	ARG	A	67	-26.860	9.273	8.484	1.00	62.96	AAAA
	ATOM	463	CG	ARG	A	67	-28.340	8.984	8.698	1.00	65.29	AAAA
	ATOM	464	CD	ARG	A	67	-29.138	10.270	8.842	1.00	66.93	AAAA
5	ATOM	465	NE	ARG	A	67	-30.566	10.067	8.611	1.00	68.58	AAAA
	ATOM	466	CZ	ARG	A	67	-31.514	10.924	8.980	1.00	69.56	AAAA
	ATOM	467	NH1	ARG	A	67	-31.192	12.048	9.607	1.00	69.39	AAAA
	ATOM	468	NH2	ARG	A	67	-32.788	10.665	8.709	1.00	69.97	AAAA
	ATOM	469	C	ARG	A	67	-24.558	8.301	8.409	1.00	61.08	AAAA
10	ATOM	470	O	ARG	A	67	-24.474	8.448	7.191	1.00	61.57	AAAA
	ATOM	471	N	GLY	A	68	-23.489	8.204	9.189	1.00	60.22	AAAA
	ATOM	472	CA	GLY	A	68	-22.161	8.249	8.605	1.00	58.95	AAAA
	ATOM	473	C	GLY	A	68	-21.531	9.627	8.541	1.00	58.19	AAAA
	ATOM	474	O	GLY	A	68	-20.373	9.763	8.140	1.00	58.31	AAAA
15	ATOM	475	N	LYS	A	69	-22.282	10.655	8.921	1.00	57.03	AAAA
	ATOM	476	CA	LYS	A	69	-21.746	12.009	8.904	1.00	55.91	AAAA
	ATOM	477	CB	LYS	A	69	-22.812	13.015	9.349	1.00	56.90	AAAA
	ATOM	478	CG	LYS	A	69	-23.827	13.368	8.264	1.00	57.91	AAAA
	ATOM	479	CD	LYS	A	69	-23.167	14.147	7.133	1.00	58.56	AAAA
20	ATOM	480	CE	LYS	A	69	-24.163	14.517	6.044	1.00	59.37	AAAA
	ATOM	481	NZ	LYS	A	69	-23.522	15.327	4.965	1.00	59.41	AAAA
	ATOM	482	C	LYS	A	69	-20.527	12.078	9.818	1.00	54.19	AAAA
	ATOM	483	O	LYS	A	69	-19.447	12.480	9.392	1.00	54.69	AAAA
	ATOM	484	N	GLY	A	70	-20.697	11.676	11.072	1.00	51.77	AAAA
25	ATOM	485	CA	GLY	A	70	-19.575	11.692	11.991	1.00	48.95	AAAA
	ATOM	486	C	GLY	A	70	-19.668	12.687	13.129	1.00	46.84	AAAA
	ATOM	487	O	GLY	A	70	-20.754	12.975	13.629	1.00	46.29	AAAA
	ATOM	488	N	ILE	A	71	-18.515	13.221	13.523	1.00	45.26	AAAA
	ATOM	489	CA	ILE	A	71	-18.415	14.174	14.623	1.00	43.82	AAAA
30	ATOM	490	CB	ILE	A	71	-16.936	14.463	14.959	1.00	42.91	AAAA
	ATOM	491	CG2	ILE	A	71	-16.262	15.142	13.786	1.00	42.86	AAAA
	ATOM	492	CG1	ILE	A	71	-16.839	15.325	16.217	1.00	41.89	AAAA
	ATOM	493	CD1	ILE	A	71	-17.324	14.619	17.471	1.00	42.12	AAAA
	ATOM	494	C	ILE	A	71	-19.127	15.501	14.367	1.00	43.91	AAAA
35	ATOM	495	O	ILE	A	71	-19.635	16.125	15.296	1.00	43.71	AAAA
	ATOM	496	N	LYS	A	72	-19.154	15.935	13.112	1.00	43.92	AAAA
	ATOM	497	CA	LYS	A	72	-19.815	17.188	12.757	1.00	43.85	AAAA
	ATOM	498	CB	LYS	A	72	-19.559	17.526	11.284	1.00	45.17	AAAA
	ATOM	499	CG	LYS	A	72	-20.140	16.517	10.297	1.00	46.64	AAAA
40	ATOM	500	CD	LYS	A	72	-19.590	15.112	10.516	1.00	47.65	AAAA
	ATOM	501	CE	LYS	A	72	-18.070	15.074	10.388	1.00	47.12	AAAA
	ATOM	502	NZ	LYS	A	72	-17.533	13.692	10.506	1.00	46.69	AAAA
	ATOM	503	C	LYS	A	72	-21.318	17.073	13.003	1.00	42.82	AAAA
	ATOM	504	O	LYS	A	72	-21.969	18.035	13.414	1.00	43.31	AAAA
45	ATOM	505	N	ALA	A	73	-21.862	15.889	12.752	1.00	41.38	AAAA

5	ATOM	506	CA	ALA	A	73	-23.282	15.650	12.954	1.00	39.79	AAAA
	ATOM	507	CB	ALA	A	73	-23.700	14.379	12.238	1.00	39.55	AAAA
	ATOM	508	C	ALA	A	73	-23.575	15.524	14.438	1.00	39.28	AAAA
	ATOM	509	O	ALA	A	73	-24.509	16.132	14.959	1.00	37.60	AAAA
	ATOM	510	N	LEU	A	74	-22.760	14.725	15.116	1.00	38.96	AAAA
10	ATOM	511	CA	LEU	A	74	-22.933	14.498	16.541	1.00	38.75	AAAA
	ATOM	512	CB	LEU	A	74	-21.817	13.575	17.055	1.00	39.47	AAAA
	ATOM	513	CG	LEU	A	74	-21.826	13.192	18.536	1.00	39.30	AAAA
	ATOM	514	CD1	LEU	A	74	-21.439	14.383	19.366	1.00	40.12	AAAA
	ATOM	515	CD2	LEU	A	74	-23.199	12.673	18.936	1.00	39.66	AAAA
15	ATOM	516	C	LEU	A	74	-22.938	15.808	17.317	1.00	38.15	AAAA
	ATOM	517	O	LEU	A	74	-23.768	16.012	18.206	1.00	37.74	AAAA
	ATOM	518	N	ILE	A	75	-22.014	16.699	16.982	1.00	38.08	AAAA
	ATOM	519	CA	ILE	A	75	-21.923	17.975	17.678	1.00	39.02	AAAA
	ATOM	520	CB	ILE	A	75	-20.605	18.707	17.319	1.00	40.76	AAAA
20	ATOM	521	CG2	ILE	A	75	-20.616	19.109	15.856	1.00	41.16	AAAA
	ATOM	522	CG1	ILE	A	75	-20.426	19.938	18.209	1.00	42.50	AAAA
	ATOM	523	CD1	ILE	A	75	-20.302	19.616	19.690	1.00	44.15	AAAA
	ATOM	524	C	ILE	A	75	-23.114	18.886	17.377	1.00	38.41	AAAA
	ATOM	525	O	ILE	A	75	-23.396	19.818	18.130	1.00	38.12	AAAA
25	ATOM	526	N	ALA	A	76	-23.816	18.602	16.283	1.00	38.04	AAAA
	ATOM	527	CA	ALA	A	76	-24.971	19.399	15.878	1.00	37.19	AAAA
	ATOM	528	CB	ALA	A	76	-25.060	19.454	14.350	1.00	37.36	AAAA
	ATOM	529	C	ALA	A	76	-26.268	18.847	16.455	1.00	36.15	AAAA
	ATOM	530	O	ALA	A	76	-27.352	19.323	16.124	1.00	35.97	AAAA
30	ATOM	531	N	ALA	A	77	-26.156	17.834	17.309	1.00	34.42	AAAA
	ATOM	532	CA	ALA	A	77	-27.326	17.225	17.935	1.00	33.14	AAAA
	ATOM	533	CB	ALA	A	77	-27.460	15.780	17.499	1.00	33.13	AAAA
	ATOM	534	C	ALA	A	77	-27.125	17.311	19.443	1.00	32.59	AAAA
	ATOM	535	O	ALA	A	77	-26.502	16.436	20.042	1.00	31.09	AAAA
35	ATOM	536	N	PRO	A	78	-27.664	18.372	20.073	1.00	32.06	AAAA
	ATOM	537	CD	PRO	A	78	-28.619	19.290	19.423	1.00	31.98	AAAA
	ATOM	538	CA	PRO	A	78	-27.577	18.653	21.514	1.00	31.07	AAAA
	ATOM	539	CB	PRO	A	78	-28.671	19.701	21.727	1.00	32.32	AAAA
	ATOM	540	CG	PRO	A	78	-28.703	20.427	20.414	1.00	32.04	AAAA
40	ATOM	541	C	PRO	A	78	-27.748	17.450	22.443	1.00	30.50	AAAA
	ATOM	542	O	PRO	A	78	-26.874	17.155	23.257	1.00	29.52	AAAA
	ATOM	543	N	LEU	A	79	-28.878	16.766	22.334	1.00	28.95	AAAA
	ATOM	544	CA	LEU	A	79	-29.130	15.619	23.194	1.00	29.33	AAAA
	ATOM	545	CB	LEU	A	79	-30.573	15.137	23.023	1.00	29.48	AAAA
45	ATOM	546	CG	LEU	A	79	-31.644	16.154	23.435	1.00	30.82	AAAA
	ATOM	547	CD1	LEU	A	79	-33.025	15.542	23.234	1.00	31.23	AAAA
	ATOM	548	CD2	LEU	A	79	-31.450	16.558	24.901	1.00	30.46	AAAA
	ATOM	549	C	LEU	A	79	-28.160	14.465	22.950	1.00	28.58	AAAA
	ATOM	550	O	LEU	A	79	-27.745	13.795	23.898	1.00	27.00	AAAA

	ATOM	551	N	ARG	A	80	-27.794	14.240	21.689	1.00	27.70	AAAA
	ATOM	552	CA	ARG	A	80	-26.877	13.156	21.348	1.00	28.33	AAAA
	ATOM	553	CB	ARG	A	80	-26.813	12.941	19.836	1.00	30.44	AAAA
	ATOM	554	CG	ARG	A	80	-28.037	12.294	19.222	1.00	36.59	AAAA
5	ATOM	555	CD	ARG	A	80	-27.657	11.616	17.915	1.00	38.91	AAAA
	ATOM	556	NE	ARG	A	80	-28.821	11.189	17.151	1.00	43.51	AAAA
	ATOM	557	CZ	ARG	A	80	-29.537	11.991	16.370	1.00	44.36	AAAA
	ATOM	558	NH1	ARG	A	80	-29.207	13.270	16.244	1.00	45.19	AAAA
	ATOM	559	NH2	ARG	A	80	-30.589	11.513	15.721	1.00	45.91	AAAA
10	ATOM	560	C	ARG	A	80	-25.464	13.384	21.871	1.00	27.39	AAAA
	ATOM	561	O	ARG	A	80	-24.835	12.455	22.392	1.00	26.07	AAAA
	ATOM	562	N	ILE	A	81	-24.950	14.603	21.719	1.00	26.19	AAAA
	ATOM	563	CA	ILE	A	81	-23.608	14.886	22.217	1.00	24.89	AAAA
	ATOM	564	CB	ILE	A	81	-23.081	16.269	21.702	1.00	25.72	AAAA
15	ATOM	565	CG2	ILE	A	81	-24.069	17.373	22.021	1.00	26.90	AAAA
	ATOM	566	CG1	ILE	A	81	-21.722	16.584	22.332	1.00	25.98	AAAA
	ATOM	567	CD1	ILE	A	81	-20.696	15.474	22.169	1.00	26.39	AAAA
	ATOM	568	C	ILE	A	81	-23.609	14.832	23.752	1.00	24.30	AAAA
	ATOM	569	O	ILE	A	81	-22.669	14.315	24.365	1.00	22.57	AAAA
20	ATOM	570	N	PHE	A	82	-24.672	15.344	24.367	1.00	22.71	AAAA
	ATOM	571	CA	PHE	A	82	-24.800	15.333	25.827	1.00	22.28	AAAA
	ATOM	572	CB	PHE	A	82	-26.099	16.029	26.236	1.00	21.54	AAAA
	ATOM	573	CG	PHE	A	82	-26.281	16.184	27.730	1.00	20.67	AAAA
	ATOM	574	CD1	PHE	A	82	-25.244	16.644	28.538	1.00	21.08	AAAA
25	ATOM	575	CD2	PHE	A	82	-27.512	15.907	28.318	1.00	21.44	AAAA
	ATOM	576	CE1	PHE	A	82	-25.430	16.831	29.916	1.00	20.18	AAAA
	ATOM	577	CE2	PHE	A	82	-27.719	16.093	29.700	1.00	19.77	AAAA
	ATOM	578	CZ	PHE	A	82	-26.678	16.555	30.497	1.00	20.80	AAAA
	ATOM	579	C	PHE	A	82	-24.797	13.887	26.330	1.00	21.61	AAAA
30	ATOM	580	O	PHE	A	82	-24.091	13.536	27.285	1.00	21.05	AAAA
	ATOM	581	N	ASN	A	83	-25.577	13.042	25.669	1.00	21.80	AAAA
	ATOM	582	CA	ASN	A	83	-25.648	11.640	26.045	1.00	22.62	AAAA
	ATOM	583	CB	ASN	A	83	-26.806	10.969	25.296	1.00	22.62	AAAA
	ATOM	584	CG	ASN	A	83	-26.921	9.495	25.612	1.00	25.00	AAAA
35	ATOM	585	OD1	ASN	A	83	-26.227	8.677	25.031	1.00	26.80	AAAA
	ATOM	586	ND2	ASN	A	83	-27.791	9.153	26.548	1.00	28.27	AAAA
	ATOM	587	C	ASN	A	83	-24.324	10.888	25.805	1.00	21.61	AAAA
	ATOM	588	O	ASN	A	83	-23.903	10.080	26.639	1.00	22.04	AAAA
	ATOM	589	N	ALA	A	84	-23.658	11.150	24.686	1.00	19.98	AAAA
40	ATOM	590	CA	ALA	A	84	-22.383	10.480	24.401	1.00	19.25	AAAA
	ATOM	591	CB	ALA	A	84	-21.912	10.817	22.981	1.00	20.79	AAAA
	ATOM	592	C	ALA	A	84	-21.318	10.906	25.424	1.00	19.48	AAAA
	ATOM	593	O	ALA	A	84	-20.509	10.095	25.880	1.00	18.26	AAAA
	ATOM	594	N	TRP	A	85	-21.322	12.188	25.769	1.00	17.57	AAAA
45	ATOM	595	CA	TRP	A	85	-20.390	12.736	26.749	1.00	18.15	AAAA

	ATOM	596	CB	TRP	A	85	-20.561	14.260	26.781	1.00	17.16	AAAA
	ATOM	597	CG	TRP	A	85	-19.863	15.007	27.892	1.00	16.32	AAAA
	ATOM	598	CD2	TRP	A	85	-20.300	16.233	28.472	1.00	16.29	AAAA
	ATOM	599	CE2	TRP	A	85	-19.340	16.605	29.445	1.00	15.39	AAAA
5	ATOM	600	CE3	TRP	A	85	-21.413	17.062	28.266	1.00	16.28	AAAA
	ATOM	601	CD1	TRP	A	85	-18.677	14.682	28.519	1.00	15.58	AAAA
	ATOM	602	NE1	TRP	A	85	-18.364	15.639	29.454	1.00	14.76	AAAA
	ATOM	603	CZ2	TRP	A	85	-19.458	17.762	30.204	1.00	14.50	AAAA
	ATOM	604	CZ3	TRP	A	85	-21.530	18.218	29.027	1.00	16.55	AAAA
10	ATOM	605	CH2	TRP	A	85	-20.553	18.558	29.988	1.00	15.65	AAAA
	ATOM	606	C	TRP	A	85	-20.639	12.099	28.125	1.00	19.04	AAAA
	ATOM	607	O	TRP	A	85	-19.696	11.691	28.820	1.00	17.64	AAAA
	ATOM	608	N	ARG	A	86	-21.903	11.986	28.516	1.00	18.52	AAAA
	ATOM	609	CA	ARG	A	86	-22.216	11.375	29.803	1.00	19.34	AAAA
15	ATOM	610	CB	ARG	A	86	-23.675	11.654	30.181	1.00	19.24	AAAA
	ATOM	611	CG	ARG	A	86	-23.892	13.104	30.660	1.00	18.36	AAAA
	ATOM	612	CD	ARG	A	86	-25.318	13.357	31.154	1.00	19.61	AAAA
	ATOM	613	NE	ARG	A	86	-26.303	13.245	30.072	1.00	19.64	AAAA
	ATOM	614	CZ	ARG	A	86	-27.021	12.156	29.807	1.00	21.06	AAAA
20	ATOM	615	NH1	ARG	A	86	-26.880	11.063	30.548	1.00	19.09	AAAA
	ATOM	616	NH2	ARG	A	86	-27.879	12.156	28.787	1.00	18.59	AAAA
	ATOM	617	C	ARG	A	86	-21.910	9.870	29.815	1.00	20.22	AAAA
	ATOM	618	O	ARG	A	86	-21.520	9.319	30.845	1.00	20.88	AAAA
	ATOM	619	N	GLN	A	87	-22.076	9.202	28.681	1.00	19.83	AAAA
25	ATOM	620	CA	GLN	A	87	-21.764	7.776	28.607	1.00	20.57	AAAA
	ATOM	621	CB	GLN	A	87	-22.100	7.210	27.230	1.00	20.73	AAAA
	ATOM	622	CG	GLN	A	87	-23.568	6.907	26.979	1.00	22.18	AAAA
	ATOM	623	CD	GLN	A	87	-23.779	6.329	25.590	1.00	23.54	AAAA
	ATOM	624	OE1	GLN	A	87	-23.193	5.308	25.234	1.00	24.56	AAAA
30	ATOM	625	NE2	GLN	A	87	-24.614	6.982	24.797	1.00	23.56	AAAA
	ATOM	626	C	GLN	A	87	-20.268	7.599	28.859	1.00	20.58	AAAA
	ATOM	627	O	GLN	A	87	-19.846	6.687	29.576	1.00	18.93	AAAA
	ATOM	628	N	ALA	A	88	-19.471	8.479	28.255	1.00	20.24	AAAA
	ATOM	629	CA	ALA	A	88	-18.023	8.436	28.412	1.00	20.23	AAAA
35	ATOM	630	CB	ALA	A	88	-17.355	9.386	27.419	1.00	18.84	AAAA
	ATOM	631	C	ALA	A	88	-17.622	8.787	29.841	1.00	20.11	AAAA
	ATOM	632	O	ALA	A	88	-16.687	8.202	30.388	1.00	20.39	AAAA
	ATOM	633	N	ARG	A	89	-18.309	9.745	30.454	1.00	18.15	AAAA
	ATOM	634	CA	ARG	A	89	-17.985	10.091	31.836	1.00	19.16	AAAA
40	ATOM	635	CB	ARG	A	89	-18.797	11.302	32.313	1.00	16.58	AAAA
	ATOM	636	CG	ARG	A	89	-18.225	12.657	31.896	1.00	17.41	AAAA
	ATOM	637	CD	ARG	A	89	-19.196	13.769	32.284	1.00	15.10	AAAA
	ATOM	638	NE	ARG	A	89	-19.437	13.835	33.729	1.00	16.60	AAAA
	ATOM	639	CZ	ARG	A	89	-18.675	14.506	34.587	1.00	16.76	AAAA
45	ATOM	640	NH1	ARG	A	89	-17.609	15.173	34.157	1.00	16.02	AAAA

	ATOM	641	NH2	ARG	A	89	-18.990	14.531	35.877	1.00	15.64	AAAA
	ATOM	642	C	ARG	A	89	-18.258	8.902	32.764	1.00	19.91	AAAA
	ATOM	643	O	ARG	A	89	-17.469	8.618	33.674	1.00	18.92	AAAA
	ATOM	644	N	ALA	A	90	-19.371	8.213	32.544	1.00	21.12	AAAA
5	ATOM	645	CA	ALA	A	90	-19.719	7.063	33.386	1.00	23.31	AAAA
	ATOM	646	CB	ALA	A	90	-21.080	6.502	32.976	1.00	24.02	AAAA
	ATOM	647	C	ALA	A	90	-18.640	5.990	33.257	1.00	24.57	AAAA
	ATOM	648	O	ALA	A	90	-18.236	5.367	34.243	1.00	24.35	AAAA
	ATOM	649	N	ILE	A	91	-18.173	5.790	32.031	1.00	24.03	AAAA
10	ATOM	650	CA	ILE	A	91	-17.135	4.816	31.746	1.00	24.73	AAAA
	ATOM	651	CB	ILE	A	91	-16.922	4.699	30.209	1.00	25.99	AAAA
	ATOM	652	CG2	ILE	A	91	-15.547	4.086	29.890	1.00	25.27	AAAA
	ATOM	653	CG1	ILE	A	91	-18.061	3.875	29.601	1.00	25.74	AAAA
	ATOM	654	CD1	ILE	A	91	-18.123	3.931	28.085	1.00	25.37	AAAA
15	ATOM	655	C	ILE	A	91	-15.823	5.196	32.436	1.00	25.69	AAAA
	ATOM	656	O	ILE	A	91	-15.133	4.339	32.991	1.00	25.17	AAAA
	ATOM	657	N	MET	A	92	-15.482	6.481	32.410	1.00	24.39	AAAA
	ATOM	658	CA	MET	A	92	-14.243	6.933	33.024	1.00	24.61	AAAA
	ATOM	659	CB	MET	A	92	-13.798	8.258	32.391	1.00	23.19	AAAA
20	ATOM	660	CG	MET	A	92	-13.480	8.088	30.908	1.00	21.54	AAAA
	ATOM	661	SD	MET	A	92	-12.816	9.554	30.108	1.00	21.51	AAAA
	ATOM	662	CE	MET	A	92	-12.756	9.008	28.463	1.00	17.14	AAAA
	ATOM	663	C	MET	A	92	-14.325	7.041	34.545	1.00	24.72	AAAA
	ATOM	664	O	MET	A	92	-13.311	6.918	35.236	1.00	24.71	AAAA
25	ATOM	665	N	LYS	A	93	-15.524	7.262	35.070	1.00	24.64	AAAA
	ATOM	666	CA	LYS	A	93	-15.700	7.337	36.517	1.00	26.89	AAAA
	ATOM	667	CB	LYS	A	93	-17.102	7.840	36.864	1.00	27.06	AAAA
	ATOM	668	CG	LYS	A	93	-17.269	9.345	36.831	1.00	26.10	AAAA
	ATOM	669	CD	LYS	A	93	-18.641	9.742	37.366	1.00	28.56	AAAA
30	ATOM	670	CE	LYS	A	93	-18.762	11.251	37.483	1.00	28.03	AAAA
	ATOM	671	NZ	LYS	A	93	-20.068	11.663	38.060	1.00	29.77	AAAA
	ATOM	672	C	LYS	A	93	-15.495	5.938	37.119	1.00	28.19	AAAA
	ATOM	673	O	LYS	A	93	-14.994	5.792	38.238	1.00	28.43	AAAA
	ATOM	674	N	ALA	A	94	-15.880	4.912	36.367	1.00	29.30	AAAA
35	ATOM	675	CA	ALA	A	94	-15.736	3.532	36.831	1.00	30.63	AAAA
	ATOM	676	CB	ALA	A	94	-16.750	2.635	36.131	1.00	30.03	AAAA
	ATOM	677	C	ALA	A	94	-14.325	2.981	36.622	1.00	30.40	AAAA
	ATOM	678	O	ALA	A	94	-13.778	2.322	37.507	1.00	30.67	AAAA
	ATOM	679	N	TYR	A	95	-13.735	3.255	35.462	1.00	29.39	AAAA
40	ATOM	680	CA	TYR	A	95	-12.394	2.764	35.163	1.00	29.94	AAAA
	ATOM	681	CB	TYR	A	95	-12.189	2.685	33.648	1.00	29.85	AAAA
	ATOM	682	CG	TYR	A	95	-10.838	2.151	33.224	1.00	31.64	AAAA
	ATOM	683	CD1	TYR	A	95	-10.382	0.907	33.669	1.00	31.90	AAAA
	ATOM	684	CE1	TYR	A	95	-9.139	0.414	33.270	1.00	32.14	AAAA
45	ATOM	685	CD2	TYR	A	95	-10.015	2.886	32.370	1.00	30.90	AAAA

	ATOM	686	CE2	TYR	A	95	-8.779	2.405	31.969	1.00	31.95	AAAA
	ATOM	687	CZ	TYR	A	95	-8.345	1.167	32.423	1.00	32.95	AAAA
	ATOM	688	OH	TYR	A	95	-7.120	0.687	32.019	1.00	33.09	AAAA
	ATOM	689	C	TYR	A	95	-11.312	3.633	35.791	1.00	29.90	AAAA
5	ATOM	690	O	TYR	A	95	-10.253	3.137	36.190	1.00	28.99	AAAA
	ATOM	691	N	LYS	A	96	-11.584	4.930	35.871	1.00	28.94	AAAA
	ATOM	692	CA	LYS	A	96	-10.658	5.893	36.452	1.00	29.17	AAAA
	ATOM	693	CB	LYS	A	96	-10.543	5.658	37.966	1.00	32.14	AAAA
	ATOM	694	CG	LYS	A	96	-11.871	5.829	38.690	1.00	35.57	AAAA
10	ATOM	695	CD	LYS	A	96	-11.784	5.541	40.183	1.00	38.37	AAAA
	ATOM	696	CE	LYS	A	96	-13.158	5.718	40.828	1.00	39.96	AAAA
	ATOM	697	NZ	LYS	A	96	-13.170	5.428	42.295	1.00	42.96	AAAA
	ATOM	698	C	LYS	A	96	-9.274	5.884	35.817	1.00	27.78	AAAA
	ATOM	699	O	LYS	A	96	-8.281	5.608	36.482	1.00	28.12	AAAA
15	ATOM	700	N	PRO	A	97	-9.187	6.185	34.509	1.00	26.15	AAAA
	ATOM	701	CD	PRO	A	97	-10.258	6.519	33.547	1.00	24.76	AAAA
	ATOM	702	CA	PRO	A	97	-7.867	6.191	33.868	1.00	24.70	AAAA
	ATOM	703	CB	PRO	A	97	-8.202	6.241	32.381	1.00	23.96	AAAA
	ATOM	704	CG	PRO	A	97	-9.477	7.078	32.362	1.00	24.55	AAAA
20	ATOM	705	C	PRO	A	97	-7.060	7.408	34.320	1.00	24.77	AAAA
	ATOM	706	O	PRO	A	97	-7.628	8.438	34.684	1.00	23.93	AAAA
	ATOM	707	N	ASP	A	98	-5.737	7.288	34.314	1.00	24.94	AAAA
	ATOM	708	CA	ASP	A	98	-4.890	8.404	34.717	1.00	24.75	AAAA
	ATOM	709	CB	ASP	A	98	-3.554	7.891	35.261	1.00	26.69	AAAA
25	ATOM	710	CG	ASP	A	98	-3.725	7.040	36.509	1.00	28.25	AAAA
	ATOM	711	OD1	ASP	A	98	-3.546	5.808	36.426	1.00	28.34	AAAA
	ATOM	712	OD2	ASP	A	98	-4.053	7.603	37.569	1.00	29.50	AAAA
	ATOM	713	C	ASP	A	98	-4.654	9.328	33.529	1.00	23.89	AAAA
	ATOM	714	O	ASP	A	98	-4.267	10.486	33.681	1.00	22.57	AAAA
30	ATOM	715	N	VAL	A	99	-4.918	8.807	32.339	1.00	24.10	AAAA
	ATOM	716	CA	VAL	A	99	-4.740	9.569	31.111	1.00	23.85	AAAA
	ATOM	717	CB	VAL	A	99	-3.237	9.633	30.730	1.00	25.11	AAAA
	ATOM	718	CG1	VAL	A	99	-2.684	8.220	30.614	1.00	25.72	AAAA
	ATOM	719	CG2	VAL	A	99	-3.044	10.372	29.420	1.00	24.76	AAAA
35	ATOM	720	C	VAL	A	99	-5.498	8.865	29.989	1.00	22.90	AAAA
	ATOM	721	O	VAL	A	99	-5.767	7.667	30.073	1.00	22.05	AAAA
	ATOM	722	N	VAL	A	100	-5.869	9.613	28.951	1.00	22.07	AAAA
	ATOM	723	CA	VAL	A	100	-6.544	9.008	27.808	1.00	21.38	AAAA
	ATOM	724	CB	VAL	A	100	-8.038	9.451	27.663	1.00	21.17	AAAA
40	ATOM	725	CG1	VAL	A	100	-8.804	9.095	28.914	1.00	21.06	AAAA
	ATOM	726	CG2	VAL	A	100	-8.139	10.942	27.354	1.00	22.14	AAAA
	ATOM	727	C	VAL	A	100	-5.777	9.398	26.559	1.00	21.31	AAAA
	ATOM	728	O	VAL	A	100	-5.244	10.505	26.464	1.00	21.01	AAAA
	ATOM	729	N	LEU	A	101	-5.701	8.468	25.612	1.00	21.54	AAAA
45	ATOM	730	CA	LEU	A	101	-4.994	8.697	24.362	1.00	22.01	AAAA

5	ATOM	731	CB	LEU	A	101	-3.944	7.599	24.139	1.00	23.42	AAAA
	ATOM	732	CG	LEU	A	101	-2.691	7.856	23.288	1.00	25.21	AAAA
	ATOM	733	CD1	LEU	A	101	-2.230	6.515	22.696	1.00	25.87	AAAA
	ATOM	734	CD2	LEU	A	101	-2.930	8.854	22.187	1.00	26.43	AAAA
	ATOM	735	C	LEU	A	101	-6.006	8.644	23.222	1.00	21.51	AAAA
10	ATOM	736	O	LEU	A	101	-6.667	7.625	23.029	1.00	21.94	AAAA
	ATOM	737	N	GLY	A	102	-6.127	9.742	22.484	1.00	21.18	AAAA
	ATOM	738	CA	GLY	A	102	-7.043	9.780	21.358	1.00	21.84	AAAA
	ATOM	739	C	GLY	A	102	-6.246	9.586	20.079	1.00	21.20	AAAA
	ATOM	740	O	GLY	A	102	-5.294	10.324	19.837	1.00	22.62	AAAA
15	ATOM	741	N	MET	A	103	-6.627	8.599	19.270	1.00	21.18	AAAA
	ATOM	742	CA	MET	A	103	-5.933	8.312	18.015	1.00	22.83	AAAA
	ATOM	743	CB	MET	A	103	-5.715	6.805	17.865	1.00	23.16	AAAA
	ATOM	744	CG	MET	A	103	-4.978	6.140	19.030	1.00	24.31	AAAA
	ATOM	745	SD	MET	A	103	-3.333	6.804	19.308	1.00	27.62	AAAA
20	ATOM	746	CE	MET	A	103	-2.455	6.156	17.873	1.00	26.43	AAAA
	ATOM	747	C	MET	A	103	-6.709	8.823	16.795	1.00	23.47	AAAA
	ATOM	748	O	MET	A	103	-6.351	8.532	15.653	1.00	23.75	AAAA
	ATOM	749	N	GLY	A	104	-7.767	9.590	17.043	1.00	25.38	AAAA
	ATOM	750	CA	GLY	A	104	-8.585	10.114	15.959	1.00	25.56	AAAA
25	ATOM	751	C	GLY	A	104	-9.878	9.326	15.833	1.00	25.55	AAAA
	ATOM	752	O	GLY	A	104	-10.004	8.241	16.404	1.00	26.58	AAAA
	ATOM	753	N	GLY	A	105	-10.840	9.854	15.082	1.00	26.06	AAAA
	ATOM	754	CA	GLY	A	105	-12.107	9.159	14.930	1.00	26.21	AAAA
	ATOM	755	C	GLY	A	105	-13.140	9.819	15.823	1.00	26.96	AAAA
30	ATOM	756	O	GLY	A	105	-12.810	10.258	16.926	1.00	25.49	AAAA
	ATOM	757	N	TYR	A	106	-14.393	9.863	15.376	1.00	27.65	AAAA
	ATOM	758	CA	TYR	A	106	-15.434	10.534	16.145	1.00	28.10	AAAA
	ATOM	759	CB	TYR	A	106	-16.759	10.556	15.362	1.00	31.05	AAAA
	ATOM	760	CG	TYR	A	106	-17.536	9.257	15.303	1.00	33.49	AAAA
35	ATOM	761	CD1	TYR	A	106	-18.269	8.802	16.400	1.00	34.81	AAAA
	ATOM	762	CE1	TYR	A	106	-19.038	7.634	16.323	1.00	36.18	AAAA
	ATOM	763	CD2	TYR	A	106	-17.581	8.509	14.123	1.00	35.64	AAAA
	ATOM	764	CE2	TYR	A	106	-18.343	7.344	14.032	1.00	36.47	AAAA
	ATOM	765	CZ	TYR	A	106	-19.069	6.912	15.133	1.00	37.27	AAAA
40	ATOM	766	OH	TYR	A	106	-19.829	5.766	15.027	1.00	38.99	AAAA
	ATOM	767	C	TYR	A	106	-15.678	10.072	17.576	1.00	26.46	AAAA
	ATOM	768	O	TYR	A	106	-15.976	10.897	18.430	1.00	26.55	AAAA
	ATOM	769	N	VAL	A	107	-15.549	8.780	17.858	1.00	25.31	AAAA
	ATOM	770	CA	VAL	A	107	-15.783	8.318	19.223	1.00	23.91	AAAA
45	ATOM	771	CB	VAL	A	107	-15.659	6.772	19.335	1.00	25.47	AAAA
	ATOM	772	CG1	VAL	A	107	-14.224	6.327	19.076	1.00	26.57	AAAA
	ATOM	773	CG2	VAL	A	107	-16.126	6.315	20.711	1.00	24.96	AAAA
	ATOM	774	C	VAL	A	107	-14.836	8.993	20.223	1.00	23.22	AAAA
	ATOM	775	O	VAL	A	107	-15.190	9.190	21.389	1.00	23.17	AAAA

	ATOM	776	N	SER A 108	-13.650	9.381	19.765	1.00	23.13	AAAA
	ATOM	777	CA	SER A 108	-12.676	10.029	20.643	1.00	23.40	AAAA
	ATOM	778	CB	SER A 108	-11.301	10.108	19.967	1.00	23.85	AAAA
	ATOM	779	OG	SER A 108	-11.292	11.038	18.899	1.00	25.04	AAAA
5	ATOM	780	C	SER A 108	-13.121	11.430	21.044	1.00	23.03	AAAA
	ATOM	781	O	SER A 108	-12.592	12.009	21.993	1.00	22.32	AAAA
	ATOM	782	N	GLY A 109	-14.089	11.979	20.310	1.00	21.84	AAAA
	ATOM	783	CA	GLY A 109	-14.583	13.307	20.627	1.00	21.98	AAAA
	ATOM	784	C	GLY A 109	-15.297	13.342	21.972	1.00	20.30	AAAA
10	ATOM	785	O	GLY A 109	-14.898	14.088	22.856	1.00	21.37	AAAA
	ATOM	786	N	PRO A 110	-16.369	12.557	22.155	1.00	20.07	AAAA
	ATOM	787	CD	PRO A 110	-16.992	11.637	21.191	1.00	20.80	AAAA
	ATOM	788	CA	PRO A 110	-17.085	12.550	23.436	1.00	19.58	AAAA
	ATOM	789	CB	PRO A 110	-18.232	11.569	23.199	1.00	20.85	AAAA
15	ATOM	790	CG	PRO A 110	-18.398	11.548	21.702	1.00	22.43	AAAA
	ATOM	791	C	PRO A 110	-16.136	12.031	24.524	1.00	18.52	AAAA
	ATOM	792	O	PRO A 110	-16.184	12.462	25.675	1.00	19.12	AAAA
	ATOM	793	N	GLY A 111	-15.286	11.086	24.140	1.00	19.12	AAAA
	ATOM	794	CA	GLY A 111	-14.332	10.525	25.087	1.00	18.87	AAAA
20	ATOM	795	C	GLY A 111	-13.402	11.601	25.612	1.00	17.97	AAAA
	ATOM	796	O	GLY A 111	-13.208	11.730	26.813	1.00	19.32	AAAA
	ATOM	797	N	GLY A 112	-12.822	12.380	24.704	1.00	18.62	AAAA
	ATOM	798	CA	GLY A 112	-11.925	13.451	25.105	1.00	17.38	AAAA
	ATOM	799	C	GLY A 112	-12.610	14.509	25.957	1.00	17.36	AAAA
25	ATOM	800	O	GLY A 112	-12.035	14.997	26.936	1.00	16.49	AAAA
	ATOM	801	N	LEU A 113	-13.837	14.864	25.583	1.00	16.45	AAAA
	ATOM	802	CA	LEU A 113	-14.611	15.866	26.314	1.00	17.35	AAAA
	ATOM	803	CB	LEU A 113	-15.974	16.079	25.640	1.00	17.68	AAAA
	ATOM	804	CG	LEU A 113	-16.735	17.409	25.805	1.00	21.99	AAAA
30	ATOM	805	CD1	LEU A 113	-18.205	17.154	25.511	1.00	20.80	AAAA
	ATOM	806	CD2	LEU A 113	-16.570	18.007	27.178	1.00	22.94	AAAA
	ATOM	807	C	LEU A 113	-14.836	15.329	27.725	1.00	16.05	AAAA
	ATOM	808	O	LEU A 113	-14.695	16.045	28.711	1.00	16.63	AAAA
	ATOM	809	N	ALA A 114	-15.199	14.056	27.801	1.00	16.59	AAAA
35	ATOM	810	CA	ALA A 114	-15.442	13.416	29.087	1.00	15.95	AAAA
	ATOM	811	CB	ALA A 114	-15.859	11.963	28.868	1.00	17.72	AAAA
	ATOM	812	C	ALA A 114	-14.194	13.492	29.968	1.00	15.37	AAAA
	ATOM	813	O	ALA A 114	-14.260	13.952	31.105	1.00	15.94	AAAA
	ATOM	814	N	ALA A 115	-13.053	13.050	29.452	1.00	16.63	AAAA
40	ATOM	815	CA	ALA A 115	-11.820	13.098	30.251	1.00	15.65	AAAA
	ATOM	816	CB	ALA A 115	-10.641	12.518	29.450	1.00	15.52	AAAA
	ATOM	817	C	ALA A 115	-11.506	14.530	30.693	1.00	16.10	AAAA
	ATOM	818	O	ALA A 115	-11.141	14.777	31.841	1.00	15.67	AAAA
	ATOM	819	N	TRP A 116	-11.650	15.480	29.778	1.00	16.71	AAAA
45	ATOM	820	CA	TRP A 116	-11.380	16.873	30.100	1.00	17.31	AAAA

Protein Data Bank

5	ATOM	821	CB	TRP	A	116	-11.542	17.723	28.835	1.00	18.91	AAAA
	ATOM	822	CG	TRP	A	116	-11.172	19.155	29.003	1.00	21.69	AAAA
	ATOM	823	CD2	TRP	A	116	-12.008	20.277	28.740	1.00	23.65	AAAA
	ATOM	824	CE2	TRP	A	116	-11.262	21.438	29.048	1.00	25.14	AAAA
	ATOM	825	CE3	TRP	A	116	-13.321	20.418	28.268	1.00	26.49	AAAA
10	ATOM	826	CD1	TRP	A	116	-9.979	19.658	29.447	1.00	23.00	AAAA
	ATOM	827	NE1	TRP	A	116	-10.025	21.032	29.479	1.00	24.96	AAAA
	ATOM	828	CZ2	TRP	A	116	-11.785	22.724	28.902	1.00	26.16	AAAA
	ATOM	829	CZ3	TRP	A	116	-13.842	21.702	28.122	1.00	26.44	AAAA
	ATOM	830	CH2	TRP	A	116	-13.072	22.834	28.439	1.00	25.35	AAAA
15	ATOM	831	C	TRP	A	116	-12.292	17.377	31.233	1.00	16.50	AAAA
	ATOM	832	O	TRP	A	116	-11.835	18.080	32.137	1.00	16.03	AAAA
	ATOM	833	N	SER	A	117	-13.565	16.990	31.200	1.00	16.73	AAAA
	ATOM	834	CA	SER	A	117	-14.528	17.399	32.229	1.00	17.06	AAAA
	ATOM	835	CB	SER	A	117	-15.961	17.116	31.762	1.00	16.18	AAAA
20	ATOM	836	OG	SER	A	117	-16.270	15.731	31.743	1.00	18.31	AAAA
	ATOM	837	C	SER	A	117	-14.289	16.720	33.586	1.00	18.05	AAAA
	ATOM	838	O	SER	A	117	-14.837	17.147	34.605	1.00	17.79	AAAA
	ATOM	839	N	LEU	A	118	-13.466	15.678	33.594	1.00	18.13	AAAA
	ATOM	840	CA	LEU	A	118	-13.146	14.950	34.827	1.00	19.26	AAAA
25	ATOM	841	CB	LEU	A	118	-13.262	13.441	34.587	1.00	18.09	AAAA
	ATOM	842	CG	LEU	A	118	-14.686	12.932	34.353	1.00	20.04	AAAA
	ATOM	843	CD1	LEU	A	118	-14.659	11.484	33.869	1.00	20.30	AAAA
	ATOM	844	CD2	LEU	A	118	-15.480	13.064	35.646	1.00	20.40	AAAA
	ATOM	845	C	LEU	A	118	-11.736	15.283	35.305	1.00	20.78	AAAA
30	ATOM	846	O	LEU	A	118	-11.267	14.763	36.321	1.00	20.64	AAAA
	ATOM	847	N	GLY	A	119	-11.057	16.152	34.566	1.00	21.27	AAAA
	ATOM	848	CA	GLY	A	119	-9.706	16.537	34.943	1.00	21.97	AAAA
	ATOM	849	C	GLY	A	119	-8.648	15.519	34.550	1.00	21.55	AAAA
	ATOM	850	O	GLY	A	119	-7.515	15.582	35.034	1.00	21.92	AAAA
35	ATOM	851	N	ILE	A	120	-9.009	14.584	33.678	1.00	20.43	AAAA
	ATOM	852	CA	ILE	A	120	-8.082	13.548	33.214	1.00	21.09	AAAA
	ATOM	853	CB	ILE	A	120	-8.853	12.270	32.836	1.00	20.95	AAAA
	ATOM	854	CG2	ILE	A	120	-7.902	11.226	32.275	1.00	22.20	AAAA
	ATOM	855	CG1	ILE	A	120	-9.624	11.748	34.051	1.00	22.05	AAAA
40	ATOM	856	CD1	ILE	A	120	-10.688	10.709	33.689	1.00	21.95	AAAA
	ATOM	857	C	ILE	A	120	-7.358	14.088	31.978	1.00	20.81	AAAA
	ATOM	858	O	ILE	A	120	-8.001	14.465	31.004	1.00	21.35	AAAA
	ATOM	859	N	PRO	A	121	-6.013	14.131	31.999	1.00	20.67	AAAA
	ATOM	860	CD	PRO	A	121	-5.052	13.722	33.040	1.00	20.88	AAAA
45	ATOM	861	CA	PRO	A	121	-5.320	14.658	30.819	1.00	20.52	AAAA
	ATOM	862	CB	PRO	A	121	-3.842	14.649	31.237	1.00	21.37	AAAA
	ATOM	863	CG	PRO	A	121	-3.777	13.532	32.240	1.00	22.04	AAAA
	ATOM	864	C	PRO	A	121	-5.580	13.893	29.536	1.00	19.38	AAAA
	ATOM	865	O	PRO	A	121	-5.717	12.671	29.538	1.00	18.17	AAAA

5	ATOM	911	CD	GLN	A	127	-3.456	7.578	13.775	1.00	29.34	AAAA
	ATOM	912	OE1	GLN	A	127	-4.543	7.207	13.329	1.00	29.36	AAAA
	ATOM	913	NE2	GLN	A	127	-3.326	8.131	14.973	1.00	28.70	AAAA
	ATOM	914	C	GLN	A	127	-1.455	10.277	10.438	1.00	30.92	AAAA
	ATOM	915	O	GLN	A	127	-0.428	10.068	9.794	1.00	31.21	AAAA
	ATOM	916	N	ASN	A	128	-2.448	11.038	9.986	1.00	32.48	AAAA
	ATOM	917	CA	ASN	A	128	-2.434	11.596	8.634	1.00	33.12	AAAA
	ATOM	918	CB	ASN	A	128	-3.864	11.589	8.083	1.00	32.20	AAAA
10	ATOM	919	CG	ASN	A	128	-4.606	10.312	8.424	1.00	33.05	AAAA
	ATOM	920	OD1	ASN	A	128	-5.296	10.236	9.445	1.00	33.34	AAAA
	ATOM	921	ND2	ASN	A	128	-4.454	9.292	7.584	1.00	31.22	AAAA
	ATOM	922	C	ASN	A	128	-1.809	12.971	8.394	1.00	33.60	AAAA
15	ATOM	923	O	ASN	A	128	-1.571	13.744	9.327	1.00	34.03	AAAA
	ATOM	924	N	GLY	A	129	-1.550	13.256	7.117	1.00	33.69	AAAA
	ATOM	925	CA	GLY	A	129	-0.959	14.524	6.718	1.00	33.68	AAAA
	ATOM	926	C	GLY	A	129	-1.903	15.682	6.972	1.00	33.41	AAAA
	ATOM	927	O	GLY	A	129	-1.482	16.834	7.057	1.00	32.92	AAAA
20	ATOM	928	N	ILE	A	130	-3.192	15.374	7.070	1.00	33.49	AAAA
	ATOM	929	CA	ILE	A	130	-4.205	16.383	7.361	1.00	33.06	AAAA
	ATOM	930	CB	ILE	A	130	-5.204	16.570	6.206	1.00	33.49	AAAA
	ATOM	931	CG2	ILE	A	130	-4.548	17.358	5.083	1.00	35.66	AAAA
	ATOM	932	CG1	ILE	A	130	-5.736	15.209	5.751	1.00	34.45	AAAA
25	ATOM	933	CD1	ILE	A	130	-6.775	15.279	4.665	1.00	35.68	AAAA
	ATOM	934	C	ILE	A	130	-4.964	15.892	8.584	1.00	32.19	AAAA
	ATOM	935	O	ILE	A	130	-5.379	14.733	8.644	1.00	32.07	AAAA
	ATOM	936	N	ALA	A	131	-5.135	16.771	9.561	1.00	31.26	AAAA
	ATOM	937	CA	ALA	A	131	-5.832	16.404	10.788	1.00	30.63	AAAA
30	ATOM	938	CB	ALA	A	131	-5.735	17.547	11.800	1.00	30.70	AAAA
	ATOM	939	C	ALA	A	131	-7.292	16.038	10.556	1.00	30.27	AAAA
	ATOM	940	O	ALA	A	131	-7.992	16.682	9.774	1.00	30.54	AAAA
	ATOM	941	N	GLY	A	132	-7.743	14.987	11.232	1.00	29.03	AAAA
	ATOM	942	CA	GLY	A	132	-9.131	14.587	11.119	1.00	27.98	AAAA
35	ATOM	943	C	GLY	A	132	-9.902	15.678	11.837	1.00	26.80	AAAA
	ATOM	944	O	GLY	A	132	-9.326	16.387	12.660	1.00	25.68	AAAA
	ATOM	945	N	LEU	A	133	-11.188	15.827	11.543	1.00	26.51	AAAA
	ATOM	946	CA	LEU	A	133	-11.973	16.882	12.186	1.00	26.70	AAAA
	ATOM	947	CB	LEU	A	133	-13.363	16.967	11.538	1.00	28.16	AAAA
40	ATOM	948	CG	LEU	A	133	-14.275	18.138	11.936	1.00	28.52	AAAA
	ATOM	949	CD1	LEU	A	133	-14.889	17.874	13.280	1.00	32.18	AAAA
	ATOM	950	CD2	LEU	A	133	-13.486	19.436	11.960	1.00	30.27	AAAA
	ATOM	951	C	LEU</								

	ATOM	956	OG1	THR	A	134	-13.814	13.300	15.285	1.00	23.74	AAAA
	ATOM	957	CG2	THR	A	134	-12.751	13.511	17.433	1.00	23.66	AAAA
	ATOM	958	C	THR	A	134	-11.071	15.671	16.315	1.00	22.68	AAAA
	ATOM	959	O	THR	A	134	-11.116	16.368	17.328	1.00	21.38	AAAA
5	ATOM	960	N	ASN	A	135	-9.927	15.267	15.771	1.00	23.98	AAAA
	ATOM	961	CA	ASN	A	135	-8.636	15.623	16.358	1.00	24.64	AAAA
	ATOM	962	CB	ASN	A	135	-7.488	14.936	15.597	1.00	24.49	AAAA
	ATOM	963	CG	ASN	A	135	-7.020	13.638	16.264	1.00	25.25	AAAA
	ATOM	964	OD1	ASN	A	135	-6.267	12.856	15.668	1.00	25.70	AAAA
10	ATOM	965	ND2	ASN	A	135	-7.445	13.415	17.504	1.00	22.51	AAAA
	ATOM	966	C	ASN	A	135	-8.421	17.135	16.349	1.00	25.19	AAAA
	ATOM	967	O	ASN	A	135	-7.890	17.702	17.301	1.00	24.79	AAAA
	ATOM	968	N	LYS	A	136	-8.839	17.792	15.274	1.00	26.78	AAAA
	ATOM	969	CA	LYS	A	136	-8.661	19.234	15.177	1.00	28.71	AAAA
15	ATOM	970	CB	LYS	A	136	-9.165	19.743	13.828	1.00	30.84	AAAA
	ATOM	971	CG	LYS	A	136	-8.816	21.195	13.563	1.00	34.68	AAAA
	ATOM	972	CD	LYS	A	136	-9.206	21.596	12.148	1.00	36.19	AAAA
	ATOM	973	CE	LYS	A	136	-8.810	23.033	11.846	1.00	37.78	AAAA
	ATOM	974	NZ	LYS	A	136	-9.124	23.414	10.432	1.00	40.33	AAAA
20	ATOM	975	C	LYS	A	136	-9.370	19.981	16.304	1.00	28.66	AAAA
	ATOM	976	O	LYS	A	136	-8.803	20.900	16.902	1.00	28.47	AAAA
	ATOM	977	N	TRP	A	137	-10.606	19.589	16.596	1.00	28.05	AAAA
	ATOM	978	CA	TRP	A	137	-11.363	20.243	17.656	1.00	28.85	AAAA
	ATOM	979	CB	TRP	A	137	-12.855	19.921	17.516	1.00	31.86	AAAA
25	ATOM	980	CG	TRP	A	137	-13.485	20.502	16.282	1.00	34.71	AAAA
	ATOM	981	CD2	TRP	A	137	-14.788	20.206	15.755	1.00	36.70	AAAA
	ATOM	982	CE2	TRP	A	137	-14.982	21.036	14.630	1.00	37.21	AAAA
	ATOM	983	CE3	TRP	A	137	-15.811	19.321	16.130	1.00	38.46	AAAA
	ATOM	984	CD1	TRP	A	137	-12.959	21.466	15.471	1.00	36.22	AAAA
30	ATOM	985	NE1	TRP	A	137	-13.851	21.794	14.480	1.00	36.96	AAAA
	ATOM	986	CZ2	TRP	A	137	-16.160	21.010	13.869	1.00	38.57	AAAA
	ATOM	987	CZ3	TRP	A	137	-16.986	19.295	15.373	1.00	39.12	AAAA
	ATOM	988	CH2	TRP	A	137	-17.148	20.136	14.255	1.00	39.31	AAAA
	ATOM	989	C	TRP	A	137	-10.868	19.803	19.029	1.00	28.01	AAAA
35	ATOM	990	O	TRP	A	137	-10.763	20.605	19.955	1.00	27.04	AAAA
	ATOM	991	N	LEU	A	138	-10.548	18.520	19.143	1.00	27.31	AAAA
	ATOM	992	CA	LEU	A	138	-10.072	17.943	20.393	1.00	26.35	AAAA
	ATOM	993	CB	LEU	A	138	-9.879	16.444	20.174	1.00	27.79	AAAA
	ATOM	994	CG	LEU	A	138	-10.054	15.384	21.262	1.00	30.24	AAAA
40	ATOM	995	CD1	LEU	A	138	-11.263	15.650	22.142	1.00	29.67	AAAA
	ATOM	996	CD2	LEU	A	138	-10.178	14.036	20.562	1.00	30.06	AAAA
	ATOM	997	C	LEU	A	138	-8.772	18.609	20.834	1.00	25.34	AAAA
	ATOM	998	O	LEU	A	138	-8.532	18.814	22.030	1.00	23.81	AAAA
	ATOM	999	N	ALA	A	139	-7.931	18.953	19.865	1.00	26.03	AAAA
45	ATOM	1000	CA	ALA	A	139	-6.657	19.595	20.160	1.00	26.05	AAAA

Residue	5	ATOM	1001	CB	ALA	A	139	-5.918	19.934	18.858	1.00	26.98	AAAA	
		ATOM	1002	C	ALA	A	139	-6.847	20.858	21.002	1.00	26.86	AAAA	
		ATOM	1003	O	ALA	A	139	-5.929	21.286	21.697	1.00	26.11	AAAA	
		ATOM	1004	N	LYS	A	140	-8.044	21.439	20.952	1.00	26.32	AAAA	
		ATOM	1005	CA	LYS	A	140	-8.329	22.649	21.716	1.00	26.90	AAAA	
		ATOM	1006	CB	LYS	A	140	-9.644	23.276	21.238	1.00	29.14	AAAA	
		ATOM	1007	CG	LYS	A	140	-9.665	23.595	19.749	1.00	31.62	AAAA	
		ATOM	1008	CD	LYS	A	140	-8.523	24.513	19.364	1.00	35.02	AAAA	
		ATOM	1009	CE	LYS	A	140	-8.811	25.975	19.704	1.00	37.44	AAAA	
		10	ATOM	1010	NZ	LYS	A	140	-9.865	26.555	18.812	1.00	40.43	AAAA
			ATOM	1011	C	LYS	A	140	-8.395	22.414	23.230	1.00	25.59	AAAA
			ATOM	1012	O	LYS	A	140	-8.333	23.361	24.004	1.00	24.94	AAAA
			ATOM	1013	N	ILE	A	141	-8.526	21.159	23.649	1.00	24.13	AAAA
		15	ATOM	1014	CA	ILE	A	141	-8.587	20.844	25.075	1.00	23.31	AAAA
			ATOM	1015	CB	ILE	A	141	-9.971	20.270	25.477	1.00	22.85	AAAA
			ATOM	1016	CG2	ILE	A	141	-11.046	21.355	25.372	1.00	23.88	AAAA
			ATOM	1017	CG1	ILE	A	141	-10.313	19.071	24.595	1.00	23.34	AAAA
		20	ATOM	1018	CD1	ILE	A	141	-11.574	18.339	25.012	1.00	25.61	AAAA
			ATOM	1019	C	ILE	A	141	-7.524	19.822	25.482	1.00	23.06	AAAA
			ATOM	1020	O	ILE	A	141	-7.427	19.450	26.655	1.00	22.52	AAAA
			ATOM	1021	N	ALA	A	142	-6.724	19.375	24.520	1.00	21.80	AAAA
		25	ATOM	1022	CA	ALA	A	142	-5.695	18.379	24.803	1.00	21.97	AAAA
			ATOM	1023	CB	ALA	A	142	-5.231	17.739	23.495	1.00	20.41	AAAA
			ATOM	1024	C	ALA	A	142	-4.491	18.924	25.580	1.00	21.11	AAAA
			ATOM	1025	O	ALA	A	142	-4.132	20.094	25.465	1.00	22.76	AAAA
		30	ATOM	1026	N	THR	A	143	-3.887	18.056	26.384	1.00	21.92	AAAA
			ATOM	1027	CA	THR	A	143	-2.707	18.391	27.178	1.00	22.64	AAAA
			ATOM	1028	CB	THR	A	143	-2.598	17.450	28.400	1.00	23.91	AAAA
			ATOM	1029	OG1	THR	A	143	-3.751	17.635	29.232	1.00	25.42	AAAA
		35	ATOM	1030	CG2	THR	A	143	-1.329	17.735	29.209	1.00	24.48	AAAA
			ATOM	1031	C	THR	A	143	-1.454	18.235	26.312	1.00	22.79	AAAA
			ATOM	1032	O	THR	A	143	-0.444	18.910	26.517	1.00	23.30	AAAA
			ATOM	1033	N	LYS	A	144	-1.525	17.341	25.335	1.00	23.20	AAAA
		40	ATOM	1034	CA	LYS	A	144	-0.398	17.106	24.440	1.00	25.09	AAAA
			ATOM	1035	CB	LYS	A	144	0.565	16.083	25.049	1.00	25.01	AAAA
			ATOM	1036	CG	LYS	A	144	1.706	15.658	24.129	1.00	28.28	AAAA
			ATOM	1037	CD	LYS	A	144	2.604	16.838	23.747	1.00	27.48	AAAA
		45	ATOM	1038	CE	LYS	A	144	3.818	16.373	22.946	1.00	29.11	AAAA
			ATOM	1039	NZ	LYS	A	144	4.722	17.507	22.587	1.00	28.97	AAAA
			ATOM	1040	C	LYS	A	144	-0.896	16.595	23.102	1.00	24.77	AAAA
			ATOM	1041	O	LYS	A	144	-1.688	15.660	23.039	1.00	24.45	AAAA
			ATOM	1042	N	VAL	A	145	-0.432	17.218	22.030	1.00	24.92	AAAA
			ATOM	1043	CA	VAL	A	145	-0.830	16.793	20.701	1.00	25.14	AAAA
			ATOM	1044	CB	VAL	A	145	-1.510	17.938	19.919	1.00	24.18	AAAA
			ATOM	1045	CG1	VAL	A	145	-2.023	17.418	18.591	1.00	24.71	AAAA

	ATOM	1046	CG2	VAL	A	145	-2.658	18.528	20.740	1.00	25.82	AAAA
	ATOM	1047	C	VAL	A	145	0.420	16.356	19.950	1.00	25.49	AAAA
	ATOM	1048	O	VAL	A	145	1.449	17.034	19.995	1.00	25.76	AAAA
	ATOM	1049	N	MET	A	146	0.324	15.208	19.289	1.00	26.18	AAAA
5	ATOM	1050	CA	MET	A	146	1.421	14.654	18.503	1.00	26.41	AAAA
	ATOM	1051	CB	MET	A	146	2.000	13.396	19.172	1.00	26.85	AAAA
	ATOM	1052	CG	MET	A	146	2.826	13.653	20.430	1.00	25.85	AAAA
	ATOM	1053	SD	MET	A	146	3.306	12.116	21.269	1.00	28.45	AAAA
	ATOM	1054	CE	MET	A	146	1.827	11.741	22.217	1.00	26.47	AAAA
10	ATOM	1055	C	MET	A	146	0.860	14.293	17.131	1.00	27.20	AAAA
	ATOM	1056	O	MET	A	146	-0.311	13.934	16.998	1.00	25.68	AAAA
	ATOM	1057	N	GLN	A	147	1.701	14.395	16.111	1.00	28.03	AAAA
	ATOM	1058	CA	GLN	A	147	1.294	14.091	14.748	1.00	28.39	AAAA
	ATOM	1059	CB	GLN	A	147	1.067	15.388	13.979	1.00	28.65	AAAA
15	ATOM	1060	CG	GLN	A	147	2.203	16.371	14.142	1.00	30.13	AAAA
	ATOM	1061	CD	GLN	A	147	2.006	17.653	13.360	1.00	29.84	AAAA
	ATOM	1062	OE1	GLN	A	147	2.730	18.629	13.565	1.00	32.18	AAAA
	ATOM	1063	NE2	GLN	A	147	1.036	17.657	12.453	1.00	29.40	AAAA
	ATOM	1064	C	GLN	A	147	2.394	13.274	14.085	1.00	29.45	AAAA
20	ATOM	1065	O	GLN	A	147	3.570	13.420	14.424	1.00	29.21	AAAA
	ATOM	1066	N	ALA	A	148	2.010	12.412	13.150	1.00	29.90	AAAA
	ATOM	1067	CA	ALA	A	148	2.975	11.563	12.461	1.00	31.39	AAAA
	ATOM	1068	CB	ALA	A	148	2.254	10.468	11.690	1.00	30.97	AAAA
	ATOM	1069	C	ALA	A	148	3.846	12.373	11.514	1.00	32.66	AAAA
25	ATOM	1070	O	ALA	A	148	5.071	12.231	11.517	1.00	32.76	AAAA
	ATOM	1071	N	PHE	A	149	3.205	13.220	10.712	1.00	33.44	AAAA
	ATOM	1072	CA	PHE	A	149	3.903	14.059	9.744	1.00	35.09	AAAA
	ATOM	1073	CB	PHE	A	149	3.367	13.814	8.332	1.00	34.59	AAAA
	ATOM	1074	CG	PHE	A	149	3.200	12.367	7.985	1.00	35.35	AAAA
30	ATOM	1075	CD1	PHE	A	149	1.935	11.789	7.958	1.00	34.17	AAAA
	ATOM	1076	CD2	PHE	A	149	4.304	11.579	7.685	1.00	34.88	AAAA
	ATOM	1077	CE1	PHE	A	149	1.771	10.448	7.637	1.00	34.20	AAAA
	ATOM	1078	CE2	PHE	A	149	4.148	10.236	7.364	1.00	36.09	AAAA
	ATOM	1079	CZ	PHE	A	149	2.878	9.670	7.340	1.00	35.09	AAAA
35	ATOM	1080	C	PHE	A	149	3.719	15.536	10.056	1.00	36.17	AAAA
	ATOM	1081	O	PHE	A	149	2.697	15.939	10.606	1.00	37.06	AAAA
	ATOM	1082	N	PRO	A	150	4.709	16.370	9.704	1.00	37.23	AAAA
	ATOM	1083	CD	PRO	A	150	6.002	16.078	9.056	1.00	37.75	AAAA
	ATOM	1084	CA	PRO	A	150	4.569	17.803	9.975	1.00	38.03	AAAA
40	ATOM	1085	CB	PRO	A	150	5.967	18.341	9.682	1.00	38.69	AAAA
	ATOM	1086	CG	PRO	A	150	6.432	17.448	8.569	1.00	38.52	AAAA
	ATOM	1087	C	PRO	A	150	3.510	18.369	9.028	1.00	38.18	AAAA
	ATOM	1088	O	PRO	A	150	3.355	17.878	7.912	1.00	38.42	AAAA
	ATOM	1089	N	GLY	A	151	2.763	19.374	9.475	1.00	38.74	AAAA
45	ATOM	1090	CA	GLY	A	151	1.749	19.952	8.609	1.00	38.66	AAAA

	ATOM	1091	C	GLY A 151	0.300	19.705	8.996	1.00	38.69	AAAA
	ATOM	1092	O	GLY A 151	-0.571	20.502	8.645	1.00	38.08	AAAA
	ATOM	1093	N	ALA A 152	0.024	18.602	9.689	1.00	38.70	AAAA
	ATOM	1094	CA	ALA A 152	-1.343	18.311	10.112	1.00	38.90	AAAA
5	ATOM	1095	CB	ALA A 152	-1.402	16.980	10.859	1.00	38.46	AAAA
	ATOM	1096	C	ALA A 152	-1.729	19.461	11.032	1.00	39.30	AAAA
	ATOM	1097	O	ALA A 152	-2.753	20.114	10.838	1.00	40.05	AAAA
	ATOM	1098	N	PHE A 153	-0.887	19.700	12.031	1.00	39.42	AAAA
	ATOM	1099	CA	PHE A 153	-1.084	20.795	12.971	1.00	39.90	AAAA
10	ATOM	1100	CB	PHE A 153	-1.209	20.286	14.409	1.00	39.04	AAAA
	ATOM	1101	CG	PHE A 153	-2.478	19.535	14.685	1.00	38.06	AAAA
	ATOM	1102	CD1	PHE A 153	-2.571	18.175	14.419	1.00	36.71	AAAA
	ATOM	1103	CD2	PHE A 153	-3.582	20.190	15.228	1.00	37.52	AAAA
	ATOM	1104	CE1	PHE A 153	-3.747	17.475	14.692	1.00	36.39	AAAA
15	ATOM	1105	CE2	PHE A 153	-4.761	19.500	15.502	1.00	36.08	AAAA
	ATOM	1106	CZ	PHE A 153	-4.842	18.140	15.235	1.00	36.20	AAAA
	ATOM	1107	C	PHE A 153	0.143	21.696	12.865	1.00	40.75	AAAA
	ATOM	1108	O	PHE A 153	1.238	21.228	12.543	1.00	41.03	AAAA
	ATOM	1109	N	PRO A 154	-0.026	23.001	13.128	1.00	41.05	AAAA
20	ATOM	1110	CD	PRO A 154	-1.328	23.667	13.304	1.00	41.17	AAAA
	ATOM	1111	CA	PRO A 154	1.052	23.992	13.068	1.00	41.57	AAAA
	ATOM	1112	CB	PRO A 154	0.339	25.292	13.428	1.00	41.69	AAAA
	ATOM	1113	CG	PRO A 154	-1.024	25.081	12.876	1.00	41.76	AAAA
	ATOM	1114	C	PRO A 154	2.260	23.744	13.975	1.00	42.12	AAAA
25	ATOM	1115	O	PRO A 154	3.400	23.833	13.515	1.00	43.15	AAAA
	ATOM	1116	N	ASN A 155	2.023	23.432	15.249	1.00	41.75	AAAA
	ATOM	1117	CA	ASN A 155	3.135	23.230	16.180	1.00	41.57	AAAA
	ATOM	1118	CB	ASN A 155	3.180	24.389	17.179	1.00	44.02	AAAA
	ATOM	1119	CG	ASN A 155	2.961	25.736	16.522	1.00	45.69	AAAA
30	ATOM	1120	OD1	ASN A 155	1.862	26.045	16.058	1.00	47.64	AAAA
	ATOM	1121	ND2	ASN A 155	4.010	26.545	16.475	1.00	47.43	AAAA
	ATOM	1122	C	ASN A 155	3.193	21.921	16.970	1.00	40.83	AAAA
	ATOM	1123	O	ASN A 155	3.973	21.814	17.917	1.00	41.17	AAAA
	ATOM	1124	N	ALA A 156	2.390	20.929	16.601	1.00	38.83	AAAA
35	ATOM	1125	CA	ALA A 156	2.400	19.658	17.326	1.00	37.19	AAAA
	ATOM	1126	CB	ALA A 156	1.203	18.811	16.909	1.00	36.03	AAAA
	ATOM	1127	C	ALA A 156	3.698	18.882	17.090	1.00	35.95	AAAA
	ATOM	1128	O	ALA A 156	4.206	18.834	15.971	1.00	35.55	AAAA
	ATOM	1129	N	GLU A 157	4.233	18.275	18.146	1.00	35.08	AAAA
40	ATOM	1130	CA	GLU A 157	5.464	17.505	18.022	1.00	33.77	AAAA
	ATOM	1131	CB	GLU A 157	5.848	16.881	19.373	1.00	34.33	AAAA
	ATOM	1132	CG	GLU A 157	7.175	16.124	19.352	1.00	34.59	AAAA
	ATOM	1133	CD	GLU A 157	7.487	15.430	20.670	1.00	35.45	AAAA
	ATOM	1134	OE1	GLU A 157	8.517	14.729	20.746	1.00	34.09	AAAA
45	ATOM	1135	OE2	GLU A 157	6.705	15.582	21.631	1.00	36.21	AAAA

	ATOM	1136	C	GLU	A	157	5.282	16.405	16.970	1.00	32.70	AAAA
	ATOM	1137	O	GLU	A	157	4.262	15.709	16.952	1.00	31.88	AAAA
	ATOM	1138	N	VAL	A	158	6.268	16.265	16.088	1.00	31.00	AAAA
	ATOM	1139	CA	VAL	A	158	6.230	15.255	15.032	1.00	30.25	AAAA
5	ATOM	1140	CB	VAL	A	158	6.926	15.768	13.751	1.00	30.33	AAAA
	ATOM	1141	CG1	VAL	A	158	7.013	14.653	12.719	1.00	29.98	AAAA
	ATOM	1142	CG2	VAL	A	158	6.147	16.953	13.181	1.00	30.15	AAAA
	ATOM	1143	C	VAL	A	158	6.937	13.998	15.529	1.00	29.69	AAAA
	ATOM	1144	O	VAL	A	158	8.142	14.020	15.798	1.00	29.80	AAAA
10	ATOM	1145	N	VAL	A	159	6.182	12.909	15.645	1.00	28.61	AAAA
	ATOM	1146	CA	VAL	A	159	6.715	11.647	16.149	1.00	29.00	AAAA
	ATOM	1147	CB	VAL	A	159	6.019	11.250	17.469	1.00	28.75	AAAA
	ATOM	1148	CG1	VAL	A	159	6.129	12.384	18.482	1.00	28.06	AAAA
	ATOM	1149	CG2	VAL	A	159	4.552	10.921	17.197	1.00	28.06	AAAA
15	ATOM	1150	C	VAL	A	159	6.581	10.469	15.186	1.00	29.32	AAAA
	ATOM	1151	O	VAL	A	159	7.066	9.376	15.479	1.00	29.89	AAAA
	ATOM	1152	N	GLY	A	160	5.915	10.688	14.054	1.00	30.03	AAAA
	ATOM	1153	CA	GLY	A	160	5.727	9.628	13.075	1.00	29.63	AAAA
	ATOM	1154	C	GLY	A	160	4.678	8.608	13.483	1.00	29.61	AAAA
20	ATOM	1155	O	GLY	A	160	3.917	8.849	14.416	1.00	29.30	AAAA
	ATOM	1156	N	ASN	A	161	4.635	7.475	12.782	1.00	29.30	AAAA
	ATOM	1157	CA	ASN	A	161	3.677	6.401	13.074	1.00	29.78	AAAA
	ATOM	1158	CB	ASN	A	161	2.800	6.097	11.858	1.00	30.70	AAAA
	ATOM	1159	CG	ASN	A	161	1.755	7.154	11.609	1.00	32.16	AAAA
25	ATOM	1160	OD1	ASN	A	161	0.951	7.461	12.492	1.00	31.78	AAAA
	ATOM	1161	ND2	ASN	A	161	1.750	7.711	10.400	1.00	30.88	AAAA
	ATOM	1162	C	ASN	A	161	4.344	5.089	13.462	1.00	29.50	AAAA
	ATOM	1163	O	ASN	A	161	5.471	4.810	13.058	1.00	29.61	AAAA
	ATOM	1164	N	PRO	A	162	3.648	4.263	14.251	1.00	29.59	AAAA
30	ATOM	1165	CD	PRO	A	162	2.441	4.571	15.039	1.00	29.95	AAAA
	ATOM	1166	CA	PRO	A	162	4.219	2.977	14.650	1.00	29.65	AAAA
	ATOM	1167	CB	PRO	A	162	3.143	2.389	15.553	1.00	29.79	AAAA
	ATOM	1168	CG	PRO	A	162	2.559	3.608	16.200	1.00	30.38	AAAA
	ATOM	1169	C	PRO	A	162	4.423	2.135	13.389	1.00	30.13	AAAA
35	ATOM	1170	O	PRO	A	162	3.535	2.063	12.531	1.00	28.48	AAAA
	ATOM	1171	N	VAL	A	163	5.590	1.508	13.287	1.00	29.92	AAAA
	ATOM	1172	CA	VAL	A	163	5.935	0.664	12.149	1.00	29.89	AAAA
	ATOM	1173	CB	VAL	A	163	7.182	1.224	11.417	1.00	31.04	AAAA
	ATOM	1174	CG1	VAL	A	163	7.571	0.308	10.260	1.00	30.44	AAAA
40	ATOM	1175	CG2	VAL	A	163	6.902	2.631	10.914	1.00	29.10	AAAA
	ATOM	1176	C	VAL	A	163	6.258	-0.744	12.652	1.00	31.06	AAAA
	ATOM	1177	O	VAL	A	163	6.884	-0.892	13.706	1.00	29.66	AAAA
	ATOM	1178	N	ARG	A	164	5.820	-1.773	11.927	1.00	31.83	AAAA
	ATOM	1179	CA	ARG	A	164	6.124	-3.142	12.339	1.00	34.34	AAAA
45	ATOM	1180	CB	ARG	A	164	5.533	-4.167	11.354	1.00	36.31	AAAA

5	ATOM	1181	CG	ARG	A	164	5.704	-3.841	9.876	1.00	39.86	AAAA
	ATOM	1182	CD	ARG	A	164	4.855	-4.770	8.997	1.00	41.13	AAAA
	ATOM	1183	NE	ARG	A	164	5.368	-6.140	8.946	1.00	43.44	AAAA
	ATOM	1184	CZ	ARG	A	164	4.765	-7.145	8.311	1.00	44.08	AAAA
	ATOM	1185	NH1	ARG	A	164	3.619	-6.940	7.671	1.00	44.91	AAAA
10	ATOM	1186	NH2	ARG	A	164	5.308	-8.355	8.308	1.00	44.44	AAAA
	ATOM	1187	C	ARG	A	164	7.649	-3.248	12.419	1.00	34.72	AAAA
	ATOM	1188	O	ARG	A	164	8.364	-2.769	11.537	1.00	33.63	AAAA
	ATOM	1189	N	THR	A	165	8.138	-3.855	13.496	1.00	34.72	AAAA
	ATOM	1190	CA	THR	A	165	9.567	-3.969	13.730	1.00	34.94	AAAA
15	ATOM	1191	CB	THR	A	165	9.839	-4.437	15.177	1.00	35.90	AAAA
	ATOM	1192	OG1	THR	A	165	9.008	-5.563	15.488	1.00	36.96	AAAA
	ATOM	1193	CG2	THR	A	165	9.530	-3.313	16.149	1.00	35.88	AAAA
	ATOM	1194	C	THR	A	165	10.373	-4.814	12.749	1.00	34.61	AAAA
	ATOM	1195	O	THR	A	165	11.577	-4.603	12.608	1.00	34.56	AAAA
20	ATOM	1196	N	ASP	A	166	9.739	-5.765	12.068	1.00	34.66	AAAA
	ATOM	1197	CA	ASP	A	166	10.492	-6.558	11.103	1.00	34.85	AAAA
	ATOM	1198	CB	ASP	A	166	9.697	-7.784	10.642	1.00	36.47	AAAA
	ATOM	1199	CG	ASP	A	166	8.341	-7.430	10.089	1.00	37.65	AAAA
	ATOM	1200	OD1	ASP	A	166	7.566	-8.365	9.804	1.00	41.03	AAAA
25	ATOM	1201	OD2	ASP	A	166	8.048	-6.227	9.937	1.00	39.97	AAAA
	ATOM	1202	C	ASP	A	166	10.862	-5.667	9.917	1.00	33.70	AAAA
	ATOM	1203	O	ASP	A	166	11.846	-5.925	9.224	1.00	34.04	AAAA
	ATOM	1204	N	VAL	A	167	10.081	-4.610	9.694	1.00	31.98	AAAA
	ATOM	1205	CA	VAL	A	167	10.366	-3.667	8.611	1.00	31.43	AAAA
30	ATOM	1206	CB	VAL	A	167	9.096	-2.888	8.170	1.00	31.53	AAAA
	ATOM	1207	CG1	VAL	A	167	9.485	-1.738	7.248	1.00	30.83	AAAA
	ATOM	1208	CG2	VAL	A	167	8.120	-3.825	7.458	1.00	31.61	AAAA
	ATOM	1209	C	VAL	A	167	11.400	-2.657	9.108	1.00	31.23	AAAA
	ATOM	1210	O	VAL	A	167	12.320	-2.268	8.380	1.00	30.04	AAAA
35	ATOM	1211	N	LEU	A	168	11.243	-2.238	10.359	1.00	31.72	AAAA
	ATOM	1212	CA	LEU	A	168	12.159	-1.277	10.959	1.00	32.61	AAAA
	ATOM	1213	CB	LEU	A	168	11.714	-0.942	12.387	1.00	33.77	AAAA
	ATOM	1214	CG	LEU	A	168	10.490	-0.040	12.562	1.00	34.46	AAAA
	ATOM	1215	CD1	LEU	A	168	10.141	0.076	14.041	1.00	35.50	AAAA
40	ATOM	1216	CD2	LEU	A	168	10.790	1.338	11.974	1.00	34.18	AAAA
	ATOM	1217	C	LEU	A	168	13.594	-1.790	10.986	1.00	32.72	AAAA
	ATOM	1218	O	LEU	A	168	14.538	-1.002	10.923	1.00	32.67	AAAA
	ATOM	1219	N	ALA	A	169	13.752	-3.109	11.076	1.00	33.35	AAAA
	ATOM	1220	CA	ALA	A	169	15.077	-3.725	11.138	1.00	34.36	AAAA
45	ATOM	1221	CB	ALA	A	169	14.992	-5.054	11.883	1.00	33.96	AAAA
	ATOM	1222	C	ALA	A	169	15.746	-3.939	9.777	1.00	35.45	AAAA
	ATOM	1223	O	ALA	A	169	16.905	-4.362	9.713	1.00	36.53	AAAA
	ATOM	1224	N	LEU	A	170	15.030	-3.651	8.695	1.00	34.52	AAAA
	ATOM	1225	CA	LEU	A	170	15.590	-3.833	7.358	1.00	34.60	AAAA

	ATOM	1226	CB	LEU	A	170	14.577	-3.423	6.281	1.00	34.25	AAAA
	ATOM	1227	CG	LEU	A	170	13.363	-4.333	6.071	1.00	33.98	AAAA
	ATOM	1228	CD1	LEU	A	170	12.393	-3.675	5.101	1.00	34.11	AAAA
	ATOM	1229	CD2	LEU	A	170	13.820	-5.688	5.543	1.00	33.52	AAAA
5	ATOM	1230	C	LEU	A	170	16.880	-3.042	7.163	1.00	34.41	AAAA
	ATOM	1231	O	LEU	A	170	17.001	-1.902	7.616	1.00	33.45	AAAA
	ATOM	1232	N	PRO	A	171	17.867	-3.648	6.486	1.00	34.33	AAAA
	ATOM	1233	CD	PRO	A	171	17.877	-5.028	5.971	1.00	34.76	AAAA
	ATOM	1234	CA	PRO	A	171	19.152	-2.988	6.233	1.00	35.17	AAAA
10	ATOM	1235	CB	PRO	A	171	19.897	-4.005	5.366	1.00	34.52	AAAA
	ATOM	1236	CG	PRO	A	171	19.361	-5.308	5.844	1.00	34.60	AAAA
	ATOM	1237	C	PRO	A	171	18.938	-1.665	5.503	1.00	35.39	AAAA
	ATOM	1238	O	PRO	A	171	17.933	-1.485	4.820	1.00	34.32	AAAA
	ATOM	1239	N	LEU	A	172	19.884	-0.746	5.654	1.00	36.05	AAAA
15	ATOM	1240	CA	LEU	A	172	19.801	0.555	4.998	1.00	37.43	AAAA
	ATOM	1241	CB	LEU	A	172	20.946	1.458	5.468	1.00	37.48	AAAA
	ATOM	1242	CG	LEU	A	172	20.934	1.934	6.925	1.00	38.42	AAAA
	ATOM	1243	CD1	LEU	A	172	19.751	2.863	7.158	1.00	37.89	AAAA
	ATOM	1244	CD2	LEU	A	172	20.876	0.735	7.859	1.00	38.70	AAAA
20	ATOM	1245	C	LEU	A	172	19.865	0.400	3.479	1.00	38.03	AAAA
	ATOM	1246	O	LEU	A	172	20.392	-0.591	2.969	1.00	38.19	AAAA
	ATOM	1247	N	PRO	A	173	19.329	1.383	2.737	1.00	38.41	AAAA
	ATOM	1248	CD	PRO	A	173	18.647	2.586	3.248	1.00	38.12	AAAA
	ATOM	1249	CA	PRO	A	173	19.319	1.367	1.271	1.00	39.54	AAAA
25	ATOM	1250	CB	PRO	A	173	18.853	2.778	0.923	1.00	38.97	AAAA
	ATOM	1251	CG	PRO	A	173	17.898	3.076	2.029	1.00	38.41	AAAA
	ATOM	1252	C	PRO	A	173	20.672	1.027	0.639	1.00	41.06	AAAA
	ATOM	1253	O	PRO	A	173	20.751	0.205	-0.276	1.00	41.26	AAAA
	ATOM	1254	N	GLN	A	174	21.734	1.659	1.127	1.00	42.31	AAAA
30	ATOM	1255	CA	GLN	A	174	23.063	1.401	0.591	1.00	43.56	AAAA
	ATOM	1256	CB	GLN	A	174	24.118	2.219	1.343	1.00	45.08	AAAA
	ATOM	1257	CG	GLN	A	174	24.197	3.672	0.906	1.00	47.91	AAAA
	ATOM	1258	CD	GLN	A	174	25.366	4.413	1.534	1.00	50.04	AAAA
	ATOM	1259	OE1	GLN	A	174	25.665	5.552	1.164	1.00	50.92	AAAA
35	ATOM	1260	NE2	GLN	A	174	26.033	3.771	2.491	1.00	50.23	AAAA
	ATOM	1261	C	GLN	A	174	23.415	-0.076	0.667	1.00	43.25	AAAA
	ATOM	1262	O	GLN	A	174	23.955	-0.641	-0.280	1.00	42.73	AAAA
	ATOM	1263	N	GLN	A	175	23.098	-0.702	1.794	1.00	43.02	AAAA
	ATOM	1264	CA	GLN	A	175	23.398	-2.115	1.981	1.00	43.41	AAAA
40	ATOM	1265	CB	GLN	A	175	23.206	-2.505	3.449	1.00	44.88	AAAA
	ATOM	1266	CG	GLN	A	175	23.844	-1.544	4.444	1.00	47.91	AAAA
	ATOM	1267	CD	GLN	A	175	25.331	-1.344	4.211	1.00	49.82	AAAA
	ATOM	1268	OE1	GLN	A	175	25.747	-0.765	3.203	1.00	50.30	AAAA
	ATOM	1269	NE2	GLN	A	175	26.145	-1.826	5.148	1.00	51.04	AAAA
45	ATOM	1270	C	GLN	A	175	22.521	-2.997	1.097	1.00	42.34	AAAA

	ATOM	1316	OE1	GLU	A	181	26.698	-4.284	-12.056	1.00	42.94	AAAA
	ATOM	1317	OE2	GLU	A	181	25.623	-6.033	-12.848	1.00	43.38	AAAA
	ATOM	1318	C	GLU	A	181	20.736	-5.745	-11.615	1.00	34.83	AAAA
	ATOM	1319	O	GLU	A	181	20.148	-6.577	-10.919	1.00	35.81	AAAA
5	ATOM	1320	N	GLY	A	182	20.387	-5.469	-12.866	1.00	33.11	AAAA
	ATOM	1321	CA	GLY	A	182	19.279	-6.166	-13.489	1.00	31.63	AAAA
	ATOM	1322	C	GLY	A	182	17.989	-5.368	-13.523	1.00	30.40	AAAA
	ATOM	1323	O	GLY	A	182	17.959	-4.210	-13.106	1.00	28.65	AAAA
	ATOM	1324	N	PRO	A	183	16.898	-5.974	-14.015	1.00	29.29	AAAA
10	ATOM	1325	CD	PRO	A	183	16.829	-7.363	-14.498	1.00	30.43	AAAA
	ATOM	1326	CA	PRO	A	183	15.589	-5.327	-14.109	1.00	29.46	AAAA
	ATOM	1327	CB	PRO	A	183	14.675	-6.463	-14.560	1.00	29.59	AAAA
	ATOM	1328	CG	PRO	A	183	15.597	-7.333	-15.362	1.00	30.17	AAAA
	ATOM	1329	C	PRO	A	183	15.159	-4.734	-12.771	1.00	29.01	AAAA
15	ATOM	1330	O	PRO	A	183	15.455	-5.289	-11.708	1.00	27.87	AAAA
	ATOM	1331	N	VAL	A	184	14.483	-3.591	-12.826	1.00	27.36	AAAA
	ATOM	1332	CA	VAL	A	184	14.014	-2.942	-11.613	1.00	25.28	AAAA
	ATOM	1333	CB	VAL	A	184	13.506	-1.512	-11.912	1.00	26.16	AAAA
	ATOM	1334	CG1	VAL	A	184	12.865	-0.901	-10.673	1.00	25.72	AAAA
20	ATOM	1335	CG2	VAL	A	184	14.670	-0.648	-12.374	1.00	26.35	AAAA
	ATOM	1336	C	VAL	A	184	12.896	-3.799	-11.032	1.00	23.68	AAAA
	ATOM	1337	O	VAL	A	184	11.971	-4.195	-11.735	1.00	21.69	AAAA
	ATOM	1338	N	ARG	A	185	13.003	-4.102	-9.744	1.00	23.12	AAAA
	ATOM	1339	CA	ARG	A	185	12.015	-4.931	-9.065	1.00	22.35	AAAA
25	ATOM	1340	CB	ARG	A	185	12.687	-5.649	-7.897	1.00	23.23	AAAA
	ATOM	1341	CG	ARG	A	185	13.910	-6.440	-8.323	1.00	25.75	AAAA
	ATOM	1342	CD	ARG	A	185	14.729	-6.847	-7.120	1.00	27.07	AAAA
	ATOM	1343	NE	ARG	A	185	15.976	-7.502	-7.495	1.00	28.67	AAAA
	ATOM	1344	CZ	ARG	A	185	16.784	-8.093	-6.623	1.00	29.19	AAAA
30	ATOM	1345	NH1	ARG	A	185	16.462	-8.100	-5.339	1.00	26.72	AAAA
	ATOM	1346	NH2	ARG	A	185	17.903	-8.679	-7.032	1.00	31.00	AAAA
	ATOM	1347	C	ARG	A	185	10.860	-4.066	-8.574	1.00	21.55	AAAA
	ATOM	1348	O	ARG	A	185	11.033	-3.228	-7.693	1.00	21.13	AAAA
	ATOM	1349	N	VAL	A	186	9.687	-4.263	-9.166	1.00	21.59	AAAA
35	ATOM	1350	CA	VAL	A	186	8.515	-3.480	-8.805	1.00	21.51	AAAA
	ATOM	1351	CB	VAL	A	186	7.745	-3.005	-10.064	1.00	21.61	AAAA
	ATOM	1352	CG1	VAL	A	186	6.574	-2.124	-9.656	1.00	21.27	AAAA
	ATOM	1353	CG2	VAL	A	186	8.689	-2.252	-11.001	1.00	22.25	AAAA
	ATOM	1354	C	VAL	A	186	7.563	-4.294	-7.942	1.00	20.09	AAAA
40	ATOM	1355	O	VAL	A	186	7.064	-5.330	-8.361	1.00	20.16	AAAA
	ATOM	1356	N	LEU	A	187	7.325	-3.807	-6.735	1.00	20.75	AAAA
	ATOM	1357	CA	LEU	A	187	6.421	-4.462	-5.801	1.00	21.10	AAAA
	ATOM	1358	CB	LEU	A	187	6.979	-4.363	-4.379	1.00	22.77	AAAA
	ATOM	1359	CG	LEU	A	187	6.492	-5.359	-3.316	1.00	24.90	AAAA
45	ATOM	1360	CD1	LEU	A	187	6.763	-4.768	-1.932	1.00	23.74	AAAA

5	ATOM	1361	CD2	LEU	A	187	5.027	-5.651	-3.487	1.00	27.67	AAAA
	ATOM	1362	C	LEU	A	187	5.104	-3.691	-5.871	1.00	21.37	AAAA
	ATOM	1363	O	LEU	A	187	5.078	-2.491	-5.585	1.00	21.09	AAAA
	ATOM	1364	N	VAL	A	188	4.034	-4.377	-6.262	1.00	21.43	AAAA
	ATOM	1365	CA	VAL	A	188	2.706	-3.774	-6.355	1.00	22.58	AAAA
10	ATOM	1366	CB	VAL	A	188	1.988	-4.190	-7.657	1.00	22.95	AAAA
	ATOM	1367	CG1	VAL	A	188	0.643	-3.488	-7.765	1.00	22.98	AAAA
	ATOM	1368	CG2	VAL	A	188	2.853	-3.842	-8.855	1.00	23.03	AAAA
	ATOM	1369	C	VAL	A	188	1.891	-4.267	-5.161	1.00	22.98	AAAA
	ATOM	1370	O	VAL	A	188	1.603	-5.456	-5.051	1.00	22.38	AAAA
15	ATOM	1371	N	VAL	A	189	1.534	-3.349	-4.267	1.00	23.91	AAAA
	ATOM	1372	CA	VAL	A	189	0.779	-3.706	-3.070	1.00	25.11	AAAA
	ATOM	1373	CB	VAL	A	189	1.523	-3.237	-1.800	1.00	25.30	AAAA
	ATOM	1374	CG1	VAL	A	189	0.740	-3.635	-0.549	1.00	23.23	AAAA
	ATOM	1375	CG2	VAL	A	189	2.915	-3.828	-1.773	1.00	22.20	AAAA
20	ATOM	1376	C	VAL	A	189	-0.619	-3.096	-3.080	1.00	26.20	AAAA
	ATOM	1377	O	VAL	A	189	-0.770	-1.879	-3.186	1.00	26.94	AAAA
	ATOM	1378	N	GLY	A	190	-1.629	-3.955	-2.975	1.00	27.50	AAAA
	ATOM	1379	CA	GLY	A	190	-3.007	-3.505	-2.966	1.00	30.27	AAAA
	ATOM	1380	C	GLY	A	190	-3.720	-3.736	-1.641	1.00	32.15	AAAA
25	ATOM	1381	O	GLY	A	190	-4.896	-3.403	-1.499	1.00	32.00	AAAA
	ATOM	1382	N	GLY	A	191	-3.016	-4.299	-0.664	1.00	32.97	AAAA
	ATOM	1383	CA	GLY	A	191	-3.640	-4.550	0.624	1.00	34.29	AAAA
	ATOM	1384	C	GLY	A	191	-4.507	-5.794	0.607	1.00	34.92	AAAA
	ATOM	1385	O	GLY	A	191	-4.741	-6.388	-0.444	1.00	34.34	AAAA
30	ATOM	1386	N	SER	A	192	-4.996	-6.183	1.778	1.00	36.47	AAAA
	ATOM	1387	CA	SER	A	192	-5.827	-7.377	1.910	1.00	38.39	AAAA
	ATOM	1388	CB	SER	A	192	-6.389	-7.460	3.335	1.00	39.07	AAAA
	ATOM	1389	OG	SER	A	192	-7.124	-6.291	3.658	1.00	41.25	AAAA
	ATOM	1390	C	SER	A	192	-6.974	-7.472	0.903	1.00	38.69	AAAA
35	ATOM	1391	O	SER	A	192	-7.293	-8.557	0.410	1.00	38.58	AAAA
	ATOM	1392	N	GLN	A	193	-7.599	-6.344	0.595	1.00	38.60	AAAA
	ATOM	1393	CA	GLN	A	193	-8.715	-6.367	-0.339	1.00	39.91	AAAA
	ATOM	1394	CB	GLN	A	193	-9.787	-5.367	0.110	1.00	41.97	AAAA
	ATOM	1395	CG	GLN	A	193	-10.354	-5.679	1.497	1.00	43.94	AAAA
40	ATOM	1396	CD	GLN	A	193	-10.790	-7.135	1.640	1.00	45.71	AAAA
	ATOM	1397	OE1	GLN	A	193	-11.677	-7.607	0.922	1.00	46.93	AAAA
	ATOM	1398	NE2	GLN	A	193	-10.162	-7.853	2.567	1.00	45.80	AAAA
	ATOM	1399	C	GLN	A	193	-8.298	-6.098	-1.781	1.00	39.31	AAAA
	ATOM	1400	O	GLN	A	193	-9.076	-6.320	-2.708	1.00	39.52	AAAA
45	ATOM	1401	N	GLY	A	194	-7.064	-5.642	-1.961	1.00	38.40	AAAA
	ATOM	1402	CA	GLY	A	194	-6.560	-5.358	-3.291	1.00	38.11	AAAA
	ATOM	1403	C	GLY	A	194	-6.961	-3.987	-3.797	1.00	37.62	AAAA
	ATOM	1404	O	GLY	A	194	-7.904	-3.382	-3.291	1.00	37.80	AAAA
	ATOM	1405	N	ALA	A	195	-6.228	-3.489	-4.787	1.00	36.62	AAAA

5	ATOM	1406	CA	ALA	A	195	-6.513	-2.191	-5.387	1.00	36.35	AAAA
	ATOM	1407	CB	ALA	A	195	-5.290	-1.291	-5.305	1.00	35.75	AAAA
	ATOM	1408	C	ALA	A	195	-6.898	-2.437	-6.842	1.00	36.61	AAAA
	ATOM	1409	O	ALA	A	195	-6.038	-2.519	-7.717	1.00	35.93	AAAA
	ATOM	1410	N	ARG	A	196	-8.198	-2.566	-7.080	1.00	36.94	AAAA
10	ATOM	1411	CA	ARG	A	196	-8.741	-2.828	-8.412	1.00	38.03	AAAA
	ATOM	1412	CB	ARG	A	196	-10.229	-2.466	-8.450	1.00	40.33	AAAA
	ATOM	1413	CG	ARG	A	196	-10.526	-0.968	-8.375	1.00	44.08	AAAA
	ATOM	1414	CD	ARG	A	196	-9.935	-0.306	-7.129	1.00	46.46	AAAA
	ATOM	1415	NE	ARG	A	196	-10.381	-0.949	-5.894	1.00	48.33	AAAA
15	ATOM	1416	CZ	ARG	A	196	-10.199	-0.439	-4.682	1.00	48.85	AAAA
	ATOM	1417	NH1	ARG	A	196	-9.581	0.725	-4.538	1.00	49.51	AAAA
	ATOM	1418	NH2	ARG	A	196	-10.636	-1.093	-3.615	1.00	49.95	AAAA
	ATOM	1419	C	ARG	A	196	-8.023	-2.120	-9.558	1.00	37.11	AAAA
	ATOM	1420	O	ARG	A	196	-7.729	-2.736	-10.583	1.00	36.96	AAAA
20	ATOM	1421	N	ILE	A	197	-7.739	-0.834	-9.392	1.00	35.89	AAAA
	ATOM	1422	CA	ILE	A	197	-7.071	-0.091	-10.448	1.00	35.67	AAAA
	ATOM	1423	CB	ILE	A	197	-7.049	1.427	-10.161	1.00	36.70	AAAA
	ATOM	1424	CG2	ILE	A	197	-6.221	1.726	-8.918	1.00	36.91	AAAA
	ATOM	1425	CG1	ILE	A	197	-6.485	2.162	-11.381	1.00	36.95	AAAA
25	ATOM	1426	CD1	ILE	A	197	-6.529	3.661	-11.272	1.00	38.71	AAAA
	ATOM	1427	C	ILE	A	197	-5.644	-0.580	-10.694	1.00	34.73	AAAA
	ATOM	1428	O	ILE	A	197	-5.178	-0.575	-11.833	1.00	33.53	AAAA
	ATOM	1429	N	LEU	A	198	-4.948	-0.992	-9.638	1.00	32.35	AAAA
	ATOM	1430	CA	LEU	A	198	-3.588	-1.494	-9.813	1.00	31.48	AAAA
30	ATOM	1431	CB	LEU	A	198	-2.862	-1.633	-8.467	1.00	31.03	AAAA
	ATOM	1432	CG	LEU	A	198	-2.548	-0.342	-7.704	1.00	32.00	AAAA
	ATOM	1433	CD1	LEU	A	198	-1.773	-0.688	-6.442	1.00	30.82	AAAA
	ATOM	1434	CD2	LEU	A	198	-1.734	0.607	-8.566	1.00	30.86	AAAA
	ATOM	1435	C	LEU	A	198	-3.668	-2.850	-10.501	1.00	29.72	AAAA
35	ATOM	1436	O	LEU	A	198	-2.837	-3.173	-11.344	1.00	29.46	AAAA
	ATOM	1437	N	ASN	A	199	-4.678	-3.639	-10.150	1.00	28.63	AAAA
	ATOM	1438	CA	ASN	A	199	-4.848	-4.952	-10.758	1.00	28.66	AAAA
	ATOM	1439	CB	ASN	A	199	-5.975	-5.724	-10.066	1.00	27.71	AAAA
	ATOM	1440	CG	ASN	A	199	-5.641	-6.069	-8.632	1.00	26.12	AAAA
40	ATOM	1441	OD1	ASN	A	199	-4.501	-5.904	-8.200	1.00	24.15	AAAA
	ATOM	1442	ND2	ASN	A	199	-6.631	-6.553	-7.884	1.00	24.90	AAAA
	ATOM	1443	C	ASN	A	199	-5.144	-4.841	-12.248	1.00	29.87	AAAA
	ATOM	1444	O	ASN	A	199	-4.834	-5.747	-13.024	1.00	30.26	AAAA
	ATOM	1445	N	GLN	A	200	-5.746	-3.725	-12.644	1.00	31.15	AAAA
45	ATOM	1446	CA	GLN	A	200	-6.085	-3.498	-14.044	1.00	33.06	AAAA
	ATOM	1447	CB	GLN	A	200	-7.396	-2.706	-14.145	1.00	34.24	AAAA
	ATOM	1448	CG	GLN	A	200	-8.590	-3.368	-13.471	1.00	38.64	AAAA
	ATOM	1449	CD	GLN	A	200	-8.923	-4.734	-14.050	1.00	41.05	AAAA
	ATOM	1450	OE1	GLN	A	200	-9.131	-4.879	-15.256	1.00	43.10	AAAA

	ATOM	1451	NE2	GLN	A	200	-8.983	-5.745	-13.185	1.00	43.12	AAAA
	ATOM	1452	C	GLN	A	200	-4.989	-2.753	-14.812	1.00	32.52	AAAA
	ATOM	1453	O	GLN	A	200	-4.809	-2.970	-16.008	1.00	34.23	AAAA
	ATOM	1454	N	THR	A	201	-4.247	-1.895	-14.120	1.00	31.87	AAAA
5	ATOM	1455	CA	THR	A	201	-3.207	-1.092	-14.756	1.00	31.72	AAAA
	ATOM	1456	CB	THR	A	201	-3.046	0.245	-13.999	1.00	32.41	AAAA
	ATOM	1457	OG1	THR	A	201	-4.307	0.931	-13.976	1.00	32.19	AAAA
	ATOM	1458	CG2	THR	A	201	-2.003	1.131	-14.668	1.00	32.29	AAAA
	ATOM	1459	C	THR	A	201	-1.817	-1.728	-14.925	1.00	32.02	AAAA
10	ATOM	1460	O	THR	A	201	-1.206	-1.626	-15.991	1.00	31.47	AAAA
	ATOM	1461	N	MET	A	202	-1.320	-2.394	-13.892	1.00	30.61	AAAA
	ATOM	1462	CA	MET	A	202	0.019	-2.975	-13.963	1.00	30.10	AAAA
	ATOM	1463	CB	MET	A	202	0.430	-3.507	-12.592	1.00	29.71	AAAA
	ATOM	1464	CG	MET	A	202	0.564	-2.406	-11.548	1.00	28.99	AAAA
15	ATOM	1465	SD	MET	A	202	1.518	-0.961	-12.098	1.00	31.46	AAAA
	ATOM	1466	CE	MET	A	202	3.184	-1.633	-12.184	1.00	29.20	AAAA
	ATOM	1467	C	MET	A	202	0.286	-4.022	-15.042	1.00	29.48	AAAA
	ATOM	1468	O	MET	A	202	1.389	-4.088	-15.568	1.00	29.15	AAAA
20	ATOM	1469	N	PRO	A	203	-0.703	-4.863	-15.379	1.00	30.34	AAAA
	ATOM	1470	CD	PRO	A	203	-1.957	-5.186	-14.677	1.00	30.05	AAAA
	ATOM	1471	CA	PRO	A	203	-0.415	-5.849	-16.426	1.00	31.11	AAAA
	ATOM	1472	CB	PRO	A	203	-1.703	-6.654	-16.500	1.00	31.89	AAAA
	ATOM	1473	CG	PRO	A	203	-2.188	-6.623	-15.072	1.00	31.09	AAAA
	ATOM	1474	C	PRO	A	203	-0.103	-5.139	-17.746	1.00	33.02	AAAA
25	ATOM	1475	O	PRO	A	203	0.800	-5.530	-18.490	1.00	33.16	AAAA
	ATOM	1476	N	GLN	A	204	-0.855	-4.081	-18.020	1.00	33.88	AAAA
	ATOM	1477	CA	GLN	A	204	-0.666	-3.314	-19.242	1.00	34.99	AAAA
	ATOM	1478	CB	GLN	A	204	-1.836	-2.347	-19.431	1.00	37.12	AAAA
	ATOM	1479	CG	GLN	A	204	-3.177	-3.067	-19.538	1.00	40.86	AAAA
30	ATOM	1480	CD	GLN	A	204	-4.354	-2.121	-19.700	1.00	43.77	AAAA
	ATOM	1481	OE1	GLN	A	204	-4.406	-1.330	-20.647	1.00	45.55	AAAA
	ATOM	1482	NE2	GLN	A	204	-5.310	-2.198	-18.776	1.00	44.11	AAAA
	ATOM	1483	C	GLN	A	204	0.659	-2.573	-19.190	1.00	33.42	AAAA
	ATOM	1484	O	GLN	A	204	1.331	-2.431	-20.206	1.00	34.40	AAAA
35	ATOM	1485	N	VAL	A	205	1.045	-2.114	-18.002	1.00	32.44	AAAA
	ATOM	1486	CA	VAL	A	205	2.313	-1.417	-17.836	1.00	30.42	AAAA
	ATOM	1487	CB	VAL	A	205	2.466	-0.834	-16.408	1.00	31.72	AAAA
	ATOM	1488	CG1	VAL	A	205	3.907	-0.406	-16.169	1.00	28.58	AAAA
	ATOM	1489	CG2	VAL	A	205	1.544	0.356	-16.231	1.00	29.91	AAAA
40	ATOM	1490	C	VAL	A	205	3.446	-2.407	-18.086	1.00	30.65	AAAA
	ATOM	1491	O	VAL	A	205	4.473	-2.062	-18.686	1.00	29.65	AAAA
	ATOM	1492	N	ALA	A	206	3.255	-3.638	-17.616	1.00	29.08	AAAA
	ATOM	1493	CA	ALA	A	206	4.253	-4.688	-17.796	1.00	30.43	AAAA
	ATOM	1494	CB	ALA	A	206	3.763	-6.002	-17.169	1.00	27.77	AAAA
45	ATOM	1495	C	ALA	A	206	4.519	-4.886	-19.288	1.00	30.65	AAAA

5	ATOM	1496	O	ALA A 206	5.668	-5.040	-19.709	1.00	30.70	AAAA
	ATOM	1497	N	ALA A 207	3.450	-4.879	-20.080	1.00	31.56	AAAA
	ATOM	1498	CA	ALA A 207	3.565	-5.053	-21.527	1.00	32.70	AAAA
	ATOM	1499	CB	ALA A 207	2.188	-4.997	-22.167	1.00	32.49	AAAA
	ATOM	1500	C	ALA A 207	4.470	-3.990	-22.145	1.00	32.72	AAAA
10	ATOM	1501	O	ALA A 207	5.295	-4.284	-23.007	1.00	33.64	AAAA
	ATOM	1502	N	LYS A 208	4.321	-2.754	-21.692	1.00	33.07	AAAA
	ATOM	1503	CA	LYS A 208	5.112	-1.651	-22.216	1.00	33.20	AAAA
	ATOM	1504	CB	LYS A 208	4.477	-0.313	-21.814	1.00	35.14	AAAA
	ATOM	1505	CG	LYS A 208	3.199	0.044	-22.578	1.00	38.07	AAAA
15	ATOM	1506	CD	LYS A 208	2.166	-1.062	-22.482	1.00	40.27	AAAA
	ATOM	1507	CE	LYS A 208	0.892	-0.731	-23.233	1.00	41.02	AAAA
	ATOM	1508	NZ	LYS A 208	-0.076	-1.857	-23.126	1.00	42.41	AAAA
	ATOM	1509	C	LYS A 208	6.571	-1.668	-21.779	1.00	32.58	AAAA
	ATOM	1510	O	LYS A 208	7.456	-1.274	-22.544	1.00	31.82	AAAA
20	ATOM	1511	N	LEU A 209	6.829	-2.121	-20.556	1.00	30.72	AAAA
	ATOM	1512	CA	LEU A 209	8.193	-2.143	-20.042	1.00	30.48	AAAA
	ATOM	1513	CB	LEU A 209	8.191	-1.848	-18.535	1.00	29.34	AAAA
	ATOM	1514	CG	LEU A 209	7.596	-0.498	-18.107	1.00	31.02	AAAA
	ATOM	1515	CD1	LEU A 209	7.779	-0.318	-16.605	1.00	29.42	AAAA
25	ATOM	1516	CD2	LEU A 209	8.273	0.641	-18.859	1.00	31.39	AAAA
	ATOM	1517	C	LEU A 209	8.970	-3.432	-20.315	1.00	29.73	AAAA
	ATOM	1518	O	LEU A 209	10.191	-3.455	-20.174	1.00	31.33	AAAA
	ATOM	1519	N	GLY A 210	8.269	-4.494	-20.698	1.00	29.76	AAAA
	ATOM	1520	CA	GLY A 210	8.924	-5.762	-20.986	1.00	29.99	AAAA
30	ATOM	1521	C	GLY A 210	10.007	-6.188	-20.003	1.00	30.99	AAAA
	ATOM	1522	O	GLY A 210	9.788	-6.183	-18.789	1.00	30.80	AAAA
	ATOM	1523	N	ASP A 211	11.181	-6.536	-20.535	1.00	30.05	AAAA
	ATOM	1524	CA	ASP A 211	12.332	-6.999	-19.749	1.00	29.42	AAAA
	ATOM	1525	CB	ASP A 211	13.466	-7.479	-20.676	1.00	30.83	AAAA
35	ATOM	1526	CG	ASP A 211	13.119	-8.735	-21.449	1.00	32.09	AAAA
	ATOM	1527	OD1	ASP A 211	13.977	-9.193	-22.235	1.00	34.13	AAAA
	ATOM	1528	OD2	ASP A 211	12.005	-9.269	-21.283	1.00	32.72	AAAA
	ATOM	1529	C	ASP A 211	12.960	-6.011	-18.776	1.00	29.03	AAAA
	ATOM	1530	O	ASP A 211	13.781	-6.417	-17.945	1.00	27.69	AAAA
40	ATOM	1531	N	SER A 212	12.613	-4.730	-18.876	1.00	28.54	AAAA
	ATOM	1532	CA	SER A 212	13.204	-3.719	-18.002	1.00	27.61	AAAA
	ATOM	1533	CB	SER A 212	12.927	-2.308	-18.538	1.00	28.62	AAAA
	ATOM	1534	OG	SER A 212	11.546	-1.990	-18.498	1.00	30.84	AAAA
	ATOM	1535	C	SER A 212	12.759	-3.805	-16.542	1.00	26.31	AAAA
45	ATOM	1536	O	SER A 212	13.395	-3.219	-15.666	1.00	25.39	AAAA
	ATOM	1537	N	VAL A 213	11.675	-4.528	-16.284	1.00	25.65	AAAA
	ATOM	1538	CA	VAL A 213	11.187	-4.671	-14.914	1.00	24.52	AAAA
	ATOM	1539	CB	VAL A 213	9.967	-3.747	-14.621	1.00	25.58	AAAA
	ATOM	1540	CG1	VAL A 213	10.296	-2.298	-14.953	1.00	26.31	AAAA

	ATOM	1541	CG2	VAL	A	213	8.758	-4.225	-15.394	1.00	25.15	AAAA
	ATOM	1542	C	VAL	A	213	10.751	-6.095	-14.607	1.00	23.77	AAAA
	ATOM	1543	O	VAL	A	213	10.427	-6.874	-15.506	1.00	23.79	AAAA
	ATOM	1544	N	THR	A	214	10.770	-6.432	-13.323	1.00	23.49	AAAA
5	ATOM	1545	CA	THR	A	214	10.326	-7.735	-12.861	1.00	21.50	AAAA
	ATOM	1546	CB	THR	A	214	11.499	-8.600	-12.325	1.00	21.99	AAAA
	ATOM	1547	OG1	THR	A	214	10.987	-9.870	-11.909	1.00	23.56	AAAA
	ATOM	1548	CG2	THR	A	214	12.220	-7.921	-11.174	1.00	20.60	AAAA
	ATOM	1549	C	THR	A	214	9.342	-7.362	-11.760	1.00	21.46	AAAA
10	ATOM	1550	O	THR	A	214	9.657	-6.567	-10.880	1.00	21.12	AAAA
	ATOM	1551	N	ILE	A	215	8.150	-7.938	-11.827	1.00	21.73	AAAA
	ATOM	1552	CA	ILE	A	215	7.083	-7.601	-10.894	1.00	22.01	AAAA
	ATOM	1553	CB	ILE	A	215	5.831	-7.139	-11.688	1.00	22.41	AAAA
	ATOM	1554	CG2	ILE	A	215	4.707	-6.738	-10.734	1.00	22.94	AAAA
15	ATOM	1555	CG1	ILE	A	215	6.198	-5.964	-12.599	1.00	22.71	AAAA
	ATOM	1556	CD1	ILE	A	215	5.078	-5.560	-13.545	1.00	21.71	AAAA
	ATOM	1557	C	ILE	A	215	6.617	-8.685	-9.929	1.00	21.67	AAAA
	ATOM	1558	O	ILE	A	215	6.600	-9.868	-10.257	1.00	20.14	AAAA
	ATOM	1559	N	TRP	A	216	6.248	-8.247	-8.728	1.00	21.03	AAAA
20	ATOM	1560	CA	TRP	A	216	5.677	-9.121	-7.708	1.00	21.08	AAAA
	ATOM	1561	CB	TRP	A	216	6.541	-9.186	-6.455	1.00	21.14	AAAA
	ATOM	1562	CG	TRP	A	216	5.941	-10.063	-5.370	1.00	21.49	AAAA
	ATOM	1563	CD2	TRP	A	216	6.624	-10.588	-4.226	1.00	21.97	AAAA
	ATOM	1564	CE2	TRP	A	216	5.674	-11.309	-3.461	1.00	22.67	AAAA
25	ATOM	1565	CE3	TRP	A	216	7.947	-10.521	-3.773	1.00	22.25	AAAA
	ATOM	1566	CD1	TRP	A	216	4.639	-10.478	-5.262	1.00	21.72	AAAA
	ATOM	1567	NE1	TRP	A	216	4.472	-11.231	-4.112	1.00	22.34	AAAA
	ATOM	1568	CZ2	TRP	A	216	6.011	-11.955	-2.265	1.00	24.81	AAAA
	ATOM	1569	CZ3	TRP	A	216	8.283	-11.166	-2.582	1.00	23.37	AAAA
30	ATOM	1570	CH2	TRP	A	216	7.316	-11.872	-1.843	1.00	23.19	AAAA
	ATOM	1571	C	TRP	A	216	4.401	-8.352	-7.396	1.00	21.75	AAAA
	ATOM	1572	O	TRP	A	216	4.442	-7.330	-6.719	1.00	22.71	AAAA
	ATOM	1573	N	HIS	A	217	3.280	-8.844	-7.909	1.00	23.00	AAAA
	ATOM	1574	CA	HIS	A	217	1.987	-8.185	-7.751	1.00	24.05	AAAA
35	ATOM	1575	CB	HIS	A	217	1.301	-8.167	-9.127	1.00	25.31	AAAA
	ATOM	1576	CG	HIS	A	217	0.075	-7.312	-9.201	1.00	27.29	AAAA
	ATOM	1577	CD2	HIS	A	217	-1.008	-7.226	-8.391	1.00	27.56	AAAA
	ATOM	1578	ND1	HIS	A	217	-0.146	-6.424	-10.233	1.00	28.22	AAAA
	ATOM	1579	CE1	HIS	A	217	-1.311	-5.828	-10.057	1.00	28.76	AAAA
40	ATOM	1580	NE2	HIS	A	217	-1.856	-6.296	-8.947	1.00	27.39	AAAA
	ATOM	1581	C	HIS	A	217	1.095	-8.880	-6.714	1.00	22.49	AAAA
	ATOM	1582	O	HIS	A	217	0.785	-10.059	-6.851	1.00	24.60	AAAA
	ATOM	1583	N	GLN	A	218	0.696	-8.144	-5.679	1.00	24.33	AAAA
	ATOM	1584	CA	GLN	A	218	-0.184	-8.676	-4.629	1.00	24.84	AAAA
45	ATOM	1585	CB	GLN	A	218	0.271	-8.181	-3.250	1.00	25.16	AAAA

5	ATOM	1586	CG	GLN	A	218	-0.572	-8.709	-2.084	1.00	26.40	AAAA
	ATOM	1587	CD	GLN	A	218	-1.629	-7.722	-1.608	1.00	27.63	AAAA
	ATOM	1588	OE1	GLN	A	218	-2.762	-8.107	-1.297	1.00	29.31	AAAA
	ATOM	1589	NE2	GLN	A	218	-1.260	-6.455	-1.525	1.00	24.88	AAAA
	ATOM	1590	C	GLN	A	218	-1.573	-8.134	-4.983	1.00	24.83	AAAA
10	ATOM	1591	O	GLN	A	218	-1.859	-6.960	-4.767	1.00	24.21	AAAA
	ATOM	1592	N	SER	A	219	-2.413	-9.008	-5.531	1.00	25.76	AAAA
	ATOM	1593	CA	SER	A	219	-3.745	-8.658	-6.022	1.00	27.99	AAAA
	ATOM	1594	CB	SER	A	219	-4.189	-9.704	-7.035	1.00	28.46	AAAA
	ATOM	1595	OG	SER	A	219	-4.394	-10.949	-6.387	1.00	29.92	AAAA
15	ATOM	1596	C	SER	A	219	-4.887	-8.470	-5.034	1.00	29.52	AAAA
	ATOM	1597	O	SER	A	219	-5.842	-7.745	-5.321	1.00	29.47	AAAA
	ATOM	1598	N	GLY	A	220	-4.806	-9.135	-3.890	1.00	30.25	AAAA
	ATOM	1599	CA	GLY	A	220	-5.874	-9.031	-2.919	1.00	31.33	AAAA
	ATOM	1600	C	GLY	A	220	-6.696	-10.302	-2.952	1.00	32.52	AAAA
20	ATOM	1601	O	GLY	A	220	-6.554	-11.126	-3.862	1.00	31.13	AAAA
	ATOM	1602	N	LYS	A	221	-7.563	-10.452	-1.956	1.00	33.12	AAAA
	ATOM	1603	CA	LYS	A	221	-8.423	-11.619	-1.815	1.00	34.69	AAAA
	ATOM	1604	CB	LYS	A	221	-9.340	-11.421	-0.601	1.00	35.93	AAAA
	ATOM	1605	CG	LYS	A	221	-10.257	-12.593	-0.285	1.00	38.70	AAAA
25	ATOM	1606	CD	LYS	A	221	-11.079	-12.292	0.966	1.00	40.53	AAAA
	ATOM	1607	CE	LYS	A	221	-11.955	-13.465	1.368	1.00	41.74	AAAA
	ATOM	1608	NZ	LYS	A	221	-12.724	-13.160	2.614	1.00	43.70	AAAA
	ATOM	1609	C	LYS	A	221	-9.269	-11.932	-3.046	1.00	34.22	AAAA
	ATOM	1610	O	LYS	A	221	-9.979	-11.070	-3.561	1.00	34.62	AAAA
30	ATOM	1611	N	GLY	A	222	-9.189	-13.180	-3.500	1.00	34.61	AAAA
	ATOM	1612	CA	GLY	A	222	-9.956	-13.622	-4.651	1.00	34.89	AAAA
	ATOM	1613	C	GLY	A	222	-9.598	-13.027	-6.000	1.00	35.07	AAAA
	ATOM	1614	O	GLY	A	222	-10.325	-13.231	-6.974	1.00	35.62	AAAA
	ATOM	1615	N	SER	A	223	-8.482	-12.309	-6.083	1.00	35.16	AAAA
35	ATOM	1616	CA	SER	A	223	-8.083	-11.691	-7.349	1.00	35.04	AAAA
	ATOM	1617	CB	SER	A	223	-7.959	-10.175	-7.173	1.00	35.18	AAAA
	ATOM	1618	OG	SER	A	223	-9.222	-9.593	-6.913	1.00	36.67	AAAA
	ATOM	1619	C	SER	A	223	-6.783	-12.226	-7.949	1.00	34.73	AAAA
	ATOM	1620	O	SER	A	223	-6.343	-11.758	-9.002	1.00	33.65	AAAA
40	ATOM	1621	N	GLN	A	224	-6.176	-13.202	-7.285	1.00	34.35	AAAA
	ATOM	1622	CA	GLN	A	224	-4.922	-13.779	-7.753	1.00	34.39	AAAA
	ATOM	1623	CB	GLN	A	224	-4.493	-14.910	-6.810	1.00	35.22	AAAA
	ATOM	1624	CG	GLN	A	224	-3.016	-15.304	-6.895	1.00	34.71	AAAA
	ATOM	1625	CD	GLN	A	224	-2.656	-15.983	-8.199	1.00	35.46	AAAA
45	ATOM	1626	OE1	GLN	A	224	-3.386	-16.844	-8.680	1.00	35.81	AAAA
	ATOM	1627	NE2	GLN	A	224	-1.512	-15.610	-8.772	1.00	36.28	AAAA
	ATOM	1628	C	GLN	A	224	-5.033	-14.301	-9.188	1.00	35.00	AAAA
	ATOM	1629	O	GLN	A	224	-4.256	-13.915	-10.062	1.00	33.23	AAAA
	ATOM	1630	N	GLN	A	225	-6.018	-15.160	-9.432	1.00	35.33	AAAA

5	ATOM	1631	CA	GLN	A	225	-6.208	-15.747	-10.752	1.00	36.18	AAAA
	ATOM	1632	CB	GLN	A	225	-7.251	-16.871	-10.675	1.00	38.35	AAAA
	ATOM	1633	CG	GLN	A	225	-6.692	-18.174	-10.103	1.00	40.67	AAAA
	ATOM	1634	CD	GLN	A	225	-7.732	-19.274	-9.983	1.00	43.02	AAAA
	ATOM	1635	OE1	GLN	A	225	-8.418	-19.609	-10.952	1.00	44.03	AAAA
	ATOM	1636	NE2	GLN	A	225	-7.846	-19.850	-8.789	1.00	43.72	AAAA
	ATOM	1637	C	GLN	A	225	-6.554	-14.790	-11.893	1.00	35.81	AAAA
	ATOM	1638	O	GLN	A	225	-6.113	-15.001	-13.023	1.00	35.91	AAAA
10	ATOM	1639	N	SER	A	226	-7.325	-13.741	-11.619	1.00	34.00	AAAA
	ATOM	1640	CA	SER	A	226	-7.689	-12.804	-12.683	1.00	34.21	AAAA
	ATOM	1641	CB	SER	A	226	-8.865	-11.920	-12.251	1.00	34.12	AAAA
	ATOM	1642	OG	SER	A	226	-8.460	-10.954	-11.300	1.00	36.16	AAAA
	ATOM	1643	C	SER	A	226	-6.502	-11.926	-13.090	1.00	32.76	AAAA
	ATOM	1644	O	SER	A	226	-6.343	-11.580	-14.260	1.00	32.64	AAAA
15	ATOM	1645	N	VAL	A	227	-5.669	-11.566	-12.121	1.00	31.82	AAAA
	ATOM	1646	CA	VAL	A	227	-4.498	-10.737	-12.400	1.00	30.69	AAAA
	ATOM	1647	CB	VAL	A	227	-3.942	-10.117	-11.102	1.00	29.27	AAAA
	ATOM	1648	CG1	VAL	A	227	-2.619	-9.413	-11.370	1.00	29.04	AAAA
	ATOM	1649	CG2	VAL	A	227	-4.951	-9.117	-10.546	1.00	29.09	AAAA
20	ATOM	1650	C	VAL	A	227	-3.418	-11.577	-13.082	1.00	30.43	AAAA
	ATOM	1651	O	VAL	A	227	-2.716	-11.103	-13.973	1.00	29.50	AAAA
	ATOM	1652	N	GLU	A	228	-3.297	-12.824	-12.644	1.00	30.82	AAAA
	ATOM	1653	CA	GLU	A	228	-2.333	-13.766	-13.198	1.00	31.98	AAAA
	ATOM	1654	CB	GLU	A	228	-2.456	-15.108	-12.464	1.00	31.67	AAAA
25	ATOM	1655	CG	GLU	A	228	-1.607	-16.231	-13.020	1.00	33.79	AAAA
	ATOM	1656	CD	GLU	A	228	-0.159	-16.176	-12.559	1.00	34.94	AAAA
	ATOM	1657	OE1	GLU	A	228	0.631	-17.041	-12.998	1.00	36.44	AAAA
	ATOM	1658	OE2	GLU	A	228	0.190	-15.280	-11.761	1.00	35.02	AAAA
	ATOM	1659	C	GLU	A	228	-2.658	-13.944	-14.685	1.00	32.05	AAAA
30	ATOM	1660	O	GLU	A	228	-1.770	-13.942	-15.539	1.00	32.57	AAAA
	ATOM	1661	N	GLN	A	229	-3.945	-14.082	-14.981	1.00	31.94	AAAA
	ATOM	1662	CA	GLN	A	229	-4.405	-14.255	-16.351	1.00	32.98	AAAA
	ATOM	1663	CB	GLN	A	229	-5.896	-14.616	-16.359	1.00	35.59	AAAA
	ATOM	1664	CG	GLN	A	229	-6.375	-15.211	-17.674	1.00	39.28	AAAA
35	ATOM	1665	CD	GLN	A	229	-7.825	-15.665	-17.623	1.00	41.31	AAAA
	ATOM	1666	OE1	GLN	A	229	-8.317	-16.307	-18.553	1.00	43.67	AAAA
	ATOM	1667	NE2	GLN	A	229	-8.516	-15.332	-16.538	1.00	43.19	AAAA
	ATOM	1668	C	GLN	A	229	-4.171	-12.982	-17.154	1.00	31.60	AAAA
	ATOM	1669	O	GLN	A	229	-3.878	-13.037	-18.348	1.00	32.04	AAAA
40	ATOM	1670	N	ALA	A	230	-4.296	-11.836	-16.490	1.00	30.96	AAAA
	ATOM	1671	CA	ALA	A	230	-4.092	-10.542	-17.131	1.00	30.04	AAAA
	ATOM	1672	CB	ALA	A	230	-4.453	-9.423	-16.165	1.00	30.37	AAAA
	ATOM	1673	C	ALA	A	230	-2.649	-10.379	-17.598	1.00	29.65	AAAA
	ATOM	1674	O	ALA	A	230	-2.392	-9.869	-18.689	1.00	29.50	AAAA
45	ATOM	1675	N	TYR	A	231	-1.706	-10.802	-16.762	1.00	27.99	AAAA

5	ATOM	1676	CA	TYR	A	231	-0.295	-10.707	-17.111	1.00	27.27	AAAA
	ATOM	1677	CB	TYR	A	231	0.571	-11.065	-15.898	1.00	26.63	AAAA
	ATOM	1678	CG	TYR	A	231	0.829	-9.898	-14.975	1.00	24.33	AAAA
	ATOM	1679	CD1	TYR	A	231	1.687	-8.866	-15.354	1.00	22.96	AAAA
	ATOM	1680	CE1	TYR	A	231	1.926	-7.786	-14.520	1.00	22.17	AAAA
10	ATOM	1681	CD2	TYR	A	231	0.210	-9.817	-13.725	1.00	24.32	AAAA
	ATOM	1682	CE2	TYR	A	231	0.442	-8.737	-12.879	1.00	21.70	AAAA
	ATOM	1683	CZ	TYR	A	231	1.298	-7.729	-13.281	1.00	21.49	AAAA
	ATOM	1684	OH	TYR	A	231	1.532	-6.662	-12.466	1.00	18.68	AAAA
	ATOM	1685	C	TYR	A	231	0.047	-11.618	-18.285	1.00	28.10	AAAA
15	ATOM	1686	O	TYR	A	231	0.834	-11.249	-19.163	1.00	27.39	AAAA
	ATOM	1687	N	ALA	A	232	-0.547	-12.808	-18.297	1.00	28.86	AAAA
	ATOM	1688	CA	ALA	A	232	-0.310	-13.775	-19.364	1.00	29.80	AAAA
	ATOM	1689	CB	ALA	A	232	-1.013	-15.091	-19.046	1.00	30.32	AAAA
	ATOM	1690	C	ALA	A	232	-0.814	-13.218	-20.694	1.00	30.76	AAAA
20	ATOM	1691	O	ALA	A	232	-0.147	-13.336	-21.725	1.00	30.92	AAAA
	ATOM	1692	N	GLU	A	233	-1.996	-12.614	-20.662	1.00	31.01	AAAA
	ATOM	1693	CA	GLU	A	233	-2.592	-12.034	-21.857	1.00	32.12	AAAA
	ATOM	1694	CB	GLU	A	233	-4.051	-11.658	-21.579	1.00	33.81	AAAA
	ATOM	1695	CG	GLU	A	233	-4.975	-12.871	-21.514	1.00	35.08	AAAA
25	ATOM	1696	CD	GLU	A	233	-6.402	-12.523	-21.117	1.00	37.70	AAAA
	ATOM	1697	OE1	GLU	A	233	-6.875	-11.419	-21.473	1.00	37.78	AAAA
	ATOM	1698	OE2	GLU	A	233	-7.056	-13.364	-20.461	1.00	37.69	AAAA
	ATOM	1699	C	GLU	A	233	-1.800	-10.820	-22.325	1.00	32.01	AAAA
	ATOM	1700	O	GLU	A	233	-1.825	-10.463	-23.508	1.00	32.48	AAAA
30	ATOM	1701	N	ALA	A	234	-1.093	-10.185	-21.398	1.00	30.89	AAAA
	ATOM	1702	CA	ALA	A	234	-0.283	-9.022	-21.736	1.00	29.79	AAAA
	ATOM	1703	CB	ALA	A	234	-0.089	-8.141	-20.505	1.00	30.39	AAAA
	ATOM	1704	C	ALA	A	234	1.070	-9.501	-22.265	1.00	28.79	AAAA
	ATOM	1705	O	ALA	A	234	1.934	-8.697	-22.604	1.00	28.46	AAAA
35	ATOM	1706	N	GLY	A	235	1.243	-10.818	-22.314	1.00	27.19	AAAA
	ATOM	1707	CA	GLY	A	235	2.484	-11.388	-22.807	1.00	26.98	AAAA
	ATOM	1708	C	GLY	A	235	3.650	-11.387	-21.832	1.00	25.89	AAAA
	ATOM	1709	O	GLY	A	235	4.798	-11.527	-22.253	1.00	25.26	AAAA
	ATOM	1710	N	GLN	A	236	3.370	-11.226	-20.540	1.00	24.71	AAAA
40	ATOM	1711	CA	GLN	A	236	4.419	-11.223	-19.518	1.00	24.12	AAAA
	ATOM	1712	CB	GLN	A	236	4.652	-9.806	-18.977	1.00	24.66	AAAA
	ATOM	1713	CG	GLN	A	236	5.116	-8.760	-20.003	1.00	25.88	AAAA
	ATOM	1714	CD	GLN	A	236	6.454	-9.088	-20.647	1.00	26.71	AAAA
	ATOM	1715	OE1	GLN	A	236	7.410	-9.488	-19.976	1.00	24.90	AAAA
45	ATOM	1716	NE2	GLN	A	236	6.533	-8.899	-21.960	1.00	26.33	AAAA
	ATOM	1717	C	GLN	A	236	3.959	-12.132	-18.379	1.00	22.79	AAAA
	ATOM	1718	O	GLN	A	236	3.823	-11.696	-17.233	1.00	22.19	AAAA
	ATOM	1719	N	PRO	A	237	3.740	-13.419	-18.679	1.00	22.50	AAAA
	ATOM	1720	CD	PRO	A	237	4.087	-14.093	-19.945	1.00	21.90	AAAA

5	ATOM	1721	CA	PRO	A	237	3.282	-14.395	-17.684	1.00	22.78	AAAA
	ATOM	1722	CB	PRO	A	237	2.998	-15.626	-18.531	1.00	22.52	AAAA
	ATOM	1723	CG	PRO	A	237	4.105	-15.558	-19.543	1.00	23.54	AAAA
	ATOM	1724	C	PRO	A	237	4.252	-14.695	-16.550	1.00	22.53	AAAA
	ATOM	1725	O	PRO	A	237	3.845	-15.217	-15.512	1.00	23.09	AAAA
10	ATOM	1726	N	GLN	A	238	5.521	-14.346	-16.735	1.00	22.30	AAAA
	ATOM	1727	CA	GLN	A	238	6.539	-14.633	-15.726	1.00	22.49	AAAA
	ATOM	1728	CB	GLN	A	238	7.947	-14.437	-16.304	1.00	22.24	AAAA
	ATOM	1729	CG	GLN	A	238	8.376	-12.991	-16.520	1.00	21.45	AAAA
	ATOM	1730	CD	GLN	A	238	7.727	-12.356	-17.736	1.00	22.77	AAAA
15	ATOM	1731	OE1	GLN	A	238	7.109	-13.038	-18.548	1.00	22.82	AAAA
	ATOM	1732	NE2	GLN	A	238	7.881	-11.046	-17.870	1.00	22.96	AAAA
	ATOM	1733	C	GLN	A	238	6.453	-13.856	-14.426	1.00	21.84	AAAA
	ATOM	1734	O	GLN	A	238	7.059	-14.253	-13.427	1.00	21.75	AAAA
	ATOM	1735	N	HIS	A	239	5.724	-12.748	-14.420	1.00	22.21	AAAA
20	ATOM	1736	CA	HIS	A	239	5.632	-11.963	-13.202	1.00	22.02	AAAA
	ATOM	1737	CB	HIS	A	239	4.919	-10.638	-13.479	1.00	22.03	AAAA
	ATOM	1738	CG	HIS	A	239	5.688	-9.734	-14.392	1.00	22.30	AAAA
	ATOM	1739	CD2	HIS	A	239	5.315	-9.057	-15.505	1.00	22.95	AAAA
	ATOM	1740	ND1	HIS	A	239	7.021	-9.445	-14.197	1.00	21.95	AAAA
25	ATOM	1741	CE1	HIS	A	239	7.437	-8.628	-15.149	1.00	23.56	AAAA
	ATOM	1742	NE2	HIS	A	239	6.421	-8.378	-15.956	1.00	21.89	AAAA
	ATOM	1743	C	HIS	A	239	4.937	-12.739	-12.092	1.00	20.83	AAAA
	ATOM	1744	O	HIS	A	239	4.036	-13.538	-12.352	1.00	21.43	AAAA
	ATOM	1745	N	LYS	A	240	5.381	-12.506	-10.858	1.00	21.17	AAAA
30	ATOM	1746	CA	LYS	A	240	4.819	-13.183	-9.687	1.00	22.02	AAAA
	ATOM	1747	CB	LYS	A	240	5.840	-13.175	-8.543	1.00	21.72	AAAA
	ATOM	1748	CG	LYS	A	240	5.420	-13.918	-7.257	1.00	22.71	AAAA
	ATOM	1749	CD	LYS	A	240	6.462	-13.691	-6.163	1.00	23.02	AAAA
	ATOM	1750	CE	LYS	A	240	6.155	-14.439	-4.855	1.00	22.89	AAAA
35	ATOM	1751	NZ	LYS	A	240	6.359	-15.920	-4.960	1.00	23.41	AAAA
	ATOM	1752	C	LYS	A	240	3.545	-12.500	-9.214	1.00	21.50	AAAA
	ATOM	1753	O	LYS	A	240	3.527	-11.288	-9.022	1.00	22.79	AAAA
	ATOM	1754	N	VAL	A	241	2.490	-13.282	-9.012	1.00	23.27	AAAA
	ATOM	1755	CA	VAL	A	241	1.219	-12.751	-8.527	1.00	23.82	AAAA
40	ATOM	1756	CB	VAL	A	241	0.111	-12.821	-9.598	1.00	23.97	AAAA
	ATOM	1757	CG1	VAL	A	241	-1.170	-12.185	-9.057	1.00	24.26	AAAA
	ATOM	1758	CG2	VAL	A	241	0.563	-12.105	-10.862	1.00	22.10	AAAA
	ATOM	1759	C	VAL	A	241	0.751	-13.565	-7.323	1.00	23.52	AAAA
	ATOM	1760	O	VAL	A	241	0.593	-14.781	-7.415	1.00	25.10	AAAA
45	ATOM	1761	N	THR	A	242	0.547	-12.896	-6.195	1.00	24.29	AAAA
	ATOM	1762	CA	THR	A	242	0.083	-13.578	-4.991	1.00	25.34	AAAA
	ATOM	1763	CB	THR	A	242	1.176	-13.635	-3.892	1.00	23.46	AAAA
	ATOM	1764	OG1	THR	A	242	1.633	-12.312	-3.590	1.00	24.62	AAAA
	ATOM	1765	CG2	THR	A	242	2.354	-14.482	-4.351	1.00	25.33	AAAA

	ATOM	1766	C	THR	A	242	-1.144	-12.870	-4.435	1.00	26.25	AAAA
	ATOM	1767	O	THR	A	242	-1.278	-11.645	-4.534	1.00	25.29	AAAA
	ATOM	1768	N	GLU	A	243	-2.051	-13.647	-3.860	1.00	26.45	AAAA
	ATOM	1769	CA	GLU	A	243	-3.256	-13.070	-3.293	1.00	28.18	AAAA
5	ATOM	1770	CB	GLU	A	243	-4.152	-14.184	-2.746	1.00	28.90	AAAA
	ATOM	1771	CG	GLU	A	243	-5.463	-13.705	-2.156	1.00	32.51	AAAA
	ATOM	1772	CD	GLU	A	243	-6.448	-14.845	-1.957	1.00	33.27	AAAA
	ATOM	1773	OE1	GLU	A	243	-6.002	-15.969	-1.646	1.00	33.05	AAAA
	ATOM	1774	OE2	GLU	A	243	-7.665	-14.612	-2.107	1.00	34.89	AAAA
10	ATOM	1775	C	GLU	A	243	-2.863	-12.089	-2.194	1.00	27.96	AAAA
	ATOM	1776	O	GLU	A	243	-3.331	-10.951	-2.164	1.00	28.25	AAAA
	ATOM	1777	N	PHE	A	244	-1.976	-12.528	-1.308	1.00	28.29	AAAA
	ATOM	1778	CA	PHE	A	244	-1.509	-11.696	-0.208	1.00	29.32	AAAA
	ATOM	1779	CB	PHE	A	244	-2.079	-12.202	1.122	1.00	31.34	AAAA
15	ATOM	1780	CG	PHE	A	244	-3.571	-12.360	1.139	1.00	32.25	AAAA
	ATOM	1781	CD1	PHE	A	244	-4.406	-11.249	1.103	1.00	34.11	AAAA
	ATOM	1782	CD2	PHE	A	244	-4.141	-13.623	1.246	1.00	33.07	AAAA
	ATOM	1783	CE1	PHE	A	244	-5.794	-11.393	1.179	1.00	34.27	AAAA
	ATOM	1784	CE2	PHE	A	244	-5.525	-13.780	1.323	1.00	34.74	AAAA
20	ATOM	1785	CZ	PHE	A	244	-6.353	-12.660	1.291	1.00	34.28	AAAA
	ATOM	1786	C	PHE	A	244	0.010	-11.759	-0.103	1.00	29.21	AAAA
	ATOM	1787	O	PHE	A	244	0.660	-12.503	-0.836	1.00	28.44	AAAA
	ATOM	1788	N	ILE	A	245	0.560	-10.962	0.813	1.00	29.58	AAAA
	ATOM	1789	CA	ILE	A	245	1.993	-10.956	1.116	1.00	30.22	AAAA
25	ATOM	1790	CB	ILE	A	245	2.764	-9.766	0.503	1.00	29.45	AAAA
	ATOM	1791	CG2	ILE	A	245	4.190	-9.741	1.060	1.00	27.25	AAAA
	ATOM	1792	CG1	ILE	A	245	2.824	-9.887	-1.020	1.00	26.11	AAAA
	ATOM	1793	CD1	ILE	A	245	3.609	-8.774	-1.661	1.00	27.15	AAAA
	ATOM	1794	C	ILE	A	245	2.086	-10.822	2.631	1.00	32.52	AAAA
30	ATOM	1795	O	ILE	A	245	1.987	-9.720	3.176	1.00	32.53	AAAA
	ATOM	1796	N	ASP	A	246	2.271	-11.944	3.311	1.00	34.55	AAAA
	ATOM	1797	CA	ASP	A	246	2.357	-11.926	4.763	1.00	36.92	AAAA
	ATOM	1798	CB	ASP	A	246	2.222	-13.350	5.304	1.00	40.29	AAAA
	ATOM	1799	CG	ASP	A	246	0.831	-13.926	5.075	1.00	43.98	AAAA
35	ATOM	1800	OD1	ASP	A	246	0.659	-15.159	5.218	1.00	46.68	AAAA
	ATOM	1801	OD2	ASP	A	246	-0.093	-13.143	4.760	1.00	45.65	AAAA
	ATOM	1802	C	ASP	A	246	3.650	-11.286	5.247	1.00	36.42	AAAA
	ATOM	1803	O	ASP	A	246	3.631	-10.384	6.092	1.00	37.48	AAAA
	ATOM	1804	N	ASP	A	247	4.771	-11.733	4.694	1.00	35.16	AAAA
40	ATOM	1805	CA	ASP	A	247	6.069	-11.200	5.085	1.00	34.25	AAAA
	ATOM	1806	CB	ASP	A	247	7.145	-12.268	4.887	1.00	33.07	AAAA
	ATOM	1807	CG	ASP	A	247	8.461	-11.901	5.543	1.00	33.19	AAAA
	ATOM	1808	OD1	ASP	A	247	8.689	-10.700	5.802	1.00	31.85	AAAA
	ATOM	1809	OD2	ASP	A	247	9.277	-12.816	5.791	1.00	32.31	AAAA
45	ATOM	1810	C	ASP	A	247	6.422	-9.949	4.275	1.00	34.18	AAAA

5	ATOM	1811	O	ASP	A	247	7.241	-10.003	3.354	1.00	33.62	AAAA
	ATOM	1812	N	MET	A	248	5.801	-8.825	4.617	1.00	33.66	AAAA
	ATOM	1813	CA	MET	A	248	6.069	-7.577	3.916	1.00	33.29	AAAA
	ATOM	1814	CB	MET	A	248	5.192	-6.448	4.461	1.00	34.30	AAAA
	ATOM	1815	CG	MET	A	248	3.852	-6.314	3.757	1.00	36.70	AAAA
	ATOM	1816	SD	MET	A	248	4.042	-5.940	1.987	1.00	40.22	AAAA
	ATOM	1817	CE	MET	A	248	2.590	-6.667	1.361	1.00	39.66	AAAA
	ATOM	1818	C	MET	A	248	7.533	-7.180	4.017	1.00	32.64	AAAA
	ATOM	1819	O	MET	A	248	8.082	-6.587	3.088	1.00	32.59	AAAA
10	ATOM	1820	N	ALA	A	249	8.166	-7.500	5.142	1.00	30.31	AAAA
	ATOM	1821	CA	ALA	A	249	9.573	-7.163	5.316	1.00	29.81	AAAA
	ATOM	1822	CB	ALA	A	249	10.061	-7.597	6.706	1.00	28.83	AAAA
	ATOM	1823	C	ALA	A	249	10.406	-7.837	4.223	1.00	27.72	AAAA
15	ATOM	1824	O	ALA	A	249	11.277	-7.208	3.622	1.00	27.98	AAAA
	ATOM	1825	N	ALA	A	250	10.127	-9.112	3.960	1.00	27.22	AAAA
	ATOM	1826	CA	ALA	A	250	10.858	-9.847	2.937	1.00	26.24	AAAA
	ATOM	1827	CB	ALA	A	250	10.449	-11.305	2.946	1.00	26.77	AAAA
	ATOM	1828	C	ALA	A	250	10.624	-9.250	1.553	1.00	26.35	AAAA
	ATOM	1829	O	ALA	A	250	11.543	-9.192	0.739	1.00	26.73	AAAA
20	ATOM	1830	N	ALA	A	251	9.400	-8.807	1.279	1.00	25.03	AAAA
	ATOM	1831	CA	ALA	A	251	9.101	-8.225	-0.033	1.00	25.36	AAAA
	ATOM	1832	CB	ALA	A	251	7.597	-8.044	-0.205	1.00	24.69	AAAA
	ATOM	1833	C	ALA	A	251	9.816	-6.891	-0.209	1.00	24.97	AAAA
	ATOM	1834	O	ALA	A	251	10.342	-6.586	-1.287	1.00	24.32	AAAA
25	ATOM	1835	N	TYR	A	252	9.832	-6.097	0.855	1.00	24.41	AAAA
	ATOM	1836	CA	TYR	A	252	10.488	-4.801	0.838	1.00	24.62	AAAA
	ATOM	1837	CB	TYR	A	252	10.191	-4.033	2.131	1.00	26.30	AAAA
	ATOM	1838	CG	TYR	A	252	8.815	-3.399	2.214	1.00	28.84	AAAA
	ATOM	1839	CD1	TYR	A	252	8.282	-3.027	3.450	1.00	29.34	AAAA
30	ATOM	1840	CE1	TYR	A	252	7.048	-2.395	3.547	1.00	30.51	AAAA
	ATOM	1841	CD2	TYR	A	252	8.066	-3.123	1.064	1.00	28.35	AAAA
	ATOM	1842	CE2	TYR	A	252	6.821	-2.485	1.153	1.00	29.76	AAAA
	ATOM	1843	CZ	TYR	A	252	6.322	-2.125	2.401	1.00	30.32	AAAA
	ATOM	1844	OH	TYR	A	252	5.103	-1.492	2.515	1.00	29.75	AAAA
35	ATOM	1845	C	TYR	A	252	11.998	-4.972	0.694	1.00	25.22	AAAA
	ATOM	1846	O	TYR	A	252	12.668	-4.106	0.139	1.00	24.57	AAAA
	ATOM	1847	N	ALA	A	253	12.527	-6.084	1.204	1.00	23.97	AAAA
	ATOM	1848	CA	ALA	A	253	13.961	-6.355	1.118	1.00	24.84	AAAA
40	ATOM	1849	CB	ALA	A	253	14.311	-7.606	1.906	1.00	23.83	AAAA
	ATOM	1850	C	ALA	A	253	14.319	-6.560	-0.347	1.00	24.16	AAAA
	ATOM	1851	O	ALA	A	253	15.325	-6.045	-0.831	1.00	26.29	AAAA
	ATOM	1852	N	TRP	A	254	13.469	-7.315	-1.032	1.00	23.19	AAAA
	ATOM	1853	CA	TRP	A	254	13.640	-7.635	-2.447	1.00	22.89	AAAA
45	ATOM	1854	CB	TRP	A	254	12.672	-8.753	-2.827	1.00	21.01	AAAA
	ATOM	1855	CG	TRP	A	254	12.534	-8.968	-4.304	1.00	21.21	AAAA

5	ATOM	1856	CD2	TRP	A	254	11.508	-8.437	-5.155	1.00	20.22	AAAA
	ATOM	1857	CE2	TRP	A	254	11.766	-8.905	-6.463	1.00	20.36	AAAA
	ATOM	1858	CE3	TRP	A	254	10.397	-7.610	-4.939	1.00	20.38	AAAA
	ATOM	1859	CD1	TRP	A	254	13.353	-9.708	-5.105	1.00	20.80	AAAA
	ATOM	1860	NE1	TRP	A	254	12.895	-9.678	-6.404	1.00	22.48	AAAA
10	ATOM	1861	CZ2	TRP	A	254	10.948	-8.573	-7.559	1.00	21.36	AAAA
	ATOM	1862	CZ3	TRP	A	254	9.582	-7.276	-6.030	1.00	21.09	AAAA
	ATOM	1863	CH2	TRP	A	254	9.867	-7.761	-7.323	1.00	20.78	AAAA
	ATOM	1864	C	TRP	A	254	13.433	-6.468	-3.414	1.00	22.65	AAAA
	ATOM	1865	O	TRP	A	254	14.218	-6.280	-4.345	1.00	23.19	AAAA
15	ATOM	1866	N	ALA	A	255	12.376	-5.692	-3.194	1.00	21.49	AAAA
	ATOM	1867	CA	ALA	A	255	12.024	-4.586	-4.086	1.00	21.80	AAAA
	ATOM	1868	CB	ALA	A	255	10.652	-4.030	-3.677	1.00	22.15	AAAA
	ATOM	1869	C	ALA	A	255	12.988	-3.420	-4.299	1.00	21.27	AAAA
	ATOM	1870	O	ALA	A	255	13.844	-3.110	-3.469	1.00	21.35	AAAA
20	ATOM	1871	N	ASP	A	256	12.820	-2.771	-5.447	1.00	21.80	AAAA
	ATOM	1872	CA	ASP	A	256	13.600	-1.590	-5.807	1.00	21.58	AAAA
	ATOM	1873	CB	ASP	A	256	14.082	-1.686	-7.263	1.00	23.50	AAAA
	ATOM	1874	CG	ASP	A	256	15.329	-2.542	-7.415	1.00	23.21	AAAA
	ATOM	1875	OD1	ASP	A	256	15.354	-3.417	-8.306	1.00	24.63	AAAA
25	ATOM	1876	OD2	ASP	A	256	16.289	-2.328	-6.648	1.00	25.60	AAAA
	ATOM	1877	C	ASP	A	256	12.651	-0.397	-5.670	1.00	22.26	AAAA
	ATOM	1878	O	ASP	A	256	13.053	0.703	-5.300	1.00	22.77	AAAA
	ATOM	1879	N	VAL	A	257	11.379	-0.637	-5.968	1.00	23.20	AAAA
	ATOM	1880	CA	VAL	A	257	10.366	0.411	-5.914	1.00	23.31	AAAA
30	ATOM	1881	CB	VAL	A	257	10.313	1.167	-7.267	1.00	23.63	AAAA
	ATOM	1882	CG1	VAL	A	257	9.950	0.206	-8.373	1.00	21.70	AAAA
	ATOM	1883	CG2	VAL	A	257	9.312	2.315	-7.205	1.00	23.86	AAAA
	ATOM	1884	C	VAL	A	257	8.997	-0.197	-5.607	1.00	23.39	AAAA
	ATOM	1885	O	VAL	A	257	8.735	-1.351	-5.933	1.00	22.20	AAAA
35	ATOM	1886	N	VAL	A	258	8.127	0.587	-4.978	1.00	24.57	AAAA
	ATOM	1887	CA	VAL	A	258	6.792	0.114	-4.627	1.00	24.32	AAAA
	ATOM	1888	CB	VAL	A	258	6.590	0.100	-3.085	1.00	25.07	AAAA
	ATOM	1889	CG1	VAL	A	258	5.275	-0.596	-2.731	1.00	25.09	AAAA
	ATOM	1890	CG2	VAL	A	258	7.755	-0.599	-2.406	1.00	25.19	AAAA
40	ATOM	1891	C	VAL	A	258	5.695	0.993	-5.228	1.00	24.77	AAAA
	ATOM	1892	O	VAL	A	258	5.806	2.220	-5.241	1.00	25.72	AAAA
	ATOM	1893	N	VAL	A	259	4.650	0.352	-5.738	1.00	24.90	AAAA
	ATOM	1894	CA	VAL	A	259	3.495	1.056	-6.291	1.00	24.40	AAAA
	ATOM	1895	CB	VAL	A	259	3.152	0.593	-7.713	1.00	24.26	AAAA
45	ATOM	1896	CG1	VAL	A	259	1.928	1.371	-8.226	1.00	22.17	AAAA
	ATOM	1897	CG2	VAL	A	259	4.344	0.801	-8.628	1.00	21.85	AAAA
	ATOM	1898	C	VAL	A	259	2.351	0.653	-5.368	1.00	25.42	AAAA
	ATOM	1899	O	VAL	A	259	2.018	-0.528	-5.274	1.00	25.59	AAAA
	ATOM	1900	N	CYS	A	260	1.752	1.623	-4.685	1.00	25.57	AAAA

5	ATOM	1901	CA	CYS	A	260	0.680	1.308	-3.750	1.00	26.61	AAAA
	ATOM	1902	CB	CYS	A	260	1.286	0.675	-2.495	1.00	25.90	AAAA
	ATOM	1903	SG	CYS	A	260	2.509	1.742	-1.683	1.00	29.42	AAAA
	ATOM	1904	C	CYS	A	260	-0.113	2.538	-3.330	1.00	27.15	AAAA
	ATOM	1905	O	CYS	A	260	0.221	3.664	-3.702	1.00	27.13	AAAA
10	ATOM	1906	N	ARG	A	261	-1.164	2.306	-2.547	1.00	28.36	AAAA
	ATOM	1907	CA	ARG	A	261	-1.986	3.391	-2.023	1.00	29.99	AAAA
	ATOM	1908	CB	ARG	A	261	-3.244	2.848	-1.340	1.00	31.35	AAAA
	ATOM	1909	CG	ARG	A	261	-4.237	2.168	-2.258	1.00	33.82	AAAA
	ATOM	1910	CD	ARG	A	261	-4.829	3.143	-3.253	1.00	35.21	AAAA
15	ATOM	1911	NE	ARG	A	261	-5.949	2.547	-3.975	1.00	36.21	AAAA
	ATOM	1912	CZ	ARG	A	261	-6.550	3.107	-5.017	1.00	36.46	AAAA
	ATOM	1913	NH1	ARG	A	261	-6.138	4.283	-5.470	1.00	36.95	AAAA
	ATOM	1914	NH2	ARG	A	261	-7.571	2.493	-5.599	1.00	37.72	AAAA
	ATOM	1915	C	ARG	A	261	-1.118	4.076	-0.979	1.00	30.75	AAAA
20	ATOM	1916	O	ARG	A	261	-0.041	3.575	-0.641	1.00	29.94	AAAA
	ATOM	1917	N	SER	A	262	-1.583	5.206	-0.453	1.00	30.70	AAAA
	ATOM	1918	CA	SER	A	262	-0.807	5.924	0.544	1.00	31.00	AAAA
	ATOM	1919	CB	SER	A	262	-0.290	7.245	-0.034	1.00	31.31	AAAA
	ATOM	1920	OG	SER	A	262	-1.344	8.016	-0.581	1.00	32.21	AAAA
25	ATOM	1921	C	SER	A	262	-1.526	6.182	1.868	1.00	30.92	AAAA
	ATOM	1922	O	SER	A	262	-1.624	7.322	2.317	1.00	31.37	AAAA
	ATOM	1923	N	GLY	A	263	-2.040	5.121	2.483	1.00	30.70	AAAA
	ATOM	1924	CA	GLY	A	263	-2.669	5.277	3.779	1.00	29.85	AAAA
	ATOM	1925	C	GLY	A	263	-1.510	5.663	4.680	1.00	29.40	AAAA
30	ATOM	1926	O	GLY	A	263	-0.367	5.287	4.394	1.00	28.65	AAAA
	ATOM	1927	N	ALA	A	264	-1.787	6.404	5.751	1.00	28.11	AAAA
	ATOM	1928	CA	ALA	A	264	-0.752	6.872	6.674	1.00	28.19	AAAA
	ATOM	1929	CB	ALA	A	264	-1.399	7.563	7.879	1.00	27.89	AAAA
	ATOM	1930	C	ALA	A	264	0.249	5.826	7.166	1.00	27.95	AAAA
35	ATOM	1931	O	ALA	A	264	1.454	6.056	7.117	1.00	28.65	AAAA
	ATOM	1932	N	LEU	A	265	-0.239	4.693	7.656	1.00	27.93	AAAA
	ATOM	1933	CA	LEU	A	265	0.662	3.659	8.158	1.00	27.76	AAAA
	ATOM	1934	CB	LEU	A	265	-0.141	2.524	8.798	1.00	28.60	AAAA
	ATOM	1935	CG	LEU	A	265	-1.049	2.984	9.947	1.00	29.56	AAAA
40	ATOM	1936	CD1	LEU	A	265	-1.680	1.775	10.615	1.00	28.94	AAAA
	ATOM	1937	CD2	LEU	A	265	-0.245	3.797	10.957	1.00	29.94	AAAA
	ATOM	1938	C	LEU	A	265	1.566	3.116	7.053	1.00	27.53	AAAA
	ATOM	1939	O	LEU	A	265	2.731	2.779	7.297	1.00	25.35	AAAA
	ATOM	1940	N	THR	A	266	1.026	3.043	5.841	1.00	27.19	AAAA
45	ATOM	1941	CA	THR	A	266	1.778	2.553	4.689	1.00	27.20	AAAA
	ATOM	1942	CB	THR	A	266	0.859	2.383	3.455	1.00	27.48	AAAA
	ATOM	1943	OG1	THR	A	266	-0.066	1.315	3.697	1.00	27.63	AAAA
	ATOM	1944	CG2	THR	A	266	1.683	2.059	2.202	1.00	27.00	AAAA
	ATOM	1945	C	THR	A	266	2.916	3.507	4.341	1.00	27.11	AAAA

5	ATOM	1946	O	THR	A	266	4.036	3.072	4.070	1.00	26.97	AAAA
	ATOM	1947	N	VAL	A	267	2.631	4.806	4.352	1.00	26.63	AAAA
	ATOM	1948	CA	VAL	A	267	3.649	5.806	4.048	1.00	27.06	AAAA
	ATOM	1949	CB	VAL	A	267	3.044	7.236	4.052	1.00	26.30	AAAA
	ATOM	1950	CG1	VAL	A	267	4.146	8.289	4.011	1.00	26.39	AAAA
10	ATOM	1951	CG2	VAL	A	267	2.118	7.398	2.851	1.00	25.02	AAAA
	ATOM	1952	C	VAL	A	267	4.809	5.730	5.044	1.00	28.55	AAAA
	ATOM	1953	O	VAL	A	267	5.973	5.806	4.653	1.00	28.56	AAAA
	ATOM	1954	N	SER	A	268	4.495	5.581	6.329	1.00	28.38	AAAA
	ATOM	1955	CA	SER	A	268	5.537	5.492	7.351	1.00	29.48	AAAA
15	ATOM	1956	CB	SER	A	268	4.915	5.522	8.753	1.00	29.48	AAAA
	ATOM	1957	OG	SER	A	268	4.291	6.768	9.003	1.00	30.64	AAAA
	ATOM	1958	C	SER	A	268	6.348	4.208	7.179	1.00	28.97	AAAA
	ATOM	1959	O	SER	A	268	7.557	4.181	7.399	1.00	30.06	AAAA
	ATOM	1960	N	GLU	A	269	5.663	3.146	6.785	1.00	28.87	AAAA
20	ATOM	1961	CA	GLU	A	269	6.286	1.850	6.576	1.00	29.54	AAAA
	ATOM	1962	CB	GLU	A	269	5.189	0.821	6.328	1.00	29.82	AAAA
	ATOM	1963	CG	GLU	A	269	5.662	-0.594	6.185	1.00	31.86	AAAA
	ATOM	1964	CD	GLU	A	269	4.508	-1.562	6.155	1.00	31.85	AAAA
	ATOM	1965	OE1	GLU	A	269	3.996	-1.917	7.239	1.00	32.48	AAAA
25	ATOM	1966	OE2	GLU	A	269	4.100	-1.956	5.048	1.00	30.84	AAAA
	ATOM	1967	C	GLU	A	269	7.263	1.910	5.394	1.00	29.59	AAAA
	ATOM	1968	O	GLU	A	269	8.355	1.332	5.441	1.00	29.11	AAAA
	ATOM	1969	N	ILE	A	270	6.867	2.616	4.340	1.00	27.88	AAAA
	ATOM	1970	CA	ILE	A	270	7.711	2.763	3.158	1.00	28.64	AAAA
30	ATOM	1971	CB	ILE	A	270	6.968	3.520	2.028	1.00	28.20	AAAA
	ATOM	1972	CG2	ILE	A	270	7.948	3.931	0.940	1.00	28.68	AAAA
	ATOM	1973	CG1	ILE	A	270	5.845	2.646	1.461	1.00	28.04	AAAA
	ATOM	1974	CD1	ILE	A	270	6.318	1.366	0.805	1.00	30.11	AAAA
	ATOM	1975	C	ILE	A	270	8.978	3.532	3.522	1.00	28.84	AAAA
35	ATOM	1976	O	ILE	A	270	10.076	3.194	3.075	1.00	28.96	AAAA
	ATOM	1977	N	ALA	A	271	8.818	4.568	4.340	1.00	28.51	AAAA
	ATOM	1978	CA	ALA	A	271	9.952	5.374	4.768	1.00	28.79	AAAA
	ATOM	1979	CB	ALA	A	271	9.462	6.576	5.572	1.00	28.12	AAAA
	ATOM	1980	C	ALA	A	271	10.918	4.530	5.603	1.00	29.26	AAAA
40	ATOM	1981	O	ALA	A	271	12.136	4.575	5.394	1.00	29.35	AAAA
	ATOM	1982	N	ALA	A	272	10.370	3.755	6.534	1.00	28.79	AAAA
	ATOM	1983	CA	ALA	A	272	11.187	2.904	7.397	1.00	29.79	AAAA
	ATOM	1984	CB	ALA	A	272	10.301	2.207	8.430	1.00	29.28	AAAA
	ATOM	1985	C	ALA	A	272	11.957	1.872	6.566	1.00	30.22	AAAA
45	ATOM	1986	O	ALA	A	272	13.102	1.539	6.876	1.00	29.36	AAAA
	ATOM	1987	N	ALA	A	273	11.327	1.377	5.503	1.00	30.03	AAAA
	ATOM	1988	CA	ALA	A	273	11.961	0.394	4.628	1.00	30.65	AAAA
	ATOM	1989	CB	ALA	A	273	10.914	-0.306	3.782	1.00	29.48	AAAA
	ATOM	1990	C	ALA	A	273	13.005	1.041	3.720	1.00	31.45	AAAA

5	ATOM	1991	O	ALA	A	273	13.803	0.346	3.090	1.00	31.87	AAAA
	ATOM	1992	N	GLY	A	274	12.998	2.368	3.662	1.00	31.20	AAAA
	ATOM	1993	CA	GLY	A	274	13.937	3.078	2.814	1.00	32.26	AAAA
	ATOM	1994	C	GLY	A	274	13.725	2.683	1.362	1.00	32.80	AAAA
	ATOM	1995	O	GLY	A	274	14.652	2.226	0.692	1.00	33.38	AAAA
10	ATOM	1996	N	LEU	A	275	12.501	2.862	0.873	1.00	32.88	AAAA
	ATOM	1997	CA	LEU	A	275	12.169	2.494	-0.497	1.00	32.70	AAAA
	ATOM	1998	CB	LEU	A	275	11.266	1.262	-0.502	1.00	32.79	AAAA
	ATOM	1999	CG	LEU	A	275	11.869	-0.138	-0.431	1.00	33.70	AAAA
	ATOM	2000	CD1	LEU	A	275	10.762	-1.133	-0.114	1.00	33.69	AAAA
15	ATOM	2001	CD2	LEU	A	275	12.538	-0.484	-1.762	1.00	32.25	AAAA
	ATOM	2002	C	LEU	A	275	11.479	3.568	-1.324	1.00	33.39	AAAA
	ATOM	2003	O	LEU	A	275	10.638	4.320	-0.819	1.00	32.48	AAAA
	ATOM	2004	N	PRO	A	276	11.835	3.654	-2.617	1.00	32.76	AAAA
	ATOM	2005	CD	PRO	A	276	13.022	3.048	-3.244	1.00	32.59	AAAA
20	ATOM	2006	CA	PRO	A	276	11.221	4.636	-3.513	1.00	32.07	AAAA
	ATOM	2007	CB	PRO	A	276	12.049	4.510	-4.791	1.00	32.16	AAAA
	ATOM	2008	CG	PRO	A	276	13.383	4.072	-4.296	1.00	33.28	AAAA
	ATOM	2009	C	PRO	A	276	9.794	4.143	-3.722	1.00	31.63	AAAA
	ATOM	2010	O	PRO	A	276	9.531	2.936	-3.651	1.00	30.32	AAAA
25	ATOM	2011	N	ALA	A	277	8.864	5.049	-3.976	1.00	31.27	AAAA
	ATOM	2012	CA	ALA	A	277	7.504	4.604	-4.180	1.00	30.99	AAAA
	ATOM	2013	CB	ALA	A	277	6.764	4.558	-2.842	1.00	30.75	AAAA
	ATOM	2014	C	ALA	A	277	6.722	5.450	-5.163	1.00	30.92	AAAA
	ATOM	2015	O	ALA	A	277	6.948	6.652	-5.295	1.00	32.61	AAAA
30	ATOM	2016	N	LEU	A	278	5.809	4.796	-5.865	1.00	31.01	AAAA
	ATOM	2017	CA	LEU	A	278	4.928	5.476	-6.796	1.00	31.08	AAAA
	ATOM	2018	CB	LEU	A	278	4.884	4.758	-8.146	1.00	31.98	AAAA
	ATOM	2019	CG	LEU	A	278	4.135	5.526	-9.241	1.00	32.77	AAAA
	ATOM	2020	CD1	LEU	A	278	4.770	6.895	-9.412	1.00	34.58	AAAA
35	ATOM	2021	CD2	LEU	A	278	4.181	4.756	-10.543	1.00	31.93	AAAA
	ATOM	2022	C	LEU	A	278	3.576	5.375	-6.101	1.00	30.98	AAAA
	ATOM	2023	O	LEU	A	278	2.887	4.357	-6.197	1.00	31.03	AAAA
	ATOM	2024	N	PHE	A	279	3.218	6.424	-5.369	1.00	30.84	AAAA
	ATOM	2025	CA	PHE	A	279	1.964	6.447	-4.633	1.00	29.87	AAAA
40	ATOM	2026	CB	PHE	A	279	2.051	7.460	-3.489	1.00	29.31	AAAA
	ATOM	2027	CG	PHE	A	279	2.948	7.033	-2.353	1.00	26.86	AAAA
	ATOM	2028	CD1	PHE	A	279	3.961	7.870	-1.902	1.00	27.25	AAAA
	ATOM	2029	CD2	PHE	A	279	2.751	5.817	-1.710	1.00	26.40	AAAA
	ATOM	2030	CE1	PHE	A	279	4.765	7.506	-0.821	1.00	27.90	AAAA
45	ATOM	2031	CE2	PHE	A	279	3.549	5.439	-0.630	1.00	25.57	AAAA
	ATOM	2032	CZ	PHE	A	279	4.555	6.286	-0.186	1.00	25.90	AAAA
	ATOM	2033	C	PHE	A	279	0.765	6.773	-5.508	1.00	30.70	AAAA
	ATOM	2034	O	PHE	A	279	0.790	7.719	-6.294	1.00	30.85	AAAA
	ATOM	2035	N	VAL	A	280	-0.281	5.968	-5.367	1.00	31.23	AAAA

5	ATOM	2036	CA	VAL	A	280	-1.523	6.161	-6.101	1.00	32.57	AAAA
	ATOM	2037	CB	VAL	A	280	-1.867	4.924	-6.954	1.00	33.12	AAAA
	ATOM	2038	CG1	VAL	A	280	-3.196	5.122	-7.661	1.00	32.63	AAAA
	ATOM	2039	CG2	VAL	A	280	-0.768	4.688	-7.979	1.00	33.54	AAAA
	ATOM	2040	C	VAL	A	280	-2.598	6.394	-5.036	1.00	33.46	AAAA
10	ATOM	2041	O	VAL	A	280	-3.320	5.478	-4.643	1.00	32.49	AAAA
	ATOM	2042	N	PRO	A	281	-2.695	7.640	-4.546	1.00	34.67	AAAA
	ATOM	2043	CD	PRO	A	281	-1.917	8.789	-5.036	1.00	34.47	AAAA
	ATOM	2044	CA	PRO	A	281	-3.652	8.061	-3.518	1.00	36.79	AAAA
	ATOM	2045	CB	PRO	A	281	-3.475	9.578	-3.478	1.00	36.20	AAAA
15	ATOM	2046	CG	PRO	A	281	-2.060	9.772	-3.909	1.00	36.53	AAAA
	ATOM	2047	C	PRO	A	281	-5.097	7.676	-3.801	1.00	38.44	AAAA
	ATOM	2048	O	PRO	A	281	-5.564	7.763	-4.936	1.00	38.62	AAAA
	ATOM	2049	N	PHE	A	282	-5.800	7.237	-2.763	1.00	41.21	AAAA
	ATOM	2050	CA	PHE	A	282	-7.206	6.887	-2.910	1.00	44.31	AAAA
20	ATOM	2051	CB	PHE	A	282	-7.722	6.169	-1.664	1.00	45.63	AAAA
	ATOM	2052	CG	PHE	A	282	-9.142	5.697	-1.785	1.00	47.68	AAAA
	ATOM	2053	CD1	PHE	A	282	-9.452	4.570	-2.542	1.00	48.21	AAAA
	ATOM	2054	CD2	PHE	A	282	-10.176	6.387	-1.156	1.00	48.55	AAAA
	ATOM	2055	CE1	PHE	A	282	-10.772	4.136	-2.673	1.00	49.11	AAAA
25	ATOM	2056	CE2	PHE	A	282	-11.501	5.963	-1.280	1.00	49.07	AAAA
	ATOM	2057	CZ	PHE	A	282	-11.799	4.833	-2.041	1.00	48.80	AAAA
	ATOM	2058	C	PHE	A	282	-7.908	8.233	-3.052	1.00	45.26	AAAA
	ATOM	2059	O	PHE	A	282	-7.720	9.121	-2.224	1.00	45.48	AAAA
	ATOM	2060	N	GLN	A	283	-8.706	8.387	-4.101	1.00	47.00	AAAA
30	ATOM	2061	CA	GLN	A	283	-9.399	9.648	-4.339	1.00	48.78	AAAA
	ATOM	2062	CB	GLN	A	283	-9.958	9.677	-5.768	1.00	48.98	AAAA
	ATOM	2063	CG	GLN	A	283	-10.606	11.000	-6.170	1.00	50.07	AAAA
	ATOM	2064	CD	GLN	A	283	-9.649	12.179	-6.082	1.00	50.05	AAAA
	ATOM	2065	OE1	GLN	A	283	-9.206	12.556	-4.997	1.00	50.12	AAAA
35	ATOM	2066	NE2	GLN	A	283	-9.321	12.762	-7.230	1.00	50.62	AAAA
	ATOM	2067	C	GLN	A	283	-10.519	9.918	-3.335	1.00	49.60	AAAA
	ATOM	2068	O	GLN	A	283	-11.317	9.035	-3.018	1.00	49.68	AAAA
	ATOM	2069	N	HIS	A	284	-10.558	11.151	-2.838	1.00	50.76	AAAA
	ATOM	2070	CA	HIS	A	284	-11.570	11.579	-1.875	1.00	51.60	AAAA
40	ATOM	2071	CB	HIS	A	284	-11.329	10.918	-0.515	1.00	52.12	AAAA
	ATOM	2072	CG	HIS	A	284	-12.436	11.140	0.469	1.00	52.63	AAAA
	ATOM	2073	CD2	HIS	A	284	-13.327	10.280	1.017	1.00	52.98	AAAA
	ATOM	2074	ND1	HIS	A	284	-12.733	12.381	0.991	1.00	52.98	AAAA
	ATOM	2075	CE1	HIS	A	284	-13.758	12.276	1.817	1.00	52.69	AAAA
45	ATOM	2076	NE2	HIS	A	284	-14.138	11.011	1.851	1.00	52.96	AAAA
	ATOM	2077	C	HIS	A	284	-11.497	13.098	-1.745	1.00	52.04	AAAA
	ATOM	2078	O	HIS	A	284	-10.451	13.697	-2.000	1.00	52.03	AAAA
	ATOM	2079	N	LYS	A	285	-12.604	13.719	-1.347	1.00	52.27	AAAA
	ATOM	2080	CA	LYS	A	285	-12.653	15.171	-1.210	1.00	52.70	AAAA

5	ATOM	2081	CB	LYS	A	285	-14.018	15.604	-0.669	1.00	53.61	AAAA
	ATOM	2082	CG	LYS	A	285	-14.256	17.111	-0.701	1.00	55.17	AAAA
	ATOM	2083	CD	LYS	A	285	-14.503	17.634	-2.122	1.00	56.00	AAAA
	ATOM	2084	CE	LYS	A	285	-13.244	17.625	-2.984	1.00	56.62	AAAA
	ATOM	2085	NZ	LYS	A	285	-13.513	18.075	-4.383	1.00	56.60	AAAA
10	ATOM	2086	C	LYS	A	285	-11.552	15.746	-0.319	1.00	52.35	AAAA
	ATOM	2087	O	LYS	A	285	-10.988	16.800	-0.619	1.00	51.96	AAAA
	ATOM	2088	N	ASP	A	286	-11.246	15.054	0.773	1.00	51.71	AAAA
	ATOM	2089	CA	ASP	A	286	-10.218	15.521	1.693	1.00	51.34	AAAA
	ATOM	2090	CB	ASP	A	286	-10.405	14.869	3.067	1.00	53.33	AAAA
15	ATOM	2091	CG	ASP	A	286	-10.003	13.403	3.083	1.00	55.00	AAAA
	ATOM	2092	OD1	ASP	A	286	-10.412	12.648	2.174	1.00	56.57	AAAA
	ATOM	2093	OD2	ASP	A	286	-9.280	13.004	4.018	1.00	56.62	AAAA
	ATOM	2094	C	ASP	A	286	-8.817	15.230	1.164	1.00	49.69	AAAA
	ATOM	2095	O	ASP	A	286	-7.840	15.829	1.616	1.00	49.71	AAAA
20	ATOM	2096	N	ARG	A	287	-8.724	14.315	0.203	1.00	47.93	AAAA
	ATOM	2097	CA	ARG	A	287	-7.436	13.944	-0.380	1.00	45.79	AAAA
	ATOM	2098	CB	ARG	A	287	-6.848	15.121	-1.156	1.00	45.56	AAAA
	ATOM	2099	CG	ARG	A	287	-7.744	15.660	-2.251	1.00	45.87	AAAA
	ATOM	2100	CD	ARG	A	287	-7.172	16.949	-2.801	1.00	45.75	AAAA
25	ATOM	2101	NE	ARG	A	287	-5.999	16.724	-3.637	1.00	46.20	AAAA
	ATOM	2102	CZ	ARG	A	287	-4.981	17.573	-3.733	1.00	46.22	AAAA
	ATOM	2103	NH1	ARG	A	287	-4.986	18.702	-3.037	1.00	46.26	AAAA
	ATOM	2104	NH2	ARG	A	287	-3.962	17.297	-4.533	1.00	46.42	AAAA
	ATOM	2105	C	ARG	A	287	-6.464	13.533	0.722	1.00	44.13	AAAA
30	ATOM	2106	O	ARG	A	287	-5.279	13.870	0.685	1.00	43.87	AAAA
	ATOM	2107	N	GLN	A	288	-6.975	12.804	1.704	1.00	42.92	AAAA
	ATOM	2108	CA	GLN	A	288	-6.157	12.359	2.824	1.00	42.41	AAAA
	ATOM	2109	CB	GLN	A	288	-6.955	11.395	3.704	1.00	42.02	AAAA
	ATOM	2110	CG	GLN	A	288	-6.226	10.947	4.958	1.00	41.95	AAAA
35	ATOM	2111	CD	GLN	A	288	-7.033	9.951	5.766	1.00	42.04	AAAA
	ATOM	2112	OE1	GLN	A	288	-7.356	8.860	5.288	1.00	41.14	AAAA
	ATOM	2113	NE2	GLN	A	288	-7.369	10.322	6.997	1.00	41.32	AAAA
	ATOM	2114	C	GLN	A	288	-4.867	11.682	2.372	1.00	41.36	AAAA
	ATOM	2115	O	GLN	A	288	-3.772	12.113	2.734	1.00	41.61	AAAA
40	ATOM	2116	N	GLN	A	289	-4.999	10.626	1.575	1.00	41.32	AAAA
	ATOM	2117	CA	GLN	A	289	-3.835	9.886	1.105	1.00	40.21	AAAA
	ATOM	2118	CB	GLN	A	289	-4.267	8.678	0.280	1.00	39.57	AAAA
	ATOM	2119	CG	GLN	A	289	-5.126	7.703	1.068	1.00	37.69	AAAA
	ATOM	2120	CD	GLN	A	289	-4.976	6.274	0.595	1.00	37.80	AAAA
45	ATOM	2121	OE1	GLN	A	289	-4.422	6.014	-0.475	1.00	35.48	AAAA
	ATOM	2122	NE2	GLN	A	289	-5.478	5.337	1.388	1.00	36.57	AAAA
	ATOM	2123	C	GLN	A	289	-2.862	10.744	0.318	1.00	40.38	AAAA
	ATOM	2124	O	GLN	A	289	-1.661	10.469	0.301	1.00	40.11	AAAA
	ATOM	2125	N	TYR	A	290	-3.373	11.782	-0.335	1.00	40.27	AAAA

	ATOM	2126	CA	TYR	A	290	-2.504	12.678	-1.081	1.00	39.93	AAAA
	ATOM	2127	CB	TYR	A	290	-3.316	13.715	-1.860	1.00	41.72	AAAA
	ATOM	2128	CG	TYR	A	290	-2.473	14.873	-2.352	1.00	43.41	AAAA
	ATOM	2129	CD1	TYR	A	290	-1.590	14.716	-3.421	1.00	44.44	AAAA
5	ATOM	2130	CE1	TYR	A	290	-0.764	15.763	-3.836	1.00	45.65	AAAA
	ATOM	2131	CD2	TYR	A	290	-2.513	16.109	-1.709	1.00	43.91	AAAA
	ATOM	2132	CE2	TYR	A	290	-1.695	17.161	-2.111	1.00	45.19	AAAA
	ATOM	2133	CZ	TYR	A	290	-0.821	16.981	-3.174	1.00	46.54	AAAA
	ATOM	2134	OH	TYR	A	290	0.003	18.014	-3.566	1.00	47.98	AAAA
10	ATOM	2135	C	TYR	A	290	-1.604	13.399	-0.085	1.00	39.33	AAAA
	ATOM	2136	O	TYR	A	290	-0.396	13.529	-0.296	1.00	39.19	AAAA
	ATOM	2137	N	TRP	A	291	-2.202	13.871	1.005	1.00	38.32	AAAA
	ATOM	2138	CA	TRP	A	291	-1.451	14.585	2.025	1.00	37.84	AAAA
	ATOM	2139	CB	TRP	A	291	-2.409	15.307	2.979	1.00	37.98	AAAA
15	ATOM	2140	CG	TRP	A	291	-3.211	16.366	2.286	1.00	39.40	AAAA
	ATOM	2141	CD2	TRP	A	291	-2.721	17.612	1.778	1.00	39.83	AAAA
	ATOM	2142	CE2	TRP	A	291	-3.810	18.270	1.162	1.00	40.18	AAAA
	ATOM	2143	CE3	TRP	A	291	-1.467	18.238	1.781	1.00	40.07	AAAA
	ATOM	2144	CD1	TRP	A	291	-4.540	16.319	1.969	1.00	38.96	AAAA
20	ATOM	2145	NE1	TRP	A	291	-4.908	17.459	1.294	1.00	39.51	AAAA
	ATOM	2146	CZ2	TRP	A	291	-3.684	19.525	0.554	1.00	40.53	AAAA
	ATOM	2147	CZ3	TRP	A	291	-1.340	19.488	1.177	1.00	41.40	AAAA
	ATOM	2148	CH2	TRP	A	291	-2.446	20.116	0.572	1.00	40.92	AAAA
	ATOM	2149	C	TRP	A	291	-0.506	13.680	2.803	1.00	36.79	AAAA
25	ATOM	2150	O	TRP	A	291	0.515	14.141	3.306	1.00	36.64	AAAA
	ATOM	2151	N	ASN	A	292	-0.841	12.397	2.907	1.00	36.82	AAAA
	ATOM	2152	CA	ASN	A	292	0.030	11.467	3.619	1.00	37.08	AAAA
	ATOM	2153	CB	ASN	A	292	-0.658	10.116	3.842	1.00	36.47	AAAA
	ATOM	2154	CG	ASN	A	292	-1.841	10.203	4.783	1.00	36.02	AAAA
30	ATOM	2155	OD1	ASN	A	292	-1.924	11.104	5.618	1.00	35.88	AAAA
	ATOM	2156	ND2	ASN	A	292	-2.757	9.248	4.667	1.00	35.26	AAAA
	ATOM	2157	C	ASN	A	292	1.302	11.246	2.803	1.00	37.41	AAAA
	ATOM	2158	O	ASN	A	292	2.402	11.170	3.353	1.00	36.90	AAAA
	ATOM	2159	N	ALA	A	293	1.138	11.166	1.485	1.00	38.20	AAAA
35	ATOM	2160	CA	ALA	A	293	2.253	10.936	0.567	1.00	38.64	AAAA
	ATOM	2161	CB	ALA	A	293	1.729	10.343	-0.737	1.00	37.83	AAAA
	ATOM	2162	C	ALA	A	293	3.085	12.176	0.267	1.00	39.51	AAAA
	ATOM	2163	O	ALA	A	293	4.311	12.094	0.158	1.00	39.51	AAAA
	ATOM	2164	N	LEU	A	294	2.422	13.321	0.137	1.00	40.40	AAAA
40	ATOM	2165	CA	LEU	A	294	3.101	14.575	-0.169	1.00	40.96	AAAA
	ATOM	2166	CB	LEU	A	294	2.166	15.757	0.101	1.00	41.41	AAAA
	ATOM	2167	CG	LEU	A	294	2.666	17.155	-0.272	1.00	41.36	AAAA
	ATOM	2168	CD1	LEU	A	294	3.231	17.168	-1.688	1.00	41.61	AAAA
	ATOM	2169	CD2	LEU	A	294	1.510	18.136	-0.147	1.00	41.60	AAAA
45	ATOM	2170	C	LEU	A	294	4.419	14.762	0.585	1.00	42.04	AAAA

5	ATOM	2171	O	LEU	A	294	5.404	15.228	0.013	1.00	42.14	AAAA
	ATOM	2172	N	PRO	A	295	4.459	14.401	1.877	1.00	42.80	AAAA
	ATOM	2173	CD	PRO	A	295	3.351	14.022	2.772	1.00	42.95	AAAA
	ATOM	2174	CA	PRO	A	295	5.706	14.560	2.634	1.00	43.42	AAAA
	ATOM	2175	CB	PRO	A	295	5.336	14.032	4.015	1.00	43.51	AAAA
10	ATOM	2176	CG	PRO	A	295	3.889	14.406	4.128	1.00	43.40	AAAA
	ATOM	2177	C	PRO	A	295	6.900	13.813	2.022	1.00	44.05	AAAA
	ATOM	2178	O	PRO	A	295	8.007	14.349	1.957	1.00	44.17	AAAA
	ATOM	2179	N	LEU	A	296	6.682	12.577	1.581	1.00	44.41	AAAA
	ATOM	2180	CA	LEU	A	296	7.766	11.800	0.980	1.00	45.13	AAAA
15	ATOM	2181	CB	LEU	A	296	7.373	10.324	0.852	1.00	44.54	AAAA
	ATOM	2182	CG	LEU	A	296	7.424	9.484	2.130	1.00	44.46	AAAA
	ATOM	2183	CD1	LEU	A	296	6.951	8.069	1.840	1.00	43.91	AAAA
	ATOM	2184	CD2	LEU	A	296	8.844	9.469	2.667	1.00	44.76	AAAA
	ATOM	2185	C	LEU	A	296	8.151	12.346	-0.391	1.00	45.53	AAAA
20	ATOM	2186	O	LEU	A	296	9.333	12.406	-0.732	1.00	45.28	AAAA
	ATOM	2187	N	GLU	A	297	7.155	12.747	-1.174	1.00	46.35	AAAA
	ATOM	2188	CA	GLU	A	297	7.421	13.291	-2.502	1.00	47.94	AAAA
	ATOM	2189	CB	GLU	A	297	6.113	13.563	-3.251	1.00	48.43	AAAA
	ATOM	2190	CG	GLU	A	297	6.306	14.349	-4.544	1.00	49.91	AAAA
25	ATOM	2191	CD	GLU	A	297	5.014	14.543	-5.318	1.00	51.34	AAAA
	ATOM	2192	OE1	GLU	A	297	4.562	13.586	-5.981	1.00	51.89	AAAA
	ATOM	2193	OE2	GLU	A	297	4.446	15.655	-5.257	1.00	52.41	AAAA
	ATOM	2194	C	GLU	A	297	8.225	14.579	-2.393	1.00	48.46	AAAA
	ATOM	2195	O	GLU	A	297	9.155	14.806	-3.165	1.00	48.78	AAAA
30	ATOM	2196	N	LYS	A	298	7.860	15.421	-1.431	1.00	49.07	AAAA
	ATOM	2197	CA	LYS	A	298	8.556	16.685	-1.226	1.00	49.76	AAAA
	ATOM	2198	CB	LYS	A	298	7.914	17.468	-0.077	1.00	50.85	AAAA
	ATOM	2199	CG	LYS	A	298	8.644	18.753	0.277	1.00	52.14	AAAA
	ATOM	2200	CD	LYS	A	298	8.032	19.429	1.492	1.00	53.44	AAAA
35	ATOM	2201	CE	LYS	A	298	8.820	20.675	1.882	1.00	53.80	AAAA
	ATOM	2202	NZ	LYS	A	298	8.281	21.309	3.116	1.00	54.32	AAAA
	ATOM	2203	C	LYS	A	298	10.022	16.420	-0.908	1.00	49.36	AAAA
	ATOM	2204	O	LYS	A	298	10.904	17.180	-1.305	1.00	50.01	AAAA
	ATOM	2205	N	ALA	A	299	10.275	15.335	-0.188	1.00	48.67	AAAA
40	ATOM	2206	CA	ALA	A	299	11.635	14.975	0.182	1.00	47.48	AAAA
	ATOM	2207	CB	ALA	A	299	11.615	14.001	1.353	1.00	47.29	AAAA
	ATOM	2208	C	ALA	A	299	12.354	14.356	-1.009	1.00	46.69	AAAA
	ATOM	2209	O	ALA	A	299	13.554	14.098	-0.953	1.00	46.67	AAAA
	ATOM	2210	N	GLY	A	300	11.613	14.133	-2.090	1.00	45.80	AAAA
45	ATOM	2211	CA	GLY	A	300	12.197	13.538	-3.278	1.00	44.79	AAAA
	ATOM	2212	C	GLY	A	300	12.399	12.042	-3.119	1.00	44.04	AAAA
	ATOM	2213	O	GLY	A	300	13.343	11.472	-3.665	1.00	44.02	AAAA
	ATOM	2214	N	ALA	A	301	11.505	11.404	-2.370	1.00	43.01	AAAA
	ATOM	2215	CA	ALA	A	301	11.589	9.967	-2.131	1.00	42.10	AAAA

5	ATOM	2216	CB	ALA	A	301	11.514	9.684	-0.632	1.00	42.10	AAAA
	ATOM	2217	C	ALA	A	301	10.484	9.209	-2.858	1.00	41.88	AAAA
	ATOM	2218	O	ALA	A	301	10.480	7.976	-2.882	1.00	41.48	AAAA
	ATOM	2219	N	ALA	A	302	9.549	9.941	-3.453	1.00	40.88	AAAA
	ATOM	2220	CA	ALA	A	302	8.451	9.303	-4.156	1.00	40.59	AAAA
10	ATOM	2221	CB	ALA	A	302	7.411	8.818	-3.153	1.00	39.61	AAAA
	ATOM	2222	C	ALA	A	302	7.786	10.197	-5.191	1.00	40.72	AAAA
	ATOM	2223	O	ALA	A	302	8.123	11.372	-5.340	1.00	40.90	AAAA
	ATOM	2224	N	LYS	A	303	6.837	9.610	-5.910	1.00	41.39	AAAA
	ATOM	2225	CA	LYS	A	303	6.073	10.309	-6.930	1.00	41.79	AAAA
15	ATOM	2226	CB	LYS	A	303	6.455	9.807	-8.325	1.00	41.86	AAAA
	ATOM	2227	CG	LYS	A	303	5.540	10.295	-9.442	1.00	43.46	AAAA
	ATOM	2228	CD	LYS	A	303	5.608	11.807	-9.614	1.00	44.98	AAAA
	ATOM	2229	CE	LYS	A	303	4.676	12.284	-10.729	1.00	46.33	AAAA
	ATOM	2230	NZ	LYS	A	303	4.767	13.759	-10.957	1.00	46.15	AAAA
20	ATOM	2231	C	LYS	A	303	4.603	10.022	-6.671	1.00	41.86	AAAA
	ATOM	2232	O	LYS	A	303	4.219	8.873	-6.441	1.00	41.54	AAAA
	ATOM	2233	N	ILE	A	304	3.782	11.065	-6.702	1.00	41.98	AAAA
	ATOM	2234	CA	ILE	A	304	2.354	10.905	-6.475	1.00	42.52	AAAA
	ATOM	2235	CB	ILE	A	304	1.808	11.961	-5.492	1.00	42.27	AAAA
25	ATOM	2236	CG2	ILE	A	304	0.321	11.738	-5.278	1.00	41.77	AAAA
	ATOM	2237	CG1	ILE	A	304	2.554	11.889	-4.159	1.00	42.76	AAAA
	ATOM	2238	CD1	ILE	A	304	2.094	12.921	-3.140	1.00	41.84	AAAA
	ATOM	2239	C	ILE	A	304	1.580	11.047	-7.777	1.00	43.43	AAAA
	ATOM	2240	O	ILE	A	304	1.818	11.969	-8.555	1.00	43.89	AAAA
30	ATOM	2241	N	ILE	A	305	0.649	10.129	-8.006	1.00	44.38	AAAA
	ATOM	2242	CA	ILE	A	305	-0.177	10.164	-9.199	1.00	45.28	AAAA
	ATOM	2243	CB	ILE	A	305	0.287	9.124	-10.247	1.00	44.81	AAAA
	ATOM	2244	CG2	ILE	A	305	-0.610	9.188	-11.478	1.00	43.86	AAAA
	ATOM	2245	CG1	ILE	A	305	1.738	9.400	-10.647	1.00	44.38	AAAA
35	ATOM	2246	CD1	ILE	A	305	2.305	8.405	-11.647	1.00	45.12	AAAA
	ATOM	2247	C	ILE	A	305	-1.620	9.870	-8.807	1.00	47.13	AAAA
	ATOM	2248	O	ILE	A	305	-1.985	8.724	-8.550	1.00	46.47	AAAA
	ATOM	2249	N	GLU	A	306	-2.435	10.918	-8.745	1.00	49.50	AAAA
	ATOM	2250	CA	GLU	A	306	-3.839	10.761	-8.396	1.00	51.69	AAAA
40	ATOM	2251	CB	GLU	A	306	-4.430	12.110	-7.987	1.00	51.85	AAAA
	ATOM	2252	CG	GLU	A	306	-3.603	12.818	-6.927	1.00	51.67	AAAA
	ATOM	2253	CD	GLU	A	306	-4.324	13.990	-6.296	1.00	52.25	AAAA
	ATOM	2254	OE1	GLU	A	306	-5.351	13.763	-5.621	1.00	52.52	AAAA
	ATOM	2255	OE2	GLU	A	306	-3.861	15.135	-6.472	1.00	52.12	AAAA
45	ATOM	2256	C	GLU	A	306	-4.552	10.202	-9.619	1.00	53.21	AAAA
	ATOM	2257	O	GLU	A	306	-4.180	10.515	-10.749	1.00	53.53	AAAA
	ATOM	2258	N	GLN	A	307	-5.570	9.376	-9.393	1.00	55.39	AAAA
	ATOM	2259	CA	GLN	A	307	-6.313	8.750	-10.483	1.00	57.63	AAAA
	ATOM	2260	CB	GLN	A	307	-7.553	8.035	-9.934	1.00	58.22	AAAA

5	ATOM	2306	CB	ASP	A	313	0.877	6.203	-21.163	1.00	43.96	AAAA
	ATOM	2307	CG	ASP	A	313	0.506	5.345	-22.357	1.00	46.32	AAAA
	ATOM	2308	OD1	ASP	A	313	1.334	4.496	-22.755	1.00	47.81	AAAA
	ATOM	2309	OD2	ASP	A	313	-0.610	5.514	-22.896	1.00	48.38	AAAA
	ATOM	2310	C	ASP	A	313	1.856	6.249	-18.864	1.00	39.53	AAAA
	ATOM	2311	O	ASP	A	313	3.069	6.452	-18.832	1.00	39.95	AAAA
	ATOM	2312	N	ALA	A	314	1.015	6.768	-17.978	1.00	38.08	AAAA
10	ATOM	2313	CA	ALA	A	314	1.492	7.629	-16.905	1.00	36.44	AAAA
	ATOM	2314	CB	ALA	A	314	0.306	8.233	-16.156	1.00	36.79	AAAA
	ATOM	2315	C	ALA	A	314	2.382	6.844	-15.939	1.00	35.41	AAAA
	ATOM	2316	O	ALA	A	314	3.448	7.313	-15.535	1.00	35.44	AAAA
	ATOM	2317	N	VAL	A	315	1.940	5.648	-15.569	1.00	34.29	AAAA
	ATOM	2318	CA	VAL	A	315	2.708	4.809	-14.652	1.00	33.44	AAAA
	ATOM	2319	CB	VAL	A	315	1.886	3.592	-14.169	1.00	33.40	AAAA
15	ATOM	2320	CG1	VAL	A	315	2.707	2.775	-13.180	1.00	33.12	AAAA
	ATOM	2321	CG2	VAL	A	315	0.588	4.059	-13.521	1.00	32.76	AAAA
	ATOM	2322	C	VAL	A	315	3.970	4.295	-15.328	1.00	32.88	AAAA
	ATOM	2323	O	VAL	A	315	5.071	4.426	-14.792	1.00	32.35	AAAA
	ATOM	2324	N	ALA	A	316	3.805	3.708	-16.508	1.00	33.02	AAAA
	ATOM	2325	CA	ALA	A	316	4.940	3.172	-17.250	1.00	34.17	AAAA
	ATOM	2326	CB	ALA	A	316	4.469	2.616	-18.593	1.00	33.68	AAAA
20	ATOM	2327	C	ALA	A	316	6.002	4.252	-17.456	1.00	34.75	AAAA
	ATOM	2328	O	ALA	A	316	7.190	4.026	-17.211	1.00	34.70	AAAA
	ATOM	2329	N	ASN	A	317	5.578	5.434	-17.889	1.00	35.49	AAAA
	ATOM	2330	CA	ASN	A	317	6.524	6.518	-18.108	1.00	35.27	AAAA
	ATOM	2331	CB	ASN	A	317	5.815	7.738	-18.694	1.00	37.74	AAAA
	ATOM	2332	CG	ASN	A	317	5.395	7.518	-20.128	1.00	38.86	AAAA
	ATOM	2333	OD1	ASN	A	317	6.099	6.855	-20.889	1.00	39.80	AAAA
30	ATOM	2334	ND2	ASN	A	317	4.252	8.077	-20.511	1.00	40.96	AAAA
	ATOM	2335	C	ASN	A	317	7.272	6.916	-16.847	1.00	35.18	AAAA
	ATOM	2336	O	ASN	A	317	8.458	7.239	-16.904	1.00	34.36	AAAA
	ATOM	2337	N	THR	A	318	6.592	6.891	-15.704	1.00	34.31	AAAA
	ATOM	2338	CA	THR	A	318	7.251	7.262	-14.456	1.00	34.35	AAAA
	ATOM	2339	CB	THR	A	318	6.245	7.358	-13.282	1.00	34.55	AAAA
	ATOM	2340	OG1	THR	A	318	5.353	8.460	-13.498	1.00	34.46	AAAA
35	ATOM	2341	CG2	THR	A	318	6.984	7.568	-11.969	1.00	34.42	AAAA
	ATOM	2342	C	THR	A	318	8.335	6.252	-14.093	1.00	34.52	AAAA
	ATOM	2343	O	THR	A	318	9.464	6.624	-13.783	1.00	34.11	AAAA
	ATOM	2344	N	LEU	A	319	7.987	4.971	-14.139	1.00	35.35	AAAA
	ATOM	2345	CA	LEU	A	319	8.937	3.918	-13.801	1.00	35.23	AAAA
	ATOM	2346	CB	LEU	A	319	8.233	2.556	-13.804	1.00	34.91	AAAA
	ATOM	2347	CG	LEU	A	319	7.142	2.362	-12.743	1.00	34.50	AAAA
40	ATOM	2348	CD1	LEU	A	319	6.445	1.031	-12.956	1.00	34.48	AAAA
	ATOM	2349	CD2	LEU	A	319	7.761	2.432	-11.351	1.00	35.13	AAAA
	ATOM	2350	C	LEU	A	319	10.107	3.907	-14.777	1.00	35.72	AAAA

5	ATOM	2351	O	LEU	A	319	11.264	3.830	-14.370	1.00	34.85	AAAA
	ATOM	2352	N	ALA	A	320	9.801	3.997	-16.067	1.00	36.49	AAAA
	ATOM	2353	CA	ALA	A	320	10.832	3.989	-17.096	1.00	38.10	AAAA
	ATOM	2354	CB	ALA	A	320	10.192	4.051	-18.472	1.00	37.58	AAAA
	ATOM	2355	C	ALA	A	320	11.809	5.144	-16.924	1.00	38.94	AAAA
10	ATOM	2356	O	ALA	A	320	12.939	5.087	-17.410	1.00	39.51	AAAA
	ATOM	2357	N	GLY	A	321	11.375	6.186	-16.219	1.00	38.88	AAAA
	ATOM	2358	CA	GLY	A	321	12.224	7.347	-16.013	1.00	38.68	AAAA
	ATOM	2359	C	GLY	A	321	13.117	7.303	-14.788	1.00	38.70	AAAA
	ATOM	2360	O	GLY	A	321	13.881	8.235	-14.542	1.00	38.64	AAAA
15	ATOM	2361	N	TRP	A	322	13.028	6.230	-14.010	1.00	38.46	AAAA
	ATOM	2362	CA	TRP	A	322	13.855	6.108	-12.820	1.00	38.53	AAAA
	ATOM	2363	CB	TRP	A	322	13.008	5.688	-11.611	1.00	39.41	AAAA
	ATOM	2364	CG	TRP	A	322	12.047	6.748	-11.146	1.00	40.01	AAAA
	ATOM	2365	CD2	TRP	A	322	10.898	6.558	-10.307	1.00	40.49	AAAA
20	ATOM	2366	CE2	TRP	A	322	10.330	7.833	-10.081	1.00	41.27	AAAA
	ATOM	2367	CE3	TRP	A	322	10.295	5.436	-9.722	1.00	40.54	AAAA
	ATOM	2368	CD1	TRP	A	322	12.126	8.091	-11.389	1.00	39.97	AAAA
	ATOM	2369	NE1	TRP	A	322	11.098	8.749	-10.752	1.00	40.69	AAAA
	ATOM	2370	CZ2	TRP	A	322	9.186	8.018	-9.293	1.00	41.67	AAAA
25	ATOM	2371	CZ3	TRP	A	322	9.155	5.619	-8.938	1.00	41.40	AAAA
	ATOM	2372	CH2	TRP	A	322	8.615	6.903	-8.732	1.00	41.69	AAAA
	ATOM	2373	C	TRP	A	322	14.984	5.109	-13.027	1.00	38.48	AAAA
	ATOM	2374	O	TRP	A	322	14.743	3.929	-13.271	1.00	38.22	AAAA
	ATOM	2375	N	SER	A	323	16.217	5.596	-12.935	1.00	38.13	AAAA
30	ATOM	2376	CA	SER	A	323	17.395	4.753	-13.101	1.00	38.51	AAAA
	ATOM	2377	CB	SER	A	323	18.573	5.590	-13.591	1.00	38.51	AAAA
	ATOM	2378	OG	SER	A	323	18.994	6.489	-12.582	1.00	39.52	AAAA
	ATOM	2379	C	SER	A	323	17.739	4.150	-11.744	1.00	38.37	AAAA
	ATOM	2380	O	SER	A	323	17.188	4.566	-10.725	1.00	37.29	AAAA
35	ATOM	2381	N	ARG	A	324	18.647	3.178	-11.723	1.00	37.86	AAAA
	ATOM	2382	CA	ARG	A	324	19.030	2.563	-10.461	1.00	37.82	AAAA
	ATOM	2383	CB	ARG	A	324	19.924	1.341	-10.688	1.00	36.36	AAAA
	ATOM	2384	CG	ARG	A	324	19.130	0.077	-10.959	1.00	34.77	AAAA
	ATOM	2385	CD	ARG	A	324	19.978	-1.176	-10.849	1.00	33.04	AAAA
40	ATOM	2386	NE	ARG	A	324	19.143	-2.372	-10.888	1.00	31.23	AAAA
	ATOM	2387	CZ	ARG	A	324	18.318	-2.738	-9.908	1.00	29.95	AAAA
	ATOM	2388	NH1	ARG	A	324	18.228	-2.006	-8.808	1.00	28.46	AAAA
	ATOM	2389	NH2	ARG	A	324	17.562	-3.815	-10.041	1.00	28.17	AAAA
	ATOM	2390	C	ARG	A	324	19.731	3.571	-9.569	1.00	38.78	AAAA
45	ATOM	2391	O	ARG	A	324	19.532	3.578	-8.354	1.00	38.12	AAAA
	ATOM	2392	N	GLU	A	325	20.551	4.428	-10.169	1.00	39.55	AAAA
	ATOM	2393	CA	GLU	A	325	21.251	5.447	-9.401	1.00	40.60	AAAA
	ATOM	2394	CB	GLU	A	325	22.208	6.236	-10.304	1.00	42.74	AAAA
	ATOM	2395	CG	GLU	A	325	22.642	7.589	-9.745	1.00	46.19	AAAA

5	ATOM	2396	CD	GLU	A	325	23.197	7.517	-8.327	1.00	48.10	AAAA
	ATOM	2397	OE1	GLU	A	325	23.535	8.586	-7.770	1.00	49.61	AAAA
	ATOM	2398	OE2	GLU	A	325	23.297	6.403	-7.768	1.00	49.87	AAAA
	ATOM	2399	C	GLU	A	325	20.214	6.380	-8.784	1.00	39.88	AAAA
	ATOM	2400	O	GLU	A	325	20.324	6.771	-7.623	1.00	39.45	AAAA
10	ATOM	2401	N	THR	A	326	19.202	6.725	-9.572	1.00	39.89	AAAA
	ATOM	2402	CA	THR	A	326	18.130	7.591	-9.102	1.00	40.25	AAAA
	ATOM	2403	CB	THR	A	326	17.139	7.912	-10.240	1.00	40.72	AAAA
	ATOM	2404	OG1	THR	A	326	17.828	8.593	-11.298	1.00	42.28	AAAA
	ATOM	2405	CG2	THR	A	326	16.006	8.795	-9.730	1.00	41.64	AAAA
15	ATOM	2406	C	THR	A	326	17.371	6.897	-7.968	1.00	39.76	AAAA
	ATOM	2407	O	THR	A	326	17.108	7.497	-6.925	1.00	39.87	AAAA
	ATOM	2408	N	LEU	A	327	17.027	5.628	-8.175	1.00	38.46	AAAA
	ATOM	2409	CA	LEU	A	327	16.294	4.867	-7.169	1.00	37.41	AAAA
	ATOM	2410	CB	LEU	A	327	15.968	3.466	-7.697	1.00	36.19	AAAA
20	ATOM	2411	CG	LEU	A	327	14.952	3.426	-8.843	1.00	35.32	AAAA
	ATOM	2412	CD1	LEU	A	327	14.802	2.002	-9.370	1.00	35.07	AAAA
	ATOM	2413	CD2	LEU	A	327	13.614	3.961	-8.354	1.00	34.69	AAAA
	ATOM	2414	C	LEU	A	327	17.050	4.774	-5.845	1.00	37.39	AAAA
	ATOM	2415	O	LEU	A	327	16.437	4.807	-4.778	1.00	36.80	AAAA
25	ATOM	2416	N	LEU	A	328	18.375	4.665	-5.909	1.00	37.58	AAAA
	ATOM	2417	CA	LEU	A	328	19.184	4.593	-4.693	1.00	38.35	AAAA
	ATOM	2418	CB	LEU	A	328	20.662	4.368	-5.030	1.00	38.95	AAAA
	ATOM	2419	CG	LEU	A	328	21.636	4.544	-3.854	1.00	40.10	AAAA
	ATOM	2420	CD1	LEU	A	328	21.303	3.551	-2.752	1.00	39.51	AAAA
30	ATOM	2421	CD2	LEU	A	328	23.068	4.349	-4.330	1.00	40.30	AAAA
	ATOM	2422	C	LEU	A	328	19.039	5.899	-3.926	1.00	38.68	AAAA
	ATOM	2423	O	LEU	A	328	18.929	5.906	-2.697	1.00	38.65	AAAA
	ATOM	2424	N	THR	A	329	19.048	7.004	-4.664	1.00	39.35	AAAA
	ATOM	2425	CA	THR	A	329	18.908	8.326	-4.068	1.00	39.98	AAAA
35	ATOM	2426	CB	THR	A	329	19.002	9.433	-5.136	1.00	40.05	AAAA
	ATOM	2427	OG1	THR	A	329	20.280	9.364	-5.782	1.00	41.54	AAAA
	ATOM	2428	CG2	THR	A	329	18.841	10.808	-4.497	1.00	40.35	AAAA
	ATOM	2429	C	THR	A	329	17.557	8.425	-3.367	1.00	39.68	AAAA
	ATOM	2430	O	THR	A	329	17.485	8.743	-2.179	1.00	39.91	AAAA
40	ATOM	2431	N	MET	A	330	16.492	8.147	-4.111	1.00	39.51	AAAA
	ATOM	2432	CA	MET	A	330	15.143	8.190	-3.564	1.00	38.79	AAAA
	ATOM	2433	CB	MET	A	330	14.141	7.718	-4.617	1.00	38.09	AAAA
	ATOM	2434	CG	MET	A	330	14.011	8.657	-5.804	1.00	36.84	AAAA
	ATOM	2435	SD	MET	A	330	12.977	7.980	-7.108	1.00	37.95	AAAA
45	ATOM	2436	CE	MET	A	330	11.332	8.342	-6.478	1.00	37.58	AAAA
	ATOM	2437	C	MET	A	330	15.037	7.315	-2.319	1.00	39.71	AAAA
	ATOM	2438	O	MET	A	330	14.418	7.703	-1.326	1.00	39.60	AAAA
	ATOM	2439	N	ALA	A	331	15.646	6.135	-2.381	1.00	39.50	AAAA
	ATOM	2440	CA	ALA	A	331	15.625	5.202	-1.266	1.00	40.36	AAAA

	ATOM	2441	CB	ALA	A	331	16.378	3.928	-1.634	1.00	39.91	AAAA
	ATOM	2442	C	ALA	A	331	16.243	5.843	-0.032	1.00	40.98	AAAA
	ATOM	2443	O	ALA	A	331	15.662	5.805	1.052	1.00	40.34	AAAA
	ATOM	2444	N	GLU	A	332	17.422	6.435	-0.201	1.00	41.85	AAAA
5	ATOM	2445	CA	GLU	A	332	18.102	7.087	0.911	1.00	42.77	AAAA
	ATOM	2446	CB	GLU	A	332	19.470	7.607	0.465	1.00	44.04	AAAA
	ATOM	2447	CG	GLU	A	332	20.414	6.500	0.016	1.00	46.55	AAAA
	ATOM	2448	CD	GLU	A	332	21.822	6.994	-0.248	1.00	48.04	AAAA
	ATOM	2449	OE1	GLU	A	332	21.981	7.923	-1.065	1.00	49.87	AAAA
10	ATOM	2450	OE2	GLU	A	332	22.770	6.449	0.359	1.00	49.38	AAAA
	ATOM	2451	C	GLU	A	332	17.246	8.228	1.445	1.00	42.38	AAAA
	ATOM	2452	O	GLU	A	332	17.156	8.435	2.653	1.00	42.66	AAAA
	ATOM	2453	N	ARG	A	333	16.619	8.969	0.540	1.00	41.80	AAAA
	ATOM	2454	CA	ARG	A	333	15.752	10.067	0.937	1.00	42.25	AAAA
15	ATOM	2455	CB	ARG	A	333	15.212	10.784	-0.306	1.00	43.43	AAAA
	ATOM	2456	CG	ARG	A	333	16.184	11.793	-0.926	1.00	45.99	AAAA
	ATOM	2457	CD	ARG	A	333	15.844	12.060	-2.389	1.00	48.51	AAAA
	ATOM	2458	NE	ARG	A	333	16.415	13.301	-2.913	1.00	50.45	AAAA
	ATOM	2459	CZ	ARG	A	333	17.703	13.631	-2.859	1.00	52.07	AAAA
20	ATOM	2460	NH1	ARG	A	333	18.585	12.814	-2.297	1.00	52.45	AAAA
	ATOM	2461	NH2	ARG	A	333	18.112	14.784	-3.377	1.00	51.94	AAAA
	ATOM	2462	C	ARG	A	333	14.594	9.519	1.777	1.00	41.39	AAAA
	ATOM	2463	O	ARG	A	333	14.275	10.060	2.834	1.00	40.21	AAAA
	ATOM	2464	N	ALA	A	334	13.981	8.435	1.308	1.00	40.03	AAAA
25	ATOM	2465	CA	ALA	A	334	12.859	7.825	2.014	1.00	39.84	AAAA
	ATOM	2466	CB	ALA	A	334	12.356	6.612	1.241	1.00	38.43	AAAA
	ATOM	2467	C	ALA	A	334	13.239	7.417	3.435	1.00	40.05	AAAA
	ATOM	2468	O	ALA	A	334	12.493	7.665	4.386	1.00	40.41	AAAA
	ATOM	2469	N	ARG	A	335	14.404	6.797	3.577	1.00	39.11	AAAA
30	ATOM	2470	CA	ARG	A	335	14.874	6.351	4.881	1.00	40.00	AAAA
	ATOM	2471	CB	ARG	A	335	16.137	5.506	4.719	1.00	39.98	AAAA
	ATOM	2472	CG	ARG	A	335	16.631	4.865	6.000	1.00	40.54	AAAA
	ATOM	2473	CD	ARG	A	335	15.653	3.814	6.501	1.00	42.08	AAAA
	ATOM	2474	NE	ARG	A	335	16.263	2.949	7.507	1.00	42.95	AAAA
35	ATOM	2475	CZ	ARG	A	335	16.403	1.634	7.373	1.00	43.43	AAAA
	ATOM	2476	NH1	ARG	A	335	15.972	1.024	6.274	1.00	43.17	AAAA
	ATOM	2477	NH2	ARG	A	335	16.983	0.927	8.335	1.00	43.96	AAAA
	ATOM	2478	C	ARG	A	335	15.167	7.527	5.802	1.00	40.09	AAAA
	ATOM	2479	O	ARG	A	335	14.877	7.479	6.997	1.00	39.35	AAAA
40	ATOM	2480	N	ALA	A	336	15.745	8.581	5.237	1.00	40.52	AAAA
	ATOM	2481	CA	ALA	A	336	16.089	9.774	6.001	1.00	41.50	AAAA
	ATOM	2482	CB	ALA	A	336	16.850	10.754	5.116	1.00	41.05	AAAA
	ATOM	2483	C	ALA	A	336	14.847	10.447	6.573	1.00	42.00	AAAA
	ATOM	2484	O	ALA	A	336	14.905	11.087	7.621	1.00	42.49	AAAA
45	ATOM	2485	N	ALA	A	337	13.725	10.300	5.879	1.00	42.58	AAAA

5	ATOM	2531	N	GLU	A	344	7.383	4.027	21.007	1.00	34.87	AAAA
	ATOM	2532	CA	GLU	A	344	8.055	4.379	22.257	1.00	35.80	AAAA
	ATOM	2533	CB	GLU	A	344	9.553	4.054	22.177	1.00	37.79	AAAA
	ATOM	2534	CG	GLU	A	344	9.892	2.570	22.029	1.00	41.45	AAAA
	ATOM	2535	CD	GLU	A	344	9.963	2.101	20.581	1.00	44.16	AAAA
	ATOM	2536	OE1	GLU	A	344	10.311	0.917	20.357	1.00	45.57	AAAA
	ATOM	2537	OE2	GLU	A	344	9.676	2.910	19.668	1.00	45.28	AAAA
	ATOM	2538	C	GLU	A	344	7.886	5.856	22.590	1.00	35.95	AAAA
10	ATOM	2539	O	GLU	A	344	7.751	6.233	23.754	1.00	35.12	AAAA
	ATOM	2540	N	ARG	A	345	7.896	6.689	21.559	1.00	35.83	AAAA
	ATOM	2541	CA	ARG	A	345	7.759	8.127	21.731	1.00	36.32	AAAA
	ATOM	2542	CB	ARG	A	345	7.999	8.803	20.386	1.00	38.26	AAAA
15	ATOM	2543	CG	ARG	A	345	8.268	10.280	20.448	1.00	41.85	AAAA
	ATOM	2544	CD	ARG	A	345	9.006	10.686	19.194	1.00	44.45	AAAA
	ATOM	2545	NE	ARG	A	345	9.194	12.128	19.098	1.00	47.27	AAAA
	ATOM	2546	CZ	ARG	A	345	9.855	12.721	18.111	1.00	47.66	AAAA
	ATOM	2547	NH1	ARG	A	345	10.390	11.988	17.144	1.00	48.37	AAAA
	ATOM	2548	NH2	ARG	A	345	9.974	14.042	18.090	1.00	48.27	AAAA
20	ATOM	2549	C	ARG	A	345	6.384	8.510	22.289	1.00	35.99	AAAA
	ATOM	2550	O	ARG	A	345	6.285	9.209	23.302	1.00	35.24	AAAA
	ATOM	2551	N	VAL	A	346	5.324	8.052	21.630	1.00	34.14	AAAA
	ATOM	2552	CA	VAL	A	346	3.975	8.355	22.092	1.00	33.40	AAAA
25	ATOM	2553	CB	VAL	A	346	2.909	7.816	21.110	1.00	33.26	AAAA
	ATOM	2554	CG1	VAL	A	346	1.516	7.969	21.709	1.00	33.83	AAAA
	ATOM	2555	CG2	VAL	A	346	3.005	8.565	19.793	1.00	32.47	AAAA
	ATOM	2556	C	VAL	A	346	3.770	7.727	23.466	1.00	33.14	AAAA
	ATOM	2557	O	VAL	A	346	3.172	8.336	24.352	1.00	32.24	AAAA
	ATOM	2558	N	ALA	A	347	4.280	6.510	23.643	1.00	32.01	AAAA
30	ATOM	2559	CA	ALA	A	347	4.159	5.813	24.917	1.00	32.80	AAAA
	ATOM	2560	CB	ALA	A	347	4.831	4.447	24.839	1.00	31.97	AAAA
	ATOM	2561	C	ALA	A	347	4.788	6.639	26.031	1.00	33.01	AAAA
	ATOM	2562	O	ALA	A	347	4.214	6.769	27.114	1.00	32.22	AAAA
35	ATOM	2563	N	ASN	A	348	5.968	7.193	25.758	1.00	33.65	AAAA
	ATOM	2564	CA	ASN	A	348	6.681	8.009	26.738	1.00	35.77	AAAA
	ATOM	2565	CB	ASN	A	348	8.078	8.382	26.228	1.00	37.45	AAAA
	ATOM	2566	CG	ASN	A	348	8.996	7.183	26.119	1.00	40.90	AAAA
	ATOM	2567	OD1	ASN	A	348	8.998	6.308	26.989	1.00	43.23	AAAA
	ATOM	2568	ND2	ASN	A	348	9.795	7.140	25.057	1.00	42.50	AAAA
40	ATOM	2569	C	ASN	A	348	5.912	9.281	27.074	1.00	35.43	AAAA
	ATOM	2570	O	ASN	A	348	5.824	9.662	28.240	1.00	34.83	AAAA
	ATOM	2571	N	GLU	A	349	5.372	9.943	26.051	1.00	35.34	AAAA
	ATOM	2572	CA	GLU	A	349	4.600	11.164	26.264	1.00	34.80	AAAA
45	ATOM	2573	CB	GLU	A	349	4.203	11.802	24.932	1.00	36.04	AAAA
	ATOM	2574	CG	GLU	A	349	5.277	12.681	24.323	1.00	38.86	AAAA
	ATOM	2575	CD	GLU	A	349	5.713	13.801	25.257	1.00	40.72	AAAA

	ATOM	2621	NE	ARG	A	355	5.482	7.790	35.042	1.00	48.82	AAAA
	ATOM	2622	CZ	ARG	A	355	5.248	6.754	35.842	1.00	50.06	AAAA
	ATOM	2623	NH1	ARG	A	355	4.939	6.947	37.117	1.00	50.68	AAAA
	ATOM	2624	NH2	ARG	A	355	5.302	5.519	35.360	1.00	50.06	AAAA
5	ATOM	2625	C	ARG	A	355	2.333	13.125	36.103	1.00	42.42	AAAA
	ATOM	2626	O	ARG	A	355	2.883	13.621	37.086	1.00	42.30	AAAA
	ATOM	2627	N	ALA	A	356	1.660	13.840	35.203	1.00	43.60	AAAA
	ATOM	2628	CA	ALA	A	356	1.504	15.289	35.294	1.00	44.67	AAAA
	ATOM	2629	CB	ALA	A	356	0.702	15.651	36.547	1.00	45.12	AAAA
10	ATOM	2630	C	ALA	A	356	2.830	16.042	35.288	1.00	45.36	AAAA
	ATOM	2631	O	ALA	A	356	2.980	17.042	35.989	1.00	45.40	AAAA
	ATOM	2632	N	LEU	A	357	3.779	15.569	34.487	1.00	46.31	AAAA
	ATOM	2633	CA	LEU	A	357	5.093	16.201	34.392	1.00	47.87	AAAA
	ATOM	2634	CB	LEU	A	357	6.122	15.212	33.843	1.00	47.62	AAAA
15	ATOM	2635	CG	LEU	A	357	6.465	14.017	34.734	1.00	47.58	AAAA
	ATOM	2636	CD1	LEU	A	357	7.330	13.041	33.958	1.00	47.32	AAAA
	ATOM	2637	CD2	LEU	A	357	7.187	14.497	35.985	1.00	47.50	AAAA
	ATOM	2638	C	LEU	A	357	5.064	17.438	33.505	1.00	48.87	AAAA
	ATOM	2639	OT1	LEU	A	357	5.458	18.518	33.993	1.00	50.17	AAAA
20	ATOM	2640	OT2	LEU	A	357	4.659	17.313	32.330	1.00	50.17	AAAA
	ATOM	2641	CB	LYS	B	7	-5.082	-44.913	-47.742	1.00	46.68	BBBB
	ATOM	2642	CG	LYS	B	7	-4.666	-44.949	-49.196	1.00	49.02	BBBB
	ATOM	2643	CD	LYS	B	7	-3.162	-44.896	-49.340	1.00	49.96	BBBB
	ATOM	2644	CE	LYS	B	7	-2.769	-45.054	-50.794	1.00	50.91	BBBB
25	ATOM	2645	NZ	LYS	B	7	-1.300	-45.222	-50.954	1.00	52.39	BBBB
	ATOM	2646	C	LYS	B	7	-6.742	-45.658	-46.035	1.00	43.87	BBBB
	ATOM	2647	O	LYS	B	7	-7.135	-44.760	-45.287	1.00	43.90	BBBB
	ATOM	2648	N	LYS	B	7	-7.490	-44.434	-48.090	1.00	46.26	BBBB
	ATOM	2649	CA	LYS	B	7	-6.512	-45.403	-47.519	1.00	45.28	BBBB
30	ATOM	2650	N	ARG	B	8	-6.486	-46.895	-45.620	1.00	41.24	BBBB
	ATOM	2651	CA	ARG	B	8	-6.682	-47.303	-44.240	1.00	38.63	BBBB
	ATOM	2652	CB	ARG	B	8	-7.493	-48.600	-44.201	1.00	40.59	BBBB
	ATOM	2653	CG	ARG	B	8	-8.927	-48.466	-44.677	1.00	43.69	BBBB
	ATOM	2654	CD	ARG	B	8	-9.417	-49.774	-45.269	1.00	46.42	BBBB
35	ATOM	2655	NE	ARG	B	8	-10.866	-49.789	-45.425	1.00	50.16	BBBB
	ATOM	2656	CZ	ARG	B	8	-11.722	-49.833	-44.408	1.00	51.89	BBBB
	ATOM	2657	NH1	ARG	B	8	-11.268	-49.869	-43.165	1.00	52.20	BBBB
	ATOM	2658	NH2	ARG	B	8	-13.031	-49.841	-44.631	1.00	53.20	BBBB
	ATOM	2659	C	ARG	B	8	-5.371	-47.512	-43.495	1.00	35.87	BBBB
40	ATOM	2660	O	ARG	B	8	-4.474	-48.206	-43.973	1.00	34.76	BBBB
	ATOM	2661	N	LEU	B	9	-5.272	-46.899	-42.321	1.00	32.91	BBBB
	ATOM	2662	CA	LEU	B	9	-4.094	-47.039	-41.477	1.00	30.88	BBBB
	ATOM	2663	CB	LEU	B	9	-3.390	-45.694	-41.278	1.00	30.40	BBBB
	ATOM	2664	CG	LEU	B	9	-2.381	-45.626	-40.119	1.00	29.02	BBBB
45	ATOM	2665	CD1	LEU	B	9	-1.157	-46.466	-40.442	1.00	29.47	BBBB

5	ATOM	2666	CD2	LEU	B	9	-1.975	-44.178	-39.873	1.00	29.56	BBBB
	ATOM	2667	C	LEU	B	9	-4.513	-47.562	-40.115	1.00	29.67	BBBB
	ATOM	2668	O	LEU	B	9	-5.505	-47.101	-39.543	1.00	28.43	BBBB
	ATOM	2669	N	MET	B	10	-3.772	-48.541	-39.604	1.00	27.75	BBBB
	ATOM	2670	CA	MET	B	10	-4.048	-49.055	-38.275	1.00	26.66	BBBB
10	ATOM	2671	CB	MET	B	10	-4.268	-50.571	-38.274	1.00	27.09	BBBB
	ATOM	2672	CG	MET	B	10	-4.496	-51.113	-36.869	1.00	28.55	BBBB
	ATOM	2673	SD	MET	B	10	-5.474	-52.612	-36.799	1.00	29.60	BBBB
	ATOM	2674	CE	MET	B	10	-7.126	-51.913	-36.618	1.00	29.41	BBBB
	ATOM	2675	C	MET	B	10	-2.826	-48.691	-37.448	1.00	25.08	BBBB
15	ATOM	2676	O	MET	B	10	-1.690	-48.971	-37.839	1.00	24.38	BBBB
	ATOM	2677	N	VAL	B	11	-3.062	-48.037	-36.317	1.00	23.45	BBBB
	ATOM	2678	CA	VAL	B	11	-1.982	-47.605	-35.449	1.00	23.16	BBBB
	ATOM	2679	CB	VAL	B	11	-2.159	-46.116	-35.029	1.00	23.01	BBBB
	ATOM	2680	CG1	VAL	B	11	-0.971	-45.666	-34.184	1.00	20.91	BBBB
20	ATOM	2681	CG2	VAL	B	11	-2.305	-45.225	-36.276	1.00	23.82	BBBB
	ATOM	2682	C	VAL	B	11	-1.935	-48.461	-34.184	1.00	23.59	BBBB
	ATOM	2683	O	VAL	B	11	-2.962	-48.712	-33.567	1.00	23.24	BBBB
	ATOM	2684	N	MET	B	12	-0.734	-48.902	-33.817	1.00	23.68	BBBB
	ATOM	2685	CA	MET	B	12	-0.523	-49.707	-32.613	1.00	24.54	BBBB
25	ATOM	2686	CB	MET	B	12	0.192	-51.019	-32.971	1.00	24.28	BBBB
	ATOM	2687	CG	MET	B	12	-0.402	-51.726	-34.188	1.00	25.19	BBBB
	ATOM	2688	SD	MET	B	12	0.399	-53.284	-34.669	1.00	26.54	BBBB
	ATOM	2689	CE	MET	B	12	1.990	-52.691	-35.289	1.00	22.99	BBBB
	ATOM	2690	C	MET	B	12	0.361	-48.840	-31.720	1.00	25.31	BBBB
30	ATOM	2691	O	MET	B	12	1.546	-48.645	-32.006	1.00	23.88	BBBB
	ATOM	2692	N	ALA	B	13	-0.224	-48.292	-30.657	1.00	27.08	BBBB
	ATOM	2693	CA	ALA	B	13	0.508	-47.410	-29.752	1.00	29.43	BBBB
	ATOM	2694	CB	ALA	B	13	0.747	-46.074	-30.429	1.00	28.82	BBBB
	ATOM	2695	C	ALA	B	13	-0.239	-47.192	-28.436	1.00	31.80	BBBB
35	ATOM	2696	O	ALA	B	13	-1.143	-46.350	-28.352	1.00	32.16	BBBB
	ATOM	2697	N	GLY	B	14	0.150	-47.934	-27.405	1.00	32.46	BBBB
	ATOM	2698	CA	GLY	B	14	-0.513	-47.804	-26.120	1.00	33.82	BBBB
	ATOM	2699	C	GLY	B	14	-0.107	-46.595	-25.299	1.00	34.82	BBBB
	ATOM	2700	O	GLY	B	14	0.975	-46.040	-25.479	1.00	35.47	BBBB
40	ATOM	2701	N	GLY	B	15	-0.986	-46.188	-24.385	1.00	35.56	BBBB
	ATOM	2702	CA	GLY	B	15	-0.700	-45.047	-23.536	1.00	36.08	BBBB
	ATOM	2703	C	GLY	B	15	0.539	-45.254	-22.683	1.00	36.84	BBBB
	ATOM	2704	O	GLY	B	15	1.293	-44.311	-22.426	1.00	36.03	BBBB
	ATOM	2705	N	THR	B	16	0.755	-46.488	-22.240	1.00	36.65	BBBB
45	ATOM	2706	CA	THR	B	16	1.920	-46.787	-21.421	1.00	38.51	BBBB
	ATOM	2707	CB	THR	B	16	1.926	-48.258	-20.974	1.00	38.51	BBBB
	ATOM	2708	OG1	THR	B	16	0.686	-48.558	-20.321	1.00	38.39	BBBB
	ATOM	2709	CG2	THR	B	16	3.075	-48.518	-20.005	1.00	39.11	BBBB
	ATOM	2710	C	THR	B	16	3.158	-46.497	-22.264	1.00	38.35	BBBB

	ATOM	2711	O	THR	B	16	3.191	-46.798	-23.460	1.00	39.90	BBBB
	ATOM	2712	N	GLY	B	17	4.168	-45.897	-21.649	1.00	37.68	BBBB
	ATOM	2713	CA	GLY	B	17	5.367	-45.567	-22.392	1.00	36.57	BBBB
	ATOM	2714	C	GLY	B	17	5.161	-44.303	-23.211	1.00	35.56	BBBB
5	ATOM	2715	O	GLY	B	17	6.079	-43.843	-23.890	1.00	35.03	BBBB
	ATOM	2716	N	GLY	B	18	3.949	-43.752	-23.150	1.00	33.83	BBBB
	ATOM	2717	CA	GLY	B	18	3.631	-42.529	-23.872	1.00	33.48	BBBB
	ATOM	2718	C	GLY	B	18	3.825	-42.593	-25.378	1.00	33.12	BBBB
	ATOM	2719	O	GLY	B	18	4.345	-41.650	-25.984	1.00	35.38	BBBB
10	ATOM	2720	N	HIS	B	19	3.416	-43.699	-25.988	1.00	30.26	BBBB
	ATOM	2721	CA	HIS	B	19	3.548	-43.865	-27.435	1.00	28.22	BBBB
	ATOM	2722	CB	HIS	B	19	3.772	-45.349	-27.779	1.00	25.81	BBBB
	ATOM	2723	CG	HIS	B	19	4.957	-45.966	-27.094	1.00	25.35	BBBB
	ATOM	2724	CD2	HIS	B	19	6.281	-45.694	-27.184	1.00	24.18	BBBB
15	ATOM	2725	ND1	HIS	B	19	4.845	-47.025	-26.217	1.00	24.57	BBBB
	ATOM	2726	CE1	HIS	B	19	6.046	-47.380	-25.798	1.00	23.08	BBBB
	ATOM	2727	NE2	HIS	B	19	6.936	-46.589	-26.369	1.00	25.51	BBBB
	ATOM	2728	C	HIS	B	19	2.280	-43.370	-28.144	1.00	27.91	BBBB
	ATOM	2729	O	HIS	B	19	2.300	-43.049	-29.337	1.00	26.91	BBBB
20	ATOM	2730	N	VAL	B	20	1.180	-43.310	-27.402	1.00	27.65	BBBB
	ATOM	2731	CA	VAL	B	20	-0.098	-42.894	-27.965	1.00	27.77	BBBB
	ATOM	2732	CB	VAL	B	20	-1.248	-43.080	-26.942	1.00	28.57	BBBB
	ATOM	2733	CG1	VAL	B	20	-1.082	-42.114	-25.787	1.00	30.03	BBBB
	ATOM	2734	CG2	VAL	B	20	-2.602	-42.873	-27.631	1.00	26.82	BBBB
25	ATOM	2735	C	VAL	B	20	-0.140	-41.452	-28.470	1.00	27.57	BBBB
	ATOM	2736	O	VAL	B	20	-0.771	-41.172	-29.486	1.00	27.12	BBBB
	ATOM	2737	N	PHE	B	21	0.528	-40.543	-27.770	1.00	28.03	BBBB
	ATOM	2738	CA	PHE	B	21	0.517	-39.136	-28.160	1.00	29.00	BBBB
	ATOM	2739	CB	PHE	B	21	1.215	-38.289	-27.094	1.00	30.27	BBBB
30	ATOM	2740	CG	PHE	B	21	0.565	-38.383	-25.746	1.00	33.59	BBBB
	ATOM	2741	CD1	PHE	B	21	-0.764	-37.999	-25.578	1.00	33.84	BBBB
	ATOM	2742	CD2	PHE	B	21	1.256	-38.909	-24.659	1.00	35.22	BBBB
	ATOM	2743	CE1	PHE	B	21	-1.397	-38.142	-24.350	1.00	35.17	BBBB
	ATOM	2744	CE2	PHE	B	21	0.630	-39.057	-23.422	1.00	36.08	BBBB
35	ATOM	2745	CZ	PHE	B	21	-0.700	-38.673	-23.269	1.00	35.65	BBBB
	ATOM	2746	C	PHE	B	21	1.129	-38.898	-29.535	1.00	28.53	BBBB
	ATOM	2747	O	PHE	B	21	0.521	-38.236	-30.378	1.00	28.69	BBBB
	ATOM	2748	N	PRO	B	22	2.336	-39.430	-29.781	1.00	27.41	BBBB
	ATOM	2749	CD	PRO	B	22	3.251	-40.074	-28.819	1.00	27.82	BBBB
40	ATOM	2750	CA	PRO	B	22	2.986	-39.252	-31.086	1.00	26.12	BBBB
	ATOM	2751	CB	PRO	B	22	4.362	-39.884	-30.883	1.00	27.48	BBBB
	ATOM	2752	CG	PRO	B	22	4.594	-39.757	-29.403	1.00	28.99	BBBB
	ATOM	2753	C	PRO	B	22	2.188	-39.972	-32.176	1.00	26.37	BBBB
	ATOM	2754	O	PRO	B	22	2.129	-39.522	-33.321	1.00	24.40	BBBB
45	ATOM	2755	N	GLY	B	23	1.585	-41.102	-31.807	1.00	24.71	BBBB

5	ATOM	2756	CA	GLY	B	23	0.787	-41.864	-32.752	1.00	25.07	BBBB
	ATOM	2757	C	GLY	B	23	-0.459	-41.088	-33.144	1.00	25.00	BBBB
	ATOM	2758	O	GLY	B	23	-0.913	-41.144	-34.295	1.00	23.40	BBBB
	ATOM	2759	N	LEU	B	24	-1.014	-40.366	-32.176	1.00	24.65	BBBB
	ATOM	2760	CA	LEU	B	24	-2.201	-39.551	-32.401	1.00	25.32	BBBB
10	ATOM	2761	CB	LEU	B	24	-2.732	-39.017	-31.064	1.00	25.08	BBBB
	ATOM	2762	CG	LEU	B	24	-3.594	-39.997	-30.264	1.00	23.58	BBBB
	ATOM	2763	CD1	LEU	B	24	-3.823	-39.482	-28.828	1.00	25.41	BBBB
	ATOM	2764	CD2	LEU	B	24	-4.919	-40.192	-30.998	1.00	24.78	BBBB
	ATOM	2765	C	LEU	B	24	-1.843	-38.397	-33.336	1.00	25.69	BBBB
15	ATOM	2766	O	LEU	B	24	-2.634	-38.017	-34.204	1.00	25.99	BBBB
	ATOM	2767	N	ALA	B	25	-0.644	-37.850	-33.164	1.00	24.89	BBBB
	ATOM	2768	CA	ALA	B	25	-0.197	-36.754	-34.013	1.00	25.94	BBBB
	ATOM	2769	CB	ALA	B	25	1.195	-36.278	-33.590	1.00	25.12	BBBB
	ATOM	2770	C	ALA	B	25	-0.171	-37.207	-35.469	1.00	27.14	BBBB
20	ATOM	2771	O	ALA	B	25	-0.626	-36.483	-36.354	1.00	27.46	BBBB
	ATOM	2772	N	VAL	B	26	0.368	-38.403	-35.709	1.00	26.50	BBBB
	ATOM	2773	CA	VAL	B	26	0.466	-38.955	-37.056	1.00	25.70	BBBB
	ATOM	2774	CB	VAL	B	26	1.373	-40.226	-37.081	1.00	26.22	BBBB
	ATOM	2775	CG1	VAL	B	26	1.410	-40.833	-38.479	1.00	26.25	BBBB
25	ATOM	2776	CG2	VAL	B	26	2.778	-39.861	-36.631	1.00	24.56	BBBB
	ATOM	2777	C	VAL	B	26	-0.908	-39.310	-37.612	1.00	26.20	BBBB
	ATOM	2778	O	VAL	B	26	-1.178	-39.091	-38.796	1.00	25.87	BBBB
	ATOM	2779	N	ALA	B	27	-1.777	-39.851	-36.764	1.00	24.68	BBBB
	ATOM	2780	CA	ALA	B	27	-3.116	-40.222	-37.199	1.00	26.15	BBBB
30	ATOM	2781	CB	ALA	B	27	-3.868	-40.909	-36.066	1.00	26.23	BBBB
	ATOM	2782	C	ALA	B	27	-3.888	-38.984	-37.661	1.00	27.60	BBBB
	ATOM	2783	O	ALA	B	27	-4.492	-38.985	-38.736	1.00	27.05	BBBB
	ATOM	2784	N	HIS	B	28	-3.864	-37.933	-36.847	1.00	27.68	BBBB
	ATOM	2785	CA	HIS	B	28	-4.574	-36.702	-37.190	1.00	29.32	BBBB
35	ATOM	2786	CB	HIS	B	28	-4.498	-35.693	-36.039	1.00	27.05	BBBB
	ATOM	2787	CG	HIS	B	28	-5.491	-35.957	-34.952	1.00	27.65	BBBB
	ATOM	2788	CD2	HIS	B	28	-5.327	-36.213	-33.632	1.00	26.92	BBBB
	ATOM	2789	ND1	HIS	B	28	-6.850	-36.010	-35.188	1.00	27.29	BBBB
	ATOM	2790	CE1	HIS	B	28	-7.479	-36.290	-34.060	1.00	26.85	BBBB
40	ATOM	2791	NE2	HIS	B	28	-6.578	-36.417	-33.101	1.00	27.78	BBBB
	ATOM	2792	C	HIS	B	28	-4.018	-36.095	-38.462	1.00	30.24	BBBB
	ATOM	2793	O	HIS	B	28	-4.766	-35.589	-39.297	1.00	31.14	BBBB
	ATOM	2794	N	HIS	B	29	-2.702	-36.164	-38.618	1.00	31.42	BBBB
	ATOM	2795	CA	HIS	B	29	-2.070	-35.623	-39.806	1.00	32.38	BBBB
45	ATOM	2796	CB	HIS	B	29	-0.554	-35.764	-39.720	1.00	33.49	BBBB
	ATOM	2797	CG	HIS	B	29	0.177	-34.957	-40.743	1.00	35.61	BBBB
	ATOM	2798	CD2	HIS	B	29	0.667	-35.292	-41.960	1.00	36.38	BBBB
	ATOM	2799	ND1	HIS	B	29	0.436	-33.612	-40.583	1.00	37.53	BBBB
	ATOM	2800	CE1	HIS	B	29	1.055	-33.155	-41.657	1.00	37.93	BBBB

5	ATOM	2801	NE2	HIS	B	29	1.207	-34.154	-42.508	1.00	37.24	BBBB
	ATOM	2802	C	HIS	B	29	-2.567	-36.324	-41.068	1.00	33.00	BBBB
	ATOM	2803	O	HIS	B	29	-2.845	-35.674	-42.078	1.00	33.02	BBBB
	ATOM	2804	N	LEU	B	30	-2.676	-37.650	-41.012	1.00	31.69	BBBB
	ATOM	2805	CA	LEU	B	30	-3.136	-38.417	-42.162	1.00	32.00	BBBB
10	ATOM	2806	CB	LEU	B	30	-2.701	-39.883	-42.033	1.00	30.44	BBBB
	ATOM	2807	CG	LEU	B	30	-1.191	-40.099	-42.203	1.00	29.95	BBBB
	ATOM	2808	CD1	LEU	B	30	-0.823	-41.550	-41.898	1.00	28.64	BBBB
	ATOM	2809	CD2	LEU	B	30	-0.785	-39.736	-43.621	1.00	28.97	BBBB
	ATOM	2810	C	LEU	B	30	-4.641	-38.332	-42.375	1.00	32.37	BBBB
15	ATOM	2811	O	LEU	B	30	-5.109	-38.414	-43.507	1.00	33.16	BBBB
	ATOM	2812	N	MET	B	31	-5.401	-38.168	-41.297	1.00	33.50	BBBB
	ATOM	2813	CA	MET	B	31	-6.849	-38.064	-41.424	1.00	34.91	BBBB
	ATOM	2814	CB	MET	B	31	-7.514	-38.061	-40.048	1.00	35.67	BBBB
	ATOM	2815	CG	MET	B	31	-7.536	-39.424	-39.391	1.00	36.44	BBBB
20	ATOM	2816	SD	MET	B	31	-8.407	-39.436	-37.827	1.00	37.84	BBBB
	ATOM	2817	CE	MET	B	31	-7.095	-39.039	-36.719	1.00	37.80	BBBB
	ATOM	2818	C	MET	B	31	-7.197	-36.786	-42.173	1.00	35.99	BBBB
	ATOM	2819	O	MET	B	31	-8.224	-36.710	-42.847	1.00	37.36	BBBB
	ATOM	2820	N	ALA	B	32	-6.326	-35.791	-42.052	1.00	36.39	BBBB
25	ATOM	2821	CA	ALA	B	32	-6.510	-34.511	-42.722	1.00	37.55	BBBB
	ATOM	2822	CB	ALA	B	32	-5.622	-33.458	-42.073	1.00	36.85	BBBB
	ATOM	2823	C	ALA	B	32	-6.151	-34.663	-44.205	1.00	38.60	BBBB
	ATOM	2824	O	ALA	B	32	-6.392	-33.760	-45.013	1.00	38.04	BBBB
	ATOM	2825	N	GLN	B	33	-5.569	-35.809	-44.555	1.00	38.35	BBBB
30	ATOM	2826	CA	GLN	B	33	-5.182	-36.070	-45.938	1.00	38.24	BBBB
	ATOM	2827	CB	GLN	B	33	-3.792	-36.706	-46.011	1.00	39.81	BBBB
	ATOM	2828	CG	GLN	B	33	-2.771	-36.162	-45.028	1.00	41.67	BBBB
	ATOM	2829	CD	GLN	B	33	-2.269	-34.781	-45.384	1.00	41.96	BBBB
	ATOM	2830	OE1	GLN	B	33	-1.735	-34.559	-46.471	1.00	41.35	BBBB
35	ATOM	2831	NE2	GLN	B	33	-2.423	-33.843	-44.456	1.00	42.42	BBBB
	ATOM	2832	C	GLN	B	33	-6.187	-37.027	-46.556	1.00	36.70	BBBB
	ATOM	2833	O	GLN	B	33	-5.970	-37.541	-47.647	1.00	36.47	BBBB
	ATOM	2834	N	GLY	B	34	-7.281	-37.274	-45.845	1.00	36.09	BBBB
	ATOM	2835	CA	GLY	B	34	-8.305	-38.169	-46.353	1.00	35.75	BBBB
40	ATOM	2836	C	GLY	B	34	-8.219	-39.600	-45.837	1.00	35.33	BBBB
	ATOM	2837	O	GLY	B	34	-9.075	-40.426	-46.146	1.00	34.43	BBBB
	ATOM	2838	N	TRP	B	35	-7.196	-39.896	-45.042	1.00	35.23	BBBB
	ATOM	2839	CA	TRP	B	35	-7.016	-41.246	-44.508	1.00	34.58	BBBB
	ATOM	2840	CB	TRP	B	35	-5.618	-41.400	-43.908	1.00	35.03	BBBB
45	ATOM	2841	CG	TRP	B	35	-4.511	-41.558	-44.901	1.00	34.87	BBBB
	ATOM	2842	CD2	TRP	B	35	-3.666	-42.704	-45.060	1.00	35.81	BBBB
	ATOM	2843	CE2	TRP	B	35	-2.733	-42.399	-46.076	1.00	35.60	BBBB
	ATOM	2844	CE3	TRP	B	35	-3.605	-43.961	-44.441	1.00	36.59	BBBB
	ATOM	2845	CD1	TRP	B	35	-4.075	-40.633	-45.803	1.00	35.62	BBBB

5	ATOM	2846	NE1	TRP	B	35	-3.004	-41.129	-46.513	1.00	34.95	BBBB
	ATOM	2847	CZ2	TRP	B	35	-1.746	-43.305	-46.488	1.00	37.19	BBBB
	ATOM	2848	CZ3	TRP	B	35	-2.620	-44.865	-44.852	1.00	36.85	BBBB
	ATOM	2849	CH2	TRP	B	35	-1.705	-44.528	-45.867	1.00	36.87	BBBB
	ATOM	2850	C	TRP	B	35	-8.022	-41.670	-43.449	1.00	34.58	BBBB
10	ATOM	2851	O	TRP	B	35	-8.546	-40.850	-42.699	1.00	33.58	BBBB
	ATOM	2852	N	GLN	B	36	-8.295	-42.969	-43.410	1.00	34.54	BBBB
	ATOM	2853	CA	GLN	B	36	-9.175	-43.535	-42.402	1.00	35.40	BBBB
	ATOM	2854	CB	GLN	B	36	-10.095	-44.596	-43.003	1.00	37.42	BBBB
	ATOM	2855	CG	GLN	B	36	-11.219	-44.027	-43.862	1.00	41.66	BBBB
15	ATOM	2856	CD	GLN	B	36	-11.996	-45.103	-44.601	1.00	44.12	BBBB
	ATOM	2857	OE1	GLN	B	36	-12.988	-44.816	-45.277	1.00	45.76	BBBB
	ATOM	2858	NE2	GLN	B	36	-11.546	-46.350	-44.480	1.00	44.99	BBBB
	ATOM	2859	C	GLN	B	36	-8.183	-44.186	-41.451	1.00	34.89	BBBB
	ATOM	2860	O	GLN	B	36	-7.272	-44.885	-41.889	1.00	34.58	BBBB
20	ATOM	2861	N	VAL	B	37	-8.336	-43.941	-40.158	1.00	35.26	BBBB
	ATOM	2862	CA	VAL	B	37	-7.417	-44.516	-39.184	1.00	34.16	BBBB
	ATOM	2863	CB	VAL	B	37	-6.561	-43.417	-38.509	1.00	34.99	BBBB
	ATOM	2864	CG1	VAL	B	37	-5.630	-44.032	-37.479	1.00	34.72	BBBB
	ATOM	2865	CG2	VAL	B	37	-5.755	-42.668	-39.552	1.00	34.06	BBBB
25	ATOM	2866	C	VAL	B	37	-8.166	-45.288	-38.109	1.00	34.02	BBBB
	ATOM	2867	O	VAL	B	37	-9.207	-44.849	-37.618	1.00	33.01	BBBB
	ATOM	2868	N	ARG	B	38	-7.629	-46.451	-37.758	1.00	32.20	BBBB
	ATOM	2869	CA	ARG	B	38	-8.219	-47.286	-36.730	1.00	31.56	BBBB
	ATOM	2870	CB	ARG	B	38	-8.811	-48.554	-37.344	1.00	33.53	BBBB
30	ATOM	2871	CG	ARG	B	38	-9.706	-49.324	-36.397	1.00	36.77	BBBB
	ATOM	2872	CD	ARG	B	38	-11.107	-49.511	-36.975	1.00	38.80	BBBB
	ATOM	2873	NE	ARG	B	38	-12.000	-50.108	-35.989	1.00	41.24	BBBB
	ATOM	2874	CZ	ARG	B	38	-13.304	-50.293	-36.161	1.00	43.18	BBBB
	ATOM	2875	NH1	ARG	B	38	-13.892	-49.927	-37.294	1.00	43.21	BBBB
35	ATOM	2876	NH2	ARG	B	38	-14.026	-50.839	-35.189	1.00	44.37	BBBB
	ATOM	2877	C	ARG	B	38	-7.097	-47.628	-35.751	1.00	30.48	BBBB
	ATOM	2878	O	ARG	B	38	-5.936	-47.742	-36.134	1.00	29.62	BBBB
	ATOM	2879	N	TRP	B	39	-7.447	-47.782	-34.484	1.00	28.40	BBBB
	ATOM	2880	CA	TRP	B	39	-6.456	-48.070	-33.471	1.00	27.41	BBBB
40	ATOM	2881	CB	TRP	B	39	-6.696	-47.145	-32.291	1.00	27.98	BBBB
	ATOM	2882	CG	TRP	B	39	-5.480	-46.788	-31.568	1.00	28.00	BBBB
	ATOM	2883	CD2	TRP	B	39	-4.677	-45.627	-31.784	1.00	28.42	BBBB
	ATOM	2884	CE2	TRP	B	39	-3.625	-45.673	-30.851	1.00	28.85	BBBB
	ATOM	2885	CE3	TRP	B	39	-4.749	-44.549	-32.680	1.00	29.78	BBBB
45	ATOM	2886	CD1	TRP	B	39	-4.898	-47.476	-30.549	1.00	28.26	BBBB
	ATOM	2887	NE1	TRP	B	39	-3.783	-46.812	-30.111	1.00	28.48	BBBB
	ATOM	2888	CZ2	TRP	B	39	-2.648	-44.684	-30.778	1.00	30.55	BBBB
	ATOM	2889	CZ3	TRP	B	39	-3.770	-43.561	-32.610	1.00	29.22	BBBB
	ATOM	2890	CH2	TRP	B	39	-2.734	-43.639	-31.662	1.00	30.90	BBBB

5	ATOM	2891	C	TRP	B	39	-6.478	-49.517	-32.999	1.00	25.82	BBBB
	ATOM	2892	O	TRP	B	39	-7.509	-50.176	-33.055	1.00	24.87	BBBB
	ATOM	2893	N	LEU	B	40	-5.323	-50.004	-32.549	1.00	25.21	BBBB
	ATOM	2894	CA	LEU	B	40	-5.200	-51.364	-32.026	1.00	24.71	BBBB
	ATOM	2895	CB	LEU	B	40	-4.326	-52.221	-32.952	1.00	25.21	BBBB
10	ATOM	2896	CG	LEU	B	40	-4.416	-53.754	-32.868	1.00	26.95	BBBB
	ATOM	2897	CD1	LEU	B	40	-3.037	-54.334	-32.571	1.00	27.63	BBBB
	ATOM	2898	CD2	LEU	B	40	-5.421	-54.179	-31.817	1.00	26.69	BBBB
	ATOM	2899	C	LEU	B	40	-4.535	-51.235	-30.655	1.00	23.33	BBBB
	ATOM	2900	O	LEU	B	40	-3.387	-50.824	-30.563	1.00	23.43	BBBB
15	ATOM	2901	N	GLY	B	41	-5.260	-51.567	-29.591	1.00	24.01	BBBB
	ATOM	2902	CA	GLY	B	41	-4.691	-51.450	-28.257	1.00	23.47	BBBB
	ATOM	2903	C	GLY	B	41	-5.292	-52.479	-27.322	1.00	23.99	BBBB
	ATOM	2904	O	GLY	B	41	-5.797	-53.498	-27.785	1.00	22.90	BBBB
	ATOM	2905	N	THR	B	42	-5.225	-52.225	-26.017	1.00	26.62	BBBB
20	ATOM	2906	CA	THR	B	42	-5.787	-53.141	-25.027	1.00	29.84	BBBB
	ATOM	2907	CB	THR	B	42	-4.693	-53.715	-24.092	1.00	30.17	BBBB
	ATOM	2908	OG1	THR	B	42	-4.019	-52.647	-23.418	1.00	30.77	BBBB
	ATOM	2909	CG2	THR	B	42	-3.683	-54.514	-24.900	1.00	31.30	BBBB
	ATOM	2910	C	THR	B	42	-6.852	-52.420	-24.200	1.00	32.04	BBBB
25	ATOM	2911	O	THR	B	42	-6.737	-51.226	-23.924	1.00	31.27	BBBB
	ATOM	2912	N	ALA	B	43	-7.881	-53.160	-23.801	1.00	35.37	BBBB
	ATOM	2913	CA	ALA	B	43	-9.000	-52.595	-23.047	1.00	38.81	BBBB
	ATOM	2914	CB	ALA	B	43	-10.063	-53.669	-22.835	1.00	38.49	BBBB
	ATOM	2915	C	ALA	B	43	-8.671	-51.928	-21.713	1.00	41.06	BBBB
30	ATOM	2916	O	ALA	B	43	-9.224	-50.875	-21.391	1.00	42.22	BBBB
	ATOM	2917	N	ASP	B	44	-7.777	-52.521	-20.931	1.00	43.18	BBBB
	ATOM	2918	CA	ASP	B	44	-7.455	-51.942	-19.632	1.00	44.47	BBBB
	ATOM	2919	CB	ASP	B	44	-7.311	-53.057	-18.586	1.00	46.93	BBBB
	ATOM	2920	CG	ASP	B	44	-8.646	-53.724	-18.255	1.00	48.65	BBBB
35	ATOM	2921	OD1	ASP	B	44	-9.553	-53.026	-17.753	1.00	50.52	BBBB
	ATOM	2922	OD2	ASP	B	44	-8.791	-54.943	-18.498	1.00	49.40	BBBB
	ATOM	2923	C	ASP	B	44	-6.236	-51.025	-19.598	1.00	44.13	BBBB
	ATOM	2924	O	ASP	B	44	-5.520	-50.968	-18.595	1.00	45.05	BBBB
	ATOM	2925	N	ARG	B	45	-6.001	-50.307	-20.692	1.00	42.34	BBBB
40	ATOM	2926	CA	ARG	B	45	-4.887	-49.367	-20.763	1.00	40.44	BBBB
	ATOM	2927	CB	ARG	B	45	-3.802	-49.869	-21.725	1.00	41.87	BBBB
	ATOM	2928	CG	ARG	B	45	-2.935	-50.994	-21.149	1.00	43.86	BBBB
	ATOM	2929	CD	ARG	B	45	-2.218	-50.541	-19.881	1.00	45.24	BBBB
	ATOM	2930	NE	ARG	B	45	-1.385	-51.582	-19.277	1.00	46.96	BBBB
45	ATOM	2931	CZ	ARG	B	45	-1.840	-52.753	-18.839	1.00	47.69	BBBB
	ATOM	2932	NH1	ARG	B	45	-3.130	-53.051	-18.937	1.00	48.59	BBBB
	ATOM	2933	NH2	ARG	B	45	-1.005	-53.626	-18.289	1.00	48.33	BBBB
	ATOM	2934	C	ARG	B	45	-5.390	-47.992	-21.195	1.00	38.74	BBBB
	ATOM	2935	O	ARG	B	45	-6.486	-47.866	-21.738	1.00	37.69	BBBB

5	ATOM	2936	N	MET	B	46	-4.567	-46.977	-20.955	1.00	37.09	BBBB
	ATOM	2937	CA	MET	B	46	-4.881	-45.581	-21.249	1.00	36.33	BBBB
	ATOM	2938	CB	MET	B	46	-3.644	-44.725	-20.945	1.00	37.92	BBBB
	ATOM	2939	CG	MET	B	46	-3.873	-43.222	-20.952	1.00	40.65	BBBB
	ATOM	2940	SD	MET	B	46	-3.420	-42.436	-22.517	1.00	44.22	BBBB
10	ATOM	2941	CE	MET	B	46	-1.720	-41.959	-22.168	1.00	41.80	BBBB
	ATOM	2942	C	MET	B	46	-5.430	-45.239	-22.643	1.00	34.96	BBBB
	ATOM	2943	O	MET	B	46	-6.264	-44.338	-22.774	1.00	33.21	BBBB
	ATOM	2944	N	GLU	B	47	-4.976	-45.941	-23.678	1.00	32.85	BBBB
	ATOM	2945	CA	GLU	B	47	-5.458	-45.655	-25.029	1.00	31.79	BBBB
15	ATOM	2946	CB	GLU	B	47	-4.624	-46.402	-26.080	1.00	30.62	BBBB
	ATOM	2947	CG	GLU	B	47	-4.755	-47.922	-26.051	1.00	29.85	BBBB
	ATOM	2948	CD	GLU	B	47	-3.793	-48.597	-25.082	1.00	29.78	BBBB
	ATOM	2949	OE1	GLU	B	47	-3.188	-47.895	-24.247	1.00	28.76	BBBB
	ATOM	2950	OE2	GLU	B	47	-3.649	-49.840	-25.156	1.00	29.01	BBBB
20	ATOM	2951	C	GLU	B	47	-6.938	-46.017	-25.191	1.00	31.81	BBBB
	ATOM	2952	O	GLU	B	47	-7.626	-45.476	-26.055	1.00	31.31	BBBB
	ATOM	2953	N	ALA	B	48	-7.428	-46.924	-24.352	1.00	31.55	BBBB
	ATOM	2954	CA	ALA	B	48	-8.821	-47.344	-24.414	1.00	32.58	BBBB
	ATOM	2955	CB	ALA	B	48	-9.085	-48.450	-23.384	1.00	33.19	BBBB
25	ATOM	2956	C	ALA	B	48	-9.761	-46.168	-24.164	1.00	33.37	BBBB
	ATOM	2957	O	ALA	B	48	-10.860	-46.114	-24.716	1.00	33.81	BBBB
	ATOM	2958	N	ASP	B	49	-9.328	-45.232	-23.328	1.00	34.05	BBBB
	ATOM	2959	CA	ASP	B	49	-10.143	-44.065	-23.009	1.00	35.60	BBBB
	ATOM	2960	CB	ASP	B	49	-10.033	-43.736	-21.514	1.00	36.58	BBBB
30	ATOM	2961	CG	ASP	B	49	-10.645	-44.812	-20.628	1.00	39.54	BBBB
	ATOM	2962	OD1	ASP	B	49	-11.835	-45.144	-20.825	1.00	40.82	BBBB
	ATOM	2963	OD2	ASP	B	49	-9.939	-45.323	-19.730	1.00	39.49	BBBB
	ATOM	2964	C	ASP	B	49	-9.768	-42.832	-23.831	1.00	34.79	BBBB
	ATOM	2965	O	ASP	B	49	-10.637	-42.064	-24.241	1.00	35.85	BBBB
35	ATOM	2966	N	LEU	B	50	-8.478	-42.648	-24.088	1.00	34.06	BBBB
	ATOM	2967	CA	LEU	B	50	-8.026	-41.484	-24.840	1.00	33.49	BBBB
	ATOM	2968	CB	LEU	B	50	-6.526	-41.264	-24.635	1.00	33.25	BBBB
	ATOM	2969	CG	LEU	B	50	-6.001	-39.986	-25.299	1.00	33.36	BBBB
	ATOM	2970	CD1	LEU	B	50	-6.679	-38.771	-24.659	1.00	34.04	BBBB
40	ATOM	2971	CD2	LEU	B	50	-4.496	-39.894	-25.157	1.00	33.08	BBBB
	ATOM	2972	C	LEU	B	50	-8.320	-41.486	-26.337	1.00	33.52	BBBB
	ATOM	2973	O	LEU	B	50	-8.769	-40.477	-26.882	1.00	32.52	BBBB
	ATOM	2974	N	VAL	B	51	-8.073	-42.605	-27.011	1.00	32.94	BBBB
	ATOM	2975	CA	VAL	B	51	-8.299	-42.641	-28.449	1.00	32.68	BBBB
45	ATOM	2976	CB	VAL	B	51	-7.829	-43.982	-29.058	1.00	33.06	BBBB
	ATOM	2977	CG1	VAL	B	51	-8.115	-44.013	-30.565	1.00	31.54	BBBB
	ATOM	2978	CG2	VAL	B	51	-6.329	-44.145	-28.813	1.00	31.45	BBBB
	ATOM	2979	C	VAL	B	51	-9.747	-42.348	-28.829	1.00	33.08	BBBB
	ATOM	2980	O	VAL	B	51	-10.000	-41.623	-29.792	1.00	32.88	BBBB

5	ATOM	2981	N	PRO	B	52	-10.721	-42.900	-28.085	1.00	33.67	BBBB
	ATOM	2982	CD	PRO	B	52	-10.667	-44.012	-27.119	1.00	33.29	BBBB
	ATOM	2983	CA	PRO	B	52	-12.111	-42.601	-28.453	1.00	34.43	BBBB
	ATOM	2984	CB	PRO	B	52	-12.915	-43.465	-27.489	1.00	34.36	BBBB
	ATOM	2985	CG	PRO	B	52	-12.021	-44.661	-27.307	1.00	33.77	BBBB
10	ATOM	2986	C	PRO	B	52	-12.422	-41.111	-28.294	1.00	35.67	BBBB
	ATOM	2987	O	PRO	B	52	-13.219	-40.548	-29.048	1.00	36.65	BBBB
	ATOM	2988	N	LYS	B	53	-11.790	-40.478	-27.310	1.00	35.75	BBBB
	ATOM	2989	CA	LYS	B	53	-11.998	-39.054	-27.064	1.00	36.73	BBBB
	ATOM	2990	CB	LYS	B	53	-11.334	-38.633	-25.746	1.00	37.14	BBBB
15	ATOM	2991	CG	LYS	B	53	-12.020	-39.207	-24.514	1.00	38.38	BBBB
	ATOM	2992	CD	LYS	B	53	-11.368	-38.746	-23.218	1.00	39.34	BBBB
	ATOM	2993	CE	LYS	B	53	-12.057	-39.379	-22.012	1.00	40.74	BBBB
	ATOM	2994	NZ	LYS	B	53	-11.352	-39.092	-20.725	1.00	40.94	BBBB
	ATOM	2995	C	LYS	B	53	-11.445	-38.231	-28.220	1.00	36.11	BBBB
20	ATOM	2996	O	LYS	B	53	-11.703	-37.036	-28.323	1.00	36.71	BBBB
	ATOM	2997	N	HIS	B	54	-10.688	-38.881	-29.096	1.00	35.60	BBBB
	ATOM	2998	CA	HIS	B	54	-10.116	-38.212	-30.259	1.00	34.62	BBBB
	ATOM	2999	CB	HIS	B	54	-8.666	-38.647	-30.464	1.00	34.78	BBBB
	ATOM	3000	CG	HIS	B	54	-7.676	-37.810	-29.721	1.00	33.79	BBBB
25	ATOM	3001	CD2	HIS	B	54	-7.360	-37.760	-28.406	1.00	33.76	BBBB
	ATOM	3002	ND1	HIS	B	54	-6.884	-36.869	-30.343	1.00	34.27	BBBB
	ATOM	3003	CE1	HIS	B	54	-6.120	-36.277	-29.441	1.00	34.41	BBBB
	ATOM	3004	NE2	HIS	B	54	-6.390	-36.799	-28.258	1.00	33.91	BBBB
	ATOM	3005	C	HIS	B	54	-10.919	-38.524	-31.512	1.00	34.28	BBBB
30	ATOM	3006	O	HIS	B	54	-10.487	-38.224	-32.620	1.00	34.99	BBBB
	ATOM	3007	N	GLY	B	55	-12.082	-39.140	-31.325	1.00	34.47	BBBB
	ATOM	3008	CA	GLY	B	55	-12.938	-39.481	-32.447	1.00	35.34	BBBB
	ATOM	3009	C	GLY	B	55	-12.427	-40.619	-33.310	1.00	36.18	BBBB
	ATOM	3010	O	GLY	B	55	-12.883	-40.799	-34.442	1.00	35.99	BBBB
35	ATOM	3011	N	ILE	B	56	-11.490	-41.399	-32.776	1.00	35.32	BBBB
	ATOM	3012	CA	ILE	B	56	-10.909	-42.517	-33.514	1.00	33.81	BBBB
	ATOM	3013	CB	ILE	B	56	-9.374	-42.445	-33.462	1.00	33.36	BBBB
	ATOM	3014	CG2	ILE	B	56	-8.761	-43.602	-34.245	1.00	32.87	BBBB
	ATOM	3015	CG1	ILE	B	56	-8.916	-41.097	-34.029	1.00	32.05	BBBB
40	ATOM	3016	CD1	ILE	B	56	-7.461	-40.792	-33.818	1.00	30.35	BBBB
	ATOM	3017	C	ILE	B	56	-11.375	-43.859	-32.956	1.00	34.45	BBBB
	ATOM	3018	O	ILE	B	56	-11.394	-44.069	-31.738	1.00	34.26	BBBB
	ATOM	3019	N	GLU	B	57	-11.764	-44.758	-33.855	1.00	33.40	BBBB
	ATOM	3020	CA	GLU	B	57	-12.228	-46.083	-33.467	1.00	34.16	BBBB
45	ATOM	3021	CB	GLU	B	57	-12.905	-46.769	-34.651	1.00	37.41	BBBB
	ATOM	3022	CG	GLU	B	57	-14.064	-45.982	-35.244	1.00	42.10	BBBB
	ATOM	3023	CD	GLU	B	57	-14.653	-46.659	-36.465	1.00	45.50	BBBB
	ATOM	3024	OE1	GLU	B	57	-13.903	-46.875	-37.448	1.00	46.39	BBBB
	ATOM	3025	OE2	GLU	B	57	-15.866	-46.977	-36.441	1.00	48.36	BBBB

5	ATOM	3026	C	GLU	B	57	-11.044	-46.923	-33.005	1.00	33.01	BBBB
	ATOM	3027	O	GLU	B	57	-9.931	-46.769	-33.504	1.00	31.58	BBBB
	ATOM	3028	N	ILE	B	58	-11.287	-47.817	-32.056	1.00	31.85	BBBB
	ATOM	3029	CA	ILE	B	58	-10.217	-48.658	-31.553	1.00	31.38	BBBB
	ATOM	3030	CB	ILE	B	58	-9.651	-48.099	-30.223	1.00	30.95	BBBB
10	ATOM	3031	CG2	ILE	B	58	-10.769	-47.946	-29.205	1.00	31.48	BBBB
	ATOM	3032	CG1	ILE	B	58	-8.553	-49.030	-29.690	1.00	31.13	BBBB
	ATOM	3033	CD1	ILE	B	58	-7.736	-48.437	-28.572	1.00	29.87	BBBB
	ATOM	3034	C	ILE	B	58	-10.647	-50.102	-31.357	1.00	31.67	BBBB
	ATOM	3035	O	ILE	B	58	-11.716	-50.384	-30.801	1.00	30.68	BBBB
15	ATOM	3036	N	ASP	B	59	-9.807	-51.011	-31.844	1.00	30.76	BBBB
	ATOM	3037	CA	ASP	B	59	-10.039	-52.442	-31.720	1.00	31.09	BBBB
	ATOM	3038	CB	ASP	B	59	-9.732	-53.153	-33.037	1.00	31.37	BBBB
	ATOM	3039	CG	ASP	B	59	-10.766	-52.863	-34.104	1.00	32.68	BBBB
	ATOM	3040	OD1	ASP	B	59	-11.969	-53.037	-33.812	1.00	32.40	BBBB
20	ATOM	3041	OD2	ASP	B	59	-10.378	-52.468	-35.224	1.00	33.40	BBBB
	ATOM	3042	C	ASP	B	59	-9.119	-52.950	-30.618	1.00	30.50	BBBB
	ATOM	3043	O	ASP	B	59	-7.987	-52.491	-30.492	1.00	30.24	BBBB
	ATOM	3044	N	PHE	B	60	-9.608	-53.888	-29.815	1.00	30.65	BBBB
	ATOM	3045	CA	PHE	B	60	-8.809	-54.410	-28.713	1.00	30.32	BBBB
25	ATOM	3046	CB	PHE	B	60	-9.560	-54.239	-27.385	1.00	30.74	BBBB
	ATOM	3047	CG	PHE	B	60	-9.925	-52.815	-27.058	1.00	32.14	BBBB
	ATOM	3048	CD1	PHE	B	60	-11.250	-52.392	-27.129	1.00	33.15	BBBB
	ATOM	3049	CD2	PHE	B	60	-8.955	-51.908	-26.649	1.00	31.57	BBBB
	ATOM	3050	CE1	PHE	B	60	-11.605	-51.083	-26.791	1.00	34.05	BBBB
30	ATOM	3051	CE2	PHE	B	60	-9.294	-50.598	-26.310	1.00	33.00	BBBB
	ATOM	3052	CZ	PHE	B	60	-10.626	-50.185	-26.380	1.00	33.82	BBBB
	ATOM	3053	C	PHE	B	60	-8.430	-55.878	-28.846	1.00	29.86	BBBB
	ATOM	3054	O	PHE	B	60	-9.154	-56.668	-29.445	1.00	29.93	BBBB
	ATOM	3055	N	ILE	B	61	-7.271	-56.229	-28.295	1.00	29.38	BBBB
35	ATOM	3056	CA	ILE	B	61	-6.832	-57.616	-28.269	1.00	28.55	BBBB
	ATOM	3057	CB	ILE	B	61	-5.674	-57.923	-29.258	1.00	28.48	BBBB
	ATOM	3058	CG2	ILE	B	61	-6.123	-57.650	-30.694	1.00	27.65	BBBB
	ATOM	3059	CG1	ILE	B	61	-4.422	-57.126	-28.892	1.00	26.70	BBBB
	ATOM	3060	CD1	ILE	B	61	-3.177	-57.615	-29.638	1.00	27.03	BBBB
40	ATOM	3061	C	ILE	B	61	-6.344	-57.855	-26.848	1.00	29.13	BBBB
	ATOM	3062	O	ILE	B	61	-6.124	-56.906	-26.091	1.00	28.80	BBBB
	ATOM	3063	N	ARG	B	62	-6.186	-59.116	-26.473	1.00	29.38	BBBB
	ATOM	3064	CA	ARG	B	62	-5.709	-59.416	-25.133	1.00	30.76	BBBB
	ATOM	3065	CB	ARG	B	62	-6.630	-60.447	-24.461	1.00	32.36	BBBB
45	ATOM	3066	CG	ARG	B	62	-6.130	-60.955	-23.114	1.00	35.99	BBBB
	ATOM	3067	CD	ARG	B	62	-5.438	-59.859	-22.311	1.00	37.86	BBBB
	ATOM	3068	NE	ARG	B	62	-6.297	-58.718	-22.004	1.00	40.01	BBBB
	ATOM	3069	CZ	ARG	B	62	-5.840	-57.504	-21.711	1.00	39.09	BBBB
	ATOM	3070	NH1	ARG	B	62	-4.536	-57.275	-21.690	1.00	39.24	BBBB

5	ATOM	3071	NH2	ARG	B	62	-6.686	-56.518	-21.439	1.00	40.03	BBBB
	ATOM	3072	C	ARG	B	62	-4.274	-59.923	-25.156	1.00	29.32	BBBB
	ATOM	3073	O	ARG	B	62	-3.933	-60.809	-25.934	1.00	28.65	BBBB
	ATOM	3074	N	ILE	B	63	-3.428	-59.342	-24.313	1.00	30.07	BBBB
	ATOM	3075	CA	ILE	B	63	-2.036	-59.770	-24.231	1.00	31.38	BBBB
10	ATOM	3076	CB	ILE	B	63	-1.081	-58.745	-24.883	1.00	30.06	BBBB
	ATOM	3077	CG2	ILE	B	63	-1.442	-58.567	-26.353	1.00	30.41	BBBB
	ATOM	3078	CG1	ILE	B	63	-1.143	-57.411	-24.137	1.00	29.94	BBBB
	ATOM	3079	CD1	ILE	B	63	-0.128	-56.384	-24.632	1.00	29.62	BBBB
	ATOM	3080	C	ILE	B	63	-1.623	-59.981	-22.775	1.00	33.08	BBBB
15	ATOM	3081	O	ILE	B	63	-0.444	-59.872	-22.430	1.00	33.21	BBBB
	ATOM	3082	N	SER	B	64	-2.603	-60.284	-21.927	1.00	35.38	BBBB
	ATOM	3083	CA	SER	B	64	-2.356	-60.520	-20.505	1.00	37.51	BBBB
	ATOM	3084	CB	SER	B	64	-3.652	-60.912	-19.792	1.00	38.82	BBBB
	ATOM	3085	OG	SER	B	64	-4.558	-59.823	-19.750	1.00	42.88	BBBB
20	ATOM	3086	C	SER	B	64	-1.326	-61.622	-20.311	1.00	37.32	BBBB
	ATOM	3087	O	SER	B	64	-1.411	-62.682	-20.933	1.00	37.86	BBBB
	ATOM	3088	N	GLY	B	65	-0.356	-61.370	-19.441	1.00	37.81	BBBB
	ATOM	3089	CA	GLY	B	65	0.679	-62.355	-19.199	1.00	37.13	BBBB
	ATOM	3090	C	GLY	B	65	1.798	-62.283	-20.226	1.00	36.76	BBBB
25	ATOM	3091	O	GLY	B	65	2.858	-62.889	-20.038	1.00	37.57	BBBB
	ATOM	3092	N	LEU	B	66	1.577	-61.539	-21.307	1.00	34.63	BBBB
	ATOM	3093	CA	LEU	B	66	2.591	-61.413	-22.355	1.00	33.17	BBBB
	ATOM	3094	CB	LEU	B	66	1.936	-61.470	-23.735	1.00	32.08	BBBB
	ATOM	3095	CG	LEU	B	66	1.162	-62.747	-24.061	1.00	32.52	BBBB
30	ATOM	3096	CD1	LEU	B	66	0.563	-62.626	-25.445	1.00	31.38	BBBB
	ATOM	3097	CD2	LEU	B	66	2.093	-63.957	-23.984	1.00	31.67	BBBB
	ATOM	3098	C	LEU	B	66	3.414	-60.133	-22.246	1.00	32.72	BBBB
	ATOM	3099	O	LEU	B	66	4.451	-60.002	-22.893	1.00	33.13	BBBB
	ATOM	3100	N	ARG	B	67	2.953	-59.185	-21.440	1.00	31.54	BBBB
35	ATOM	3101	CA	ARG	B	67	3.671	-57.928	-21.277	1.00	30.90	BBBB
	ATOM	3102	CB	ARG	B	67	2.888	-56.984	-20.363	1.00	32.28	BBBB
	ATOM	3103	CG	ARG	B	67	1.540	-56.576	-20.913	1.00	34.65	BBBB
	ATOM	3104	CD	ARG	B	67	0.926	-55.440	-20.097	1.00	36.69	BBBB
	ATOM	3105	NE	ARG	B	67	-0.259	-54.889	-20.748	1.00	38.28	BBBB
40	ATOM	3106	CZ	ARG	B	67	-1.425	-55.519	-20.853	1.00	39.05	BBBB
	ATOM	3107	NH1	ARG	B	67	-1.583	-56.734	-20.341	1.00	39.61	BBBB
	ATOM	3108	NH2	ARG	B	67	-2.434	-54.935	-21.487	1.00	39.52	BBBB
	ATOM	3109	C	ARG	B	67	5.071	-58.142	-20.713	1.00	29.99	BBBB
	ATOM	3110	O	ARG	B	67	5.294	-59.034	-19.889	1.00	28.67	BBBB
45	ATOM	3111	N	GLY	B	68	6.014	-57.321	-21.165	1.00	27.75	BBBB
	ATOM	3112	CA	GLY	B	68	7.380	-57.427	-20.685	1.00	26.79	BBBB
	ATOM	3113	C	GLY	B	68	8.166	-58.579	-21.280	1.00	25.41	BBBB
	ATOM	3114	O	GLY	B	68	9.326	-58.779	-20.943	1.00	26.04	BBBB
	ATOM	3115	N	LYS	B	69	7.546	-59.342	-22.170	1.00	24.55	BBBB

5	ATOM	3116	CA	LYS	B	69	8.238	-60.463	-22.796	1.00	23.93	BBBB
	ATOM	3117	CB	LYS	B	69	7.284	-61.641	-23.033	1.00	24.12	BBBB
	ATOM	3118	CG	LYS	B	69	6.757	-62.360	-21.794	1.00	25.08	BBBB
	ATOM	3119	CD	LYS	B	69	5.887	-63.553	-22.224	1.00	25.44	BBBB
	ATOM	3120	CE	LYS	B	69	5.357	-64.358	-21.035	1.00	28.31	BBBB
10	ATOM	3121	NZ	LYS	B	69	6.468	-64.877	-20.175	1.00	29.71	BBBB
	ATOM	3122	C	LYS	B	69	8.825	-60.062	-24.142	1.00	23.32	BBBB
	ATOM	3123	O	LYS	B	69	8.151	-59.404	-24.944	1.00	21.96	BBBB
	ATOM	3124	N	GLY	B	70	10.075	-60.470	-24.374	1.00	22.48	BBBB
	ATOM	3125	CA	GLY	B	70	10.755	-60.229	-25.636	1.00	22.26	BBBB
15	ATOM	3126	C	GLY	B	70	10.308	-61.337	-26.588	1.00	22.17	BBBB
	ATOM	3127	O	GLY	B	70	9.512	-62.183	-26.195	1.00	21.62	BBBB
	ATOM	3128	N	ILE	B	71	10.819	-61.373	-27.814	1.00	21.85	BBBB
	ATOM	3129	CA	ILE	B	71	10.357	-62.386	-28.762	1.00	23.55	BBBB
	ATOM	3130	CB	ILE	B	71	10.926	-62.142	-30.181	1.00	23.52	BBBB
20	ATOM	3131	CG2	ILE	B	71	12.435	-62.375	-30.192	1.00	25.96	BBBB
	ATOM	3132	CG1	ILE	B	71	10.264	-63.096	-31.182	1.00	24.18	BBBB
	ATOM	3133	CD1	ILE	B	71	8.745	-62.981	-31.263	1.00	25.73	BBBB
	ATOM	3134	C	ILE	B	71	10.616	-63.840	-28.359	1.00	23.88	BBBB
	ATOM	3135	O	ILE	B	71	9.775	-64.707	-28.592	1.00	21.66	BBBB
25	ATOM	3136	N	LYS	B	72	11.764	-64.119	-27.751	1.00	23.82	BBBB
	ATOM	3137	CA	LYS	B	72	12.038	-65.491	-27.343	1.00	24.92	BBBB
	ATOM	3138	CB	LYS	B	72	13.491	-65.634	-26.875	1.00	26.86	BBBB
	ATOM	3139	CG	LYS	B	72	14.496	-65.590	-28.019	1.00	31.29	BBBB
	ATOM	3140	CD	LYS	B	72	15.925	-65.791	-27.518	1.00	36.00	BBBB
30	ATOM	3141	CE	LYS	B	72	16.926	-65.816	-28.671	1.00	38.82	BBBB
	ATOM	3142	NZ	LYS	B	72	18.342	-65.957	-28.192	1.00	41.21	BBBB
	ATOM	3143	C	LYS	B	72	11.068	-65.925	-26.245	1.00	23.73	BBBB
	ATOM	3144	O	LYS	B	72	10.592	-67.062	-26.245	1.00	24.08	BBBB
	ATOM	3145	N	ALA	B	73	10.765	-65.016	-25.322	1.00	21.62	BBBB
35	ATOM	3146	CA	ALA	B	73	9.839	-65.306	-24.233	1.00	21.18	BBBB
	ATOM	3147	CB	ALA	B	73	9.895	-64.196	-23.187	1.00	22.25	BBBB
	ATOM	3148	C	ALA	B	73	8.412	-65.454	-24.771	1.00	20.36	BBBB
	ATOM	3149	O	ALA	B	73	7.619	-66.250	-24.267	1.00	18.97	BBBB
	ATOM	3150	N	LEU	B	74	8.076	-64.673	-25.791	1.00	20.23	BBBB
40	ATOM	3151	CA	LEU	B	74	6.745	-64.762	-26.387	1.00	19.36	BBBB
	ATOM	3152	CB	LEU	B	74	6.540	-63.643	-27.417	1.00	18.42	BBBB
	ATOM	3153	CG	LEU	B	74	6.422	-62.208	-26.884	1.00	18.80	BBBB
	ATOM	3154	CD1	LEU	B	74	6.473	-61.197	-28.039	1.00	19.86	BBBB
	ATOM	3155	CD2	LEU	B	74	5.109	-62.071	-26.104	1.00	19.45	BBBB
45	ATOM	3156	C	LEU	B	74	6.549	-66.110	-27.069	1.00	19.37	BBBB
	ATOM	3157	O	LEU	B	74	5.539	-66.779	-26.863	1.00	20.01	BBBB
	ATOM	3158	N	ILE	B	75	7.520	-66.507	-27.883	1.00	20.59	BBBB
	ATOM	3159	CA	ILE	B	75	7.434	-67.768	-28.601	1.00	21.18	BBBB
	ATOM	3160	CB	ILE	B	75	8.571	-67.896	-29.641	1.00	22.95	BBBB

5	ATOM	3161	CG2	ILE	B	75	8.334	-69.108	-30.527	1.00	25.38	BBBB
	ATOM	3162	CG1	ILE	B	75	8.598	-66.657	-30.540	1.00	26.82	BBBB
	ATOM	3163	CD1	ILE	B	75	7.304	-66.442	-31.327	1.00	28.48	BBBB
	ATOM	3164	C	ILE	B	75	7.488	-68.942	-27.624	1.00	21.20	BBBB
	ATOM	3165	O	ILE	B	75	7.125	-70.063	-27.979	1.00	21.59	BBBB
10	ATOM	3166	N	ALA	B	76	7.940	-68.680	-26.399	1.00	20.49	BBBB
	ATOM	3167	CA	ALA	B	76	7.996	-69.726	-25.374	1.00	21.72	BBBB
	ATOM	3168	CB	ALA	B	76	9.026	-69.372	-24.305	1.00	21.92	BBBB
	ATOM	3169	C	ALA	B	76	6.624	-69.904	-24.732	1.00	21.54	BBBB
	ATOM	3170	O	ALA	B	76	6.441	-70.778	-23.875	1.00	20.75	BBBB
15	ATOM	3171	N	ALA	B	77	5.668	-69.066	-25.145	1.00	20.61	BBBB
	ATOM	3172	CA	ALA	B	77	4.289	-69.121	-24.655	1.00	21.07	BBBB
	ATOM	3173	CB	ALA	B	77	3.937	-67.830	-23.924	1.00	20.10	BBBB
	ATOM	3174	C	ALA	B	77	3.383	-69.298	-25.881	1.00	21.69	BBBB
	ATOM	3175	O	ALA	B	77	2.567	-68.430	-26.199	1.00	21.93	BBBB
20	ATOM	3176	N	PRO	B	78	3.507	-70.446	-26.564	1.00	22.38	BBBB
	ATOM	3177	CD	PRO	B	78	4.211	-71.603	-25.976	1.00	21.89	BBBB
	ATOM	3178	CA	PRO	B	78	2.772	-70.846	-27.771	1.00	20.95	BBBB
	ATOM	3179	CB	PRO	B	78	3.027	-72.350	-27.861	1.00	22.21	BBBB
	ATOM	3180	CG	PRO	B	78	4.288	-72.547	-27.117	1.00	24.07	BBBB
25	ATOM	3181	C	PRO	B	78	1.278	-70.535	-27.813	1.00	21.19	BBBB
	ATOM	3182	O	PRO	B	78	0.789	-69.939	-28.776	1.00	19.68	BBBB
	ATOM	3183	N	LEU	B	79	0.544	-70.961	-26.790	1.00	21.21	BBBB
	ATOM	3184	CA	LEU	B	79	-0.896	-70.728	-26.783	1.00	21.32	BBBB
	ATOM	3185	CB	LEU	B	79	-1.569	-71.476	-25.630	1.00	20.99	BBBB
30	ATOM	3186	CG	LEU	B	79	-1.397	-72.988	-25.617	1.00	22.40	BBBB
	ATOM	3187	CD1	LEU	B	79	-2.504	-73.619	-24.772	1.00	22.01	BBBB
	ATOM	3188	CD2	LEU	B	79	-1.438	-73.521	-27.021	1.00	23.82	BBBB
	ATOM	3189	C	LEU	B	79	-1.275	-69.263	-26.707	1.00	21.17	BBBB
	ATOM	3190	O	LEU	B	79	-2.125	-68.800	-27.481	1.00	20.44	BBBB
35	ATOM	3191	N	ARG	B	80	-0.656	-68.529	-25.788	1.00	20.91	BBBB
	ATOM	3192	CA	ARG	B	80	-0.980	-67.115	-25.637	1.00	21.30	BBBB
	ATOM	3193	CB	ARG	B	80	-0.444	-66.583	-24.312	1.00	22.12	BBBB
	ATOM	3194	CG	ARG	B	80	-1.286	-67.051	-23.118	1.00	24.03	BBBB
	ATOM	3195	CD	ARG	B	80	-0.610	-66.738	-21.807	1.00	23.42	BBBB
40	ATOM	3196	NE	ARG	B	80	0.581	-67.556	-21.610	1.00	24.59	BBBB
	ATOM	3197	CZ	ARG	B	80	1.466	-67.351	-20.642	1.00	26.08	BBBB
	ATOM	3198	NH1	ARG	B	80	1.290	-66.349	-19.787	1.00	26.92	BBBB
	ATOM	3199	NH2	ARG	B	80	2.514	-68.152	-20.519	1.00	27.22	BBBB
	ATOM	3200	C	ARG	B	80	-0.526	-66.233	-26.790	1.00	21.29	BBBB
45	ATOM	3201	O	ARG	B	80	-1.278	-65.355	-27.223	1.00	21.47	BBBB
	ATOM	3202	N	ILE	B	81	0.683	-66.448	-27.303	1.00	19.29	BBBB
	ATOM	3203	CA	ILE	B	81	1.113	-65.621	-28.421	1.00	19.47	BBBB
	ATOM	3204	CB	ILE	B	81	2.639	-65.793	-28.730	1.00	17.92	BBBB
	ATOM	3205	CG2	ILE	B	81	2.949	-67.200	-29.206	1.00	17.33	BBBB

5	ATOM	3206	CG1	ILE	B	81	3.067	-64.753	-29.769	1.00	18.63	BBBB
	ATOM	3207	CD1	ILE	B	81	2.746	-63.318	-29.346	1.00	17.46	BBBB
	ATOM	3208	C	ILE	B	81	0.256	-65.937	-29.654	1.00	18.99	BBBB
	ATOM	3209	O	ILE	B	81	-0.149	-65.028	-30.378	1.00	19.38	BBBB
	ATOM	3210	N	PHE	B	82	-0.056	-67.211	-29.880	1.00	19.39	BBBB
10	ATOM	3211	CA	PHE	B	82	-0.875	-67.582	-31.038	1.00	19.15	BBBB
	ATOM	3212	CB	PHE	B	82	-1.057	-69.103	-31.136	1.00	19.27	BBBB
	ATOM	3213	CG	PHE	B	82	-1.811	-69.548	-32.368	1.00	19.87	BBBB
	ATOM	3214	CD1	PHE	B	82	-1.180	-69.602	-33.603	1.00	20.87	BBBB
	ATOM	3215	CD2	PHE	B	82	-3.154	-69.898	-32.289	1.00	21.11	BBBB
15	ATOM	3216	CE1	PHE	B	82	-1.872	-70.002	-34.753	1.00	21.20	BBBB
	ATOM	3217	CE2	PHE	B	82	-3.857	-70.297	-33.429	1.00	22.26	BBBB
	ATOM	3218	CZ	PHE	B	82	-3.212	-70.349	-34.663	1.00	22.14	BBBB
	ATOM	3219	C	PHE	B	82	-2.250	-66.931	-30.959	1.00	19.94	BBBB
	ATOM	3220	O	PHE	B	82	-2.777	-66.444	-31.970	1.00	19.64	BBBB
20	ATOM	3221	N	ASN	B	83	-2.832	-66.923	-29.764	1.00	19.29	BBBB
	ATOM	3222	CA	ASN	B	83	-4.150	-66.332	-29.577	1.00	20.90	BBBB
	ATOM	3223	CB	ASN	B	83	-4.693	-66.641	-28.178	1.00	20.55	BBBB
	ATOM	3224	CG	ASN	B	83	-6.158	-66.244	-28.028	1.00	22.79	BBBB
	ATOM	3225	OD1	ASN	B	83	-6.505	-65.374	-27.229	1.00	25.14	BBBB
25	ATOM	3226	ND2	ASN	B	83	-7.018	-66.877	-28.807	1.00	20.47	BBBB
	ATOM	3227	C	ASN	B	83	-4.178	-64.821	-29.812	1.00	20.83	BBBB
	ATOM	3228	O	ASN	B	83	-5.086	-64.316	-30.472	1.00	21.92	BBBB
	ATOM	3229	N	ALA	B	84	-3.203	-64.092	-29.275	1.00	19.74	BBBB
	ATOM	3230	CA	ALA	B	84	-3.177	-62.647	-29.484	1.00	19.30	BBBB
30	ATOM	3231	CB	ALA	B	84	-2.060	-62.008	-28.662	1.00	18.59	BBBB
	ATOM	3232	C	ALA	B	84	-2.967	-62.380	-30.981	1.00	19.94	BBBB
	ATOM	3233	O	ALA	B	84	-3.561	-61.459	-31.552	1.00	19.69	BBBB
	ATOM	3234	N	TRP	B	85	-2.118	-63.197	-31.603	1.00	19.77	BBBB
	ATOM	3235	CA	TRP	B	85	-1.820	-63.111	-33.032	1.00	20.56	BBBB
35	ATOM	3236	CB	TRP	B	85	-0.754	-64.148	-33.396	1.00	21.46	BBBB
	ATOM	3237	CG	TRP	B	85	-0.365	-64.167	-34.856	1.00	23.00	BBBB
	ATOM	3238	CD2	TRP	B	85	-0.588	-65.232	-35.785	1.00	23.69	BBBB
	ATOM	3239	CE2	TRP	B	85	-0.024	-64.835	-37.022	1.00	24.14	BBBB
	ATOM	3240	CE3	TRP	B	85	-1.206	-66.486	-35.693	1.00	24.79	BBBB
40	ATOM	3241	CD1	TRP	B	85	0.301	-63.189	-35.548	1.00	23.17	BBBB
	ATOM	3242	NE1	TRP	B	85	0.509	-63.585	-36.848	1.00	24.28	BBBB
	ATOM	3243	CZ2	TRP	B	85	-0.060	-65.650	-38.160	1.00	24.90	BBBB
	ATOM	3244	CZ3	TRP	B	85	-1.243	-67.299	-36.827	1.00	25.45	BBBB
	ATOM	3245	CH2	TRP	B	85	-0.671	-66.875	-38.045	1.00	25.15	BBBB
45	ATOM	3246	C	TRP	B	85	-3.090	-63.354	-33.865	1.00	21.76	BBBB
	ATOM	3247	O	TRP	B	85	-3.339	-62.658	-34.859	1.00	20.40	BBBB
	ATOM	3248	N	ARG	B	86	-3.885	-64.346	-33.467	1.00	22.03	BBBB
	ATOM	3249	CA	ARG	B	86	-5.140	-64.660	-34.166	1.00	23.28	BBBB
	ATOM	3250	CB	ARG	B	86	-5.754	-65.965	-33.623	1.00	24.72	BBBB

	ATOM	3251	CG	ARG	B	86	-4.999	-67.236	-34.021	1.00	27.21	BBBB
	ATOM	3252	CD	ARG	B	86	-5.368	-67.725	-35.418	1.00	29.60	BBBB
	ATOM	3253	NE	ARG	B	86	-6.626	-68.477	-35.422	1.00	31.45	BBBB
	ATOM	3254	CZ	ARG	B	86	-7.185	-69.004	-36.508	1.00	31.37	BBBB
5	ATOM	3255	NH1	ARG	B	86	-6.607	-68.862	-37.696	1.00	32.19	BBBB
	ATOM	3256	NH2	ARG	B	86	-8.314	-69.694	-36.405	1.00	31.39	BBBB
	ATOM	3257	C	ARG	B	86	-6.151	-63.517	-34.007	1.00	22.98	BBBB
	ATOM	3258	O	ARG	B	86	-6.890	-63.195	-34.942	1.00	21.37	BBBB
	ATOM	3259	N	GLN	B	87	-6.190	-62.916	-32.821	1.00	22.90	BBBB
10	ATOM	3260	CA	GLN	B	87	-7.101	-61.802	-32.567	1.00	24.07	BBBB
	ATOM	3261	CB	GLN	B	87	-7.046	-61.382	-31.097	1.00	24.33	BBBB
	ATOM	3262	CG	GLN	B	87	-7.873	-62.280	-30.187	1.00	27.24	BBBB
	ATOM	3263	CD	GLN	B	87	-7.720	-61.943	-28.723	1.00	28.81	BBBB
	ATOM	3264	OE1	GLN	B	87	-8.567	-62.296	-27.908	1.00	33.25	BBBB
15	ATOM	3265	NE2	GLN	B	87	-6.632	-61.275	-28.375	1.00	29.95	BBBB
	ATOM	3266	C	GLN	B	87	-6.738	-60.618	-33.457	1.00	23.85	BBBB
	ATOM	3267	O	GLN	B	87	-7.613	-60.012	-34.077	1.00	24.02	BBBB
	ATOM	3268	N	ALA	B	88	-5.449	-60.293	-33.521	1.00	23.39	BBBB
	ATOM	3269	CA	ALA	B	88	-4.996	-59.183	-34.355	1.00	23.78	BBBB
20	ATOM	3270	CB	ALA	B	88	-3.508	-58.909	-34.116	1.00	23.33	BBBB
	ATOM	3271	C	ALA	B	88	-5.257	-59.485	-35.831	1.00	24.73	BBBB
	ATOM	3272	O	ALA	B	88	-5.655	-58.595	-36.592	1.00	24.72	BBBB
	ATOM	3273	N	ARG	B	89	-5.038	-60.735	-36.244	1.00	24.26	BBBB
	ATOM	3274	CA	ARG	B	89	-5.285	-61.111	-37.636	1.00	24.94	BBBB
25	ATOM	3275	CB	ARG	B	89	-4.904	-62.575	-37.893	1.00	25.14	BBBB
	ATOM	3276	CG	ARG	B	89	-3.461	-62.774	-38.353	1.00	24.54	BBBB
	ATOM	3277	CD	ARG	B	89	-3.142	-64.253	-38.510	1.00	25.50	BBBB
	ATOM	3278	NE	ARG	B	89	-3.809	-64.901	-39.641	1.00	24.93	BBBB
	ATOM	3279	CZ	ARG	B	89	-3.329	-64.930	-40.882	1.00	25.90	BBBB
30	ATOM	3280	NH1	ARG	B	89	-2.178	-64.336	-41.170	1.00	25.98	BBBB
	ATOM	3281	NH2	ARG	B	89	-3.979	-65.596	-41.831	1.00	26.36	BBBB
	ATOM	3282	C	ARG	B	89	-6.752	-60.909	-38.013	1.00	25.29	BBBB
	ATOM	3283	O	ARG	B	89	-7.056	-60.420	-39.104	1.00	24.27	BBBB
	ATOM	3284	N	ALA	B	90	-7.658	-61.296	-37.118	1.00	24.61	BBBB
35	ATOM	3285	CA	ALA	B	90	-9.088	-61.151	-37.383	1.00	26.16	BBBB
	ATOM	3286	CB	ALA	B	90	-9.907	-61.775	-36.254	1.00	25.77	BBBB
	ATOM	3287	C	ALA	B	90	-9.440	-59.673	-37.538	1.00	26.83	BBBB
	ATOM	3288	O	ALA	B	90	-10.213	-59.301	-38.421	1.00	27.71	BBBB
	ATOM	3289	N	ILE	B	91	-8.862	-58.837	-36.685	1.00	26.92	BBBB
40	ATOM	3290	CA	ILE	B	91	-9.108	-57.400	-36.733	1.00	26.97	BBBB
	ATOM	3291	CB	ILE	B	91	-8.408	-56.682	-35.565	1.00	27.03	BBBB
	ATOM	3292	CG2	ILE	B	91	-8.327	-55.175	-35.837	1.00	25.82	BBBB
	ATOM	3293	CG1	ILE	B	91	-9.161	-56.962	-34.260	1.00	24.58	BBBB
	ATOM	3294	CD1	ILE	B	91	-8.435	-56.490	-33.021	1.00	24.65	BBBB
45	ATOM	3295	C	ILE	B	91	-8.618	-56.787	-38.040	1.00	28.07	BBBB

5	ATOM	3341	CD	PRO	B	97	-6.004	-53.620	-42.143	1.00	32.37	BBBB
	ATOM	3342	CA	PRO	B	97	-5.490	-51.623	-43.419	1.00	31.82	BBBB
	ATOM	3343	CB	PRO	B	97	-4.850	-51.568	-42.038	1.00	31.66	BBBB
	ATOM	3344	CG	PRO	B	97	-4.686	-53.025	-41.704	1.00	31.53	BBBB
	ATOM	3345	C	PRO	B	97	-4.458	-51.769	-44.530	1.00	31.60	BBBB
10	ATOM	3346	O	PRO	B	97	-4.052	-52.881	-44.860	1.00	32.52	BBBB
	ATOM	3347	N	ASP	B	98	-4.037	-50.651	-45.112	1.00	31.25	BBBB
	ATOM	3348	CA	ASP	B	98	-3.049	-50.685	-46.188	1.00	29.78	BBBB
	ATOM	3349	CB	ASP	B	98	-3.234	-49.488	-47.117	1.00	32.00	BBBB
	ATOM	3350	CG	ASP	B	98	-4.562	-49.519	-47.837	1.00	34.21	BBBB
15	ATOM	3351	OD1	ASP	B	98	-5.281	-48.498	-47.795	1.00	35.37	BBBB
	ATOM	3352	OD2	ASP	B	98	-4.888	-50.566	-48.443	1.00	35.10	BBBB
	ATOM	3353	C	ASP	B	98	-1.654	-50.660	-45.603	1.00	28.70	BBBB
	ATOM	3354	O	ASP	B	98	-0.672	-50.973	-46.274	1.00	26.48	BBBB
	ATOM	3355	N	VAL	B	99	-1.573	-50.278	-44.337	1.00	26.88	BBBB
20	ATOM	3356	CA	VAL	B	99	-0.296	-50.214	-43.660	1.00	26.75	BBBB
	ATOM	3357	CB	VAL	B	99	0.500	-48.973	-44.132	1.00	27.35	BBBB
	ATOM	3358	CG1	VAL	B	99	-0.305	-47.718	-43.867	1.00	29.45	BBBB
	ATOM	3359	CG2	VAL	B	99	1.841	-48.908	-43.443	1.00	27.48	BBBB
	ATOM	3360	C	VAL	B	99	-0.552	-50.134	-42.162	1.00	25.92	BBBB
25	ATOM	3361	O	VAL	B	99	-1.585	-49.627	-41.723	1.00	25.04	BBBB
	ATOM	3362	N	VAL	B	100	0.374	-50.664	-41.377	1.00	24.63	BBBB
	ATOM	3363	CA	VAL	B	100	0.227	-50.613	-39.936	1.00	23.59	BBBB
	ATOM	3364	CB	VAL	B	100	0.120	-52.026	-39.327	1.00	24.97	BBBB
	ATOM	3365	CG1	VAL	B	100	0.139	-51.941	-37.811	1.00	24.71	BBBB
30	ATOM	3366	CG2	VAL	B	100	-1.172	-52.683	-39.782	1.00	22.62	BBBB
	ATOM	3367	C	VAL	B	100	1.428	-49.881	-39.382	1.00	22.74	BBBB
	ATOM	3368	O	VAL	B	100	2.551	-50.093	-39.830	1.00	24.62	BBBB
	ATOM	3369	N	LEU	B	101	1.178	-49.001	-38.419	1.00	21.89	BBBB
	ATOM	3370	CA	LEU	B	101	2.214	-48.199	-37.797	1.00	21.59	BBBB
35	ATOM	3371	CB	LEU	B	101	1.823	-46.716	-37.853	1.00	22.86	BBBB
	ATOM	3372	CG	LEU	B	101	2.850	-45.580	-37.892	1.00	24.72	BBBB
	ATOM	3373	CD1	LEU	B	101	2.237	-44.385	-37.174	1.00	25.30	BBBB
	ATOM	3374	CD2	LEU	B	101	4.168	-45.954	-37.273	1.00	24.45	BBBB
	ATOM	3375	C	LEU	B	101	2.349	-48.604	-36.336	1.00	20.83	BBBB
40	ATOM	3376	O	LEU	B	101	1.370	-48.581	-35.595	1.00	21.35	BBBB
	ATOM	3377	N	GLY	B	102	3.556	-48.986	-35.936	1.00	20.96	BBBB
	ATOM	3378	CA	GLY	B	102	3.796	-49.357	-34.549	1.00	19.23	BBBB
	ATOM	3379	C	GLY	B	102	4.655	-48.282	-33.918	1.00	18.45	BBBB
	ATOM	3380	O	GLY	B	102	5.765	-48.016	-34.381	1.00	18.70	BBBB
45	ATOM	3381	N	MET	B	103	4.155	-47.660	-32.857	1.00	18.01	BBBB
	ATOM	3382	CA	MET	B	103	4.892	-46.597	-32.191	1.00	18.93	BBBB
	ATOM	3383	CB	MET	B	103	3.928	-45.477	-31.781	1.00	20.02	BBBB
	ATOM	3384	CG	MET	B	103	3.121	-44.888	-32.944	1.00	21.61	BBBB
	ATOM	3385	SD	MET	B	103	4.212	-44.135	-34.157	1.00	23.45	BBBB

5	ATOM	3386	CE	MET	B	103	4.718	-42.680	-33.271	1.00	21.40	BBBB
	ATOM	3387	C	MET	B	103	5.612	-47.128	-30.957	1.00	18.98	BBBB
	ATOM	3388	O	MET	B	103	6.134	-46.357	-30.158	1.00	17.96	BBBB
	ATOM	3389	N	GLY	B	104	5.640	-48.450	-30.827	1.00	21.56	BBBB
	ATOM	3390	CA	GLY	B	104	6.275	-49.080	-29.686	1.00	21.89	BBBB
10	ATOM	3391	C	GLY	B	104	5.192	-49.614	-28.764	1.00	23.28	BBBB
	ATOM	3392	O	GLY	B	104	4.009	-49.353	-28.980	1.00	22.50	BBBB
	ATOM	3393	N	GLY	B	105	5.583	-50.364	-27.741	1.00	23.01	BBBB
	ATOM	3394	CA	GLY	B	105	4.593	-50.905	-26.827	1.00	23.54	BBBB
	ATOM	3395	C	GLY	B	105	4.358	-52.380	-27.078	1.00	23.17	BBBB
15	ATOM	3396	O	GLY	B	105	4.449	-52.844	-28.214	1.00	22.69	BBBB
	ATOM	3397	N	TYR	B	106	4.018	-53.118	-26.026	1.00	22.87	BBBB
	ATOM	3398	CA	TYR	B	106	3.818	-54.554	-26.159	1.00	22.37	BBBB
	ATOM	3399	CB	TYR	B	106	3.632	-55.181	-24.774	1.00	25.08	BBBB
	ATOM	3400	CG	TYR	B	106	4.864	-55.008	-23.929	1.00	28.19	BBBB
20	ATOM	3401	CD1	TYR	B	106	4.869	-54.153	-22.830	1.00	31.96	BBBB
	ATOM	3402	CE1	TYR	B	106	6.043	-53.915	-22.108	1.00	33.13	BBBB
	ATOM	3403	CD2	TYR	B	106	6.058	-55.631	-24.282	1.00	31.27	BBBB
	ATOM	3404	CE2	TYR	B	106	7.234	-55.400	-23.569	1.00	32.27	BBBB
	ATOM	3405	CZ	TYR	B	106	7.219	-54.541	-22.487	1.00	33.19	BBBB
25	ATOM	3406	OH	TYR	B	106	8.388	-54.291	-21.802	1.00	35.95	BBBB
	ATOM	3407	C	TYR	B	106	2.719	-55.018	-27.100	1.00	20.52	BBBB
	ATOM	3408	O	TYR	B	106	2.867	-56.052	-27.746	1.00	20.50	BBBB
	ATOM	3409	N	VAL	B	107	1.628	-54.270	-27.205	1.00	19.06	BBBB
	ATOM	3410	CA	VAL	B	107	0.557	-54.694	-28.099	1.00	18.06	BBBB
30	ATOM	3411	CB	VAL	B	107	-0.690	-53.774	-27.978	1.00	20.95	BBBB
	ATOM	3412	CG1	VAL	B	107	-0.407	-52.407	-28.589	1.00	21.39	BBBB
	ATOM	3413	CG2	VAL	B	107	-1.879	-54.433	-28.658	1.00	21.30	BBBB
	ATOM	3414	C	VAL	B	107	1.015	-54.743	-29.559	1.00	17.45	BBBB
	ATOM	3415	O	VAL	B	107	0.502	-55.536	-30.346	1.00	16.99	BBBB
35	ATOM	3416	N	SER	B	108	1.991	-53.916	-29.918	1.00	17.96	BBBB
	ATOM	3417	CA	SER	B	108	2.488	-53.892	-31.290	1.00	19.67	BBBB
	ATOM	3418	CB	SER	B	108	3.424	-52.691	-31.508	1.00	19.56	BBBB
	ATOM	3419	OG	SER	B	108	4.666	-52.824	-30.837	1.00	19.63	BBBB
	ATOM	3420	C	SER	B	108	3.197	-55.187	-31.694	1.00	20.38	BBBB
40	ATOM	3421	O	SER	B	108	3.385	-55.449	-32.884	1.00	21.25	BBBB
	ATOM	3422	N	GLY	B	109	3.595	-55.995	-30.710	1.00	19.59	BBBB
	ATOM	3423	CA	GLY	B	109	4.251	-57.256	-31.023	1.00	20.03	BBBB
	ATOM	3424	C	GLY	B	109	3.311	-58.170	-31.792	1.00	19.61	BBBB
	ATOM	3425	O	GLY	B	109	3.579	-58.517	-32.940	1.00	19.24	BBBB
45	ATOM	3426	N	PRO	B	110	2.206	-58.606	-31.173	1.00	19.20	BBBB
	ATOM	3427	CD	PRO	B	110	1.914	-58.528	-29.729	1.00	19.94	BBBB
	ATOM	3428	CA	PRO	B	110	1.251	-59.478	-31.855	1.00	18.99	BBBB
	ATOM	3429	CB	PRO	B	110	0.198	-59.737	-30.778	1.00	20.41	BBBB
	ATOM	3430	CG	PRO	B	110	0.998	-59.720	-29.515	1.00	19.81	BBBB

	ATOM	3431	C	PRO B 110	0.651	-58.761	-33.075	1.00	19.22	BBBB
	ATOM	3432	O	PRO B 110	0.406	-59.371	-34.116	1.00	17.13	BBBB
	ATOM	3433	N	GLY B 111	0.407	-57.462	-32.927	1.00	19.03	BBBB
	ATOM	3434	CA	GLY B 111	-0.160	-56.702	-34.025	1.00	19.60	BBBB
5	ATOM	3435	C	GLY B 111	0.764	-56.714	-35.226	1.00	19.59	BBBB
	ATOM	3436	O	GLY B 111	0.330	-56.979	-36.339	1.00	21.10	BBBB
	ATOM	3437	N	GLY B 112	2.043	-56.429	-34.995	1.00	19.78	BBBB
	ATOM	3438	CA	GLY B 112	3.014	-56.417	-36.074	1.00	19.97	BBBB
	ATOM	3439	C	GLY B 112	3.147	-57.783	-36.724	1.00	20.43	BBBB
10	ATOM	3440	O	GLY B 112	3.233	-57.896	-37.949	1.00	19.94	BBBB
	ATOM	3441	N	LEU B 113	3.167	-58.828	-35.903	1.00	19.26	BBBB
	ATOM	3442	CA	LEU B 113	3.265	-60.184	-36.429	1.00	19.49	BBBB
	ATOM	3443	CB	LEU B 113	3.405	-61.198	-35.289	1.00	18.38	BBBB
	ATOM	3444	CG	LEU B 113	4.777	-61.270	-34.605	1.00	20.59	BBBB
15	ATOM	3445	CD1	LEU B 113	4.656	-62.059	-33.311	1.00	20.01	BBBB
	ATOM	3446	CD2	LEU B 113	5.794	-61.914	-35.538	1.00	20.23	BBBB
	ATOM	3447	C	LEU B 113	2.040	-60.521	-37.274	1.00	18.73	BBBB
	ATOM	3448	O	LEU B 113	2.143	-61.252	-38.255	1.00	18.44	BBBB
	ATOM	3449	N	ALA B 114	0.875	-60.010	-36.892	1.00	18.96	BBBB
20	ATOM	3450	CA	ALA B 114	-0.334	-60.292	-37.661	1.00	18.70	BBBB
	ATOM	3451	CB	ALA B 114	-1.562	-59.855	-36.889	1.00	16.45	BBBB
	ATOM	3452	C	ALA B 114	-0.288	-59.578	-39.019	1.00	19.30	BBBB
	ATOM	3453	O	ALA B 114	-0.602	-60.167	-40.052	1.00	20.62	BBBB
	ATOM	3454	N	ALA B 115	0.082	-58.303	-39.000	1.00	20.57	BBBB
25	ATOM	3455	CA	ALA B 115	0.167	-57.516	-40.229	1.00	21.84	BBBB
	ATOM	3456	CB	ALA B 115	0.636	-56.108	-39.911	1.00	19.85	BBBB
	ATOM	3457	C	ALA B 115	1.140	-58.192	-41.189	1.00	21.58	BBBB
	ATOM	3458	O	ALA B 115	0.815	-58.464	-42.345	1.00	22.14	BBBB
	ATOM	3459	N	TRP B 116	2.334	-58.476	-40.688	1.00	22.12	BBBB
30	ATOM	3460	CA	TRP B 116	3.365	-59.126	-41.478	1.00	23.22	BBBB
	ATOM	3461	CB	TRP B 116	4.584	-59.367	-40.579	1.00	26.08	BBBB
	ATOM	3462	CG	TRP B 116	5.699	-60.136	-41.204	1.00	27.40	BBBB
	ATOM	3463	CD2	TRP B 116	6.168	-61.418	-40.793	1.00	28.77	BBBB
	ATOM	3464	CE2	TRP B 116	7.234	-61.771	-41.655	1.00	30.37	BBBB
35	ATOM	3465	CE3	TRP B 116	5.794	-62.308	-39.778	1.00	30.49	BBBB
	ATOM	3466	CD1	TRP B 116	6.473	-59.761	-42.271	1.00	28.30	BBBB
	ATOM	3467	NE1	TRP B 116	7.401	-60.742	-42.547	1.00	29.04	BBBB
	ATOM	3468	CZ2	TRP B 116	7.929	-62.981	-41.529	1.00	31.08	BBBB
	ATOM	3469	CZ3	TRP B 116	6.485	-63.510	-39.653	1.00	31.85	BBBB
40	ATOM	3470	CH2	TRP B 116	7.541	-63.834	-40.527	1.00	32.27	BBBB
	ATOM	3471	C	TRP B 116	2.871	-60.434	-42.123	1.00	23.55	BBBB
	ATOM	3472	O	TRP B 116	3.048	-60.643	-43.329	1.00	22.19	BBBB
	ATOM	3473	N	SER B 117	2.231	-61.304	-41.338	1.00	21.35	BBBB
	ATOM	3474	CA	SER B 117	1.735	-62.573	-41.873	1.00	22.61	BBBB
45	ATOM	3475	CB	SER B 117	1.167	-63.462	-40.756	1.00	20.72	BBBB

	ATOM	3476	OG	SER	B	117	0.010	-62.889	-40.169	1.00	22.72	BBBB
	ATOM	3477	C	SER	B	117	0.665	-62.383	-42.940	1.00	23.56	BBBB
	ATOM	3478	O	SER	B	117	0.463	-63.262	-43.780	1.00	23.11	BBBB
	ATOM	3479	N	LEU	B	118	-0.020	-61.242	-42.905	1.00	24.40	BBBB
5	ATOM	3480	CA	LEU	B	118	-1.069	-60.957	-43.882	1.00	25.70	BBBB
	ATOM	3481	CB	LEU	B	118	-2.195	-60.155	-43.227	1.00	25.80	BBBB
	ATOM	3482	CG	LEU	B	118	-3.012	-60.889	-42.159	1.00	26.56	BBBB
	ATOM	3483	CD1	LEU	B	118	-3.905	-59.895	-41.433	1.00	26.62	BBBB
	ATOM	3484	CD2	LEU	B	118	-3.841	-62.000	-42.801	1.00	26.51	BBBB
10	ATOM	3485	C	LEU	B	118	-0.539	-60.193	-45.094	1.00	26.87	BBBB
	ATOM	3486	O	LEU	B	118	-1.292	-59.878	-46.021	1.00	26.69	BBBB
	ATOM	3487	N	GLY	B	119	0.755	-59.898	-45.085	1.00	26.39	BBBB
	ATOM	3488	CA	GLY	B	119	1.354	-59.174	-46.192	1.00	27.80	BBBB
	ATOM	3489	C	GLY	B	119	1.142	-57.671	-46.120	1.00	27.64	BBBB
15	ATOM	3490	O	GLY	B	119	1.293	-56.972	-47.122	1.00	28.49	BBBB
	ATOM	3491	N	ILE	B	120	0.786	-57.173	-44.940	1.00	25.88	BBBB
	ATOM	3492	CA	ILE	B	120	0.568	-55.744	-44.731	1.00	24.85	BBBB
	ATOM	3493	CB	ILE	B	120	-0.507	-55.497	-43.652	1.00	24.64	BBBB
	ATOM	3494	CG2	ILE	B	120	-0.648	-54.000	-43.397	1.00	24.49	BBBB
20	ATOM	3495	CG1	ILE	B	120	-1.839	-56.112	-44.093	1.00	24.61	BBBB
	ATOM	3496	CD1	ILE	B	120	-2.891	-56.170	-42.991	1.00	23.34	BBBB
	ATOM	3497	C	ILE	B	120	1.879	-55.121	-44.272	1.00	24.55	BBBB
	ATOM	3498	O	ILE	B	120	2.465	-55.551	-43.275	1.00	23.69	BBBB
	ATOM	3499	N	PRO	B	121	2.365	-54.098	-44.995	1.00	23.85	BBBB
25	ATOM	3500	CD	PRO	B	121	1.780	-53.400	-46.154	1.00	23.64	BBBB
	ATOM	3501	CA	PRO	B	121	3.625	-53.477	-44.591	1.00	22.63	BBBB
	ATOM	3502	CB	PRO	B	121	3.872	-52.440	-45.691	1.00	23.83	BBBB
	ATOM	3503	CG	PRO	B	121	2.485	-52.053	-46.102	1.00	23.96	BBBB
	ATOM	3504	C	PRO	B	121	3.583	-52.869	-43.196	1.00	22.21	BBBB
30	ATOM	3505	O	PRO	B	121	2.617	-52.208	-42.810	1.00	22.46	BBBB
	ATOM	3506	N	VAL	B	122	4.641	-53.114	-42.437	1.00	21.69	BBBB
	ATOM	3507	CA	VAL	B	122	4.743	-52.594	-41.083	1.00	22.03	BBBB
	ATOM	3508	CB	VAL	B	122	5.184	-53.694	-40.095	1.00	21.80	BBBB
	ATOM	3509	CG1	VAL	B	122	5.426	-53.085	-38.724	1.00	21.97	BBBB
35	ATOM	3510	CG2	VAL	B	122	4.133	-54.789	-40.035	1.00	22.19	BBBB
	ATOM	3511	C	VAL	B	122	5.754	-51.465	-41.021	1.00	21.29	BBBB
	ATOM	3512	O	VAL	B	122	6.892	-51.605	-41.479	1.00	22.83	BBBB
	ATOM	3513	N	VAL	B	123	5.330	-50.338	-40.464	1.00	20.94	BBBB
	ATOM	3514	CA	VAL	B	123	6.200	-49.184	-40.310	1.00	20.82	BBBB
40	ATOM	3515	CB	VAL	B	123	5.580	-47.902	-40.932	1.00	22.16	BBBB
	ATOM	3516	CG1	VAL	B	123	6.516	-46.722	-40.709	1.00	20.83	BBBB
	ATOM	3517	CG2	VAL	B	123	5.322	-48.111	-42.420	1.00	22.66	BBBB
	ATOM	3518	C	VAL	B	123	6.338	-48.953	-38.812	1.00	21.09	BBBB
	ATOM	3519	O	VAL	B	123	5.341	-48.986	-38.093	1.00	21.48	BBBB
45	ATOM	3520	N	LEU	B	124	7.557	-48.720	-38.340	1.00	20.53	BBBB

5	ATOM	3521	CA	LEU	B	124	7.749	-48.485	-36.915	1.00	22.10	BBBB
	ATOM	3522	CB	LEU	B	124	8.578	-49.606	-36.286	1.00	22.00	BBBB
	ATOM	3523	CG	LEU	B	124	8.160	-51.051	-36.551	1.00	22.45	BBBB
	ATOM	3524	CD1	LEU	B	124	9.196	-51.974	-35.905	1.00	23.90	BBBB
	ATOM	3525	CD2	LEU	B	124	6.765	-51.313	-36.003	1.00	22.34	BBBB
10	ATOM	3526	C	LEU	B	124	8.452	-47.172	-36.633	1.00	22.36	BBBB
	ATOM	3527	O	LEU	B	124	9.218	-46.660	-37.461	1.00	20.75	BBBB
	ATOM	3528	N	HIS	B	125	8.182	-46.638	-35.447	1.00	21.40	BBBB
	ATOM	3529	CA	HIS	B	125	8.814	-45.413	-34.981	1.00	21.42	BBBB
	ATOM	3530	CB	HIS	B	125	7.858	-44.218	-35.067	1.00	21.57	BBBB
15	ATOM	3531	CG	HIS	B	125	8.432	-42.948	-34.511	1.00	23.73	BBBB
	ATOM	3532	CD2	HIS	B	125	8.300	-42.368	-33.295	1.00	22.15	BBBB
	ATOM	3533	ND1	HIS	B	125	9.274	-42.127	-35.236	1.00	26.23	BBBB
	ATOM	3534	CE1	HIS	B	125	9.631	-41.095	-34.490	1.00	24.20	BBBB
	ATOM	3535	NE2	HIS	B	125	9.054	-41.218	-33.307	1.00	26.07	BBBB
20	ATOM	3536	C	HIS	B	125	9.196	-45.642	-33.519	1.00	21.70	BBBB
	ATOM	3537	O	HIS	B	125	8.378	-46.117	-32.725	1.00	19.81	BBBB
	ATOM	3538	N	GLU	B	126	10.444	-45.332	-33.186	1.00	21.20	BBBB
	ATOM	3539	CA	GLU	B	126	10.947	-45.452	-31.817	1.00	22.15	BBBB
	ATOM	3540	CB	GLU	B	126	12.252	-46.246	-31.790	1.00	21.99	BBBB
25	ATOM	3541	CG	GLU	B	126	12.958	-46.206	-30.439	1.00	22.04	BBBB
	ATOM	3542	CD	GLU	B	126	12.119	-46.824	-29.338	1.00	21.43	BBBB
	ATOM	3543	OE1	GLU	B	126	11.767	-48.014	-29.471	1.00	21.92	BBBB
	ATOM	3544	OE2	GLU	B	126	11.807	-46.124	-28.349	1.00	21.08	BBBB
	ATOM	3545	C	GLU	B	126	11.205	-44.027	-31.326	1.00	21.93	BBBB
30	ATOM	3546	O	GLU	B	126	12.016	-43.300	-31.908	1.00	21.33	BBBB
	ATOM	3547	N	GLN	B	127	10.520	-43.624	-30.259	1.00	22.62	BBBB
	ATOM	3548	CA	GLN	B	127	10.682	-42.270	-29.735	1.00	22.81	BBBB
	ATOM	3549	CB	GLN	B	127	9.414	-41.814	-28.989	1.00	23.56	BBBB
	ATOM	3550	CG	GLN	B	127	8.147	-41.783	-29.830	1.00	24.46	BBBB
35	ATOM	3551	CD	GLN	B	127	7.312	-43.041	-29.687	1.00	25.85	BBBB
	ATOM	3552	OE1	GLN	B	127	6.842	-43.366	-28.591	1.00	23.78	BBBB
	ATOM	3553	NE2	GLN	B	127	7.119	-43.758	-30.797	1.00	24.91	BBBB
	ATOM	3554	C	GLN	B	127	11.874	-42.087	-28.809	1.00	22.39	BBBB
	ATOM	3555	O	GLN	B	127	12.399	-40.976	-28.682	1.00	22.43	BBBB
40	ATOM	3556	N	ASN	B	128	12.314	-43.173	-28.177	1.00	22.35	BBBB
	ATOM	3557	CA	ASN	B	128	13.406	-43.097	-27.216	1.00	22.96	BBBB
	ATOM	3558	CB	ASN	B	128	13.136	-44.080	-26.064	1.00	22.85	BBBB
	ATOM	3559	CG	ASN	B	128	11.742	-43.919	-25.474	1.00	23.25	BBBB
	ATOM	3560	OD1	ASN	B	128	10.804	-44.632	-25.848	1.00	26.04	BBBB
45	ATOM	3561	ND2	ASN	B	128	11.597	-42.975	-24.556	1.00	22.68	BBBB
	ATOM	3562	C	ASN	B	128	14.824	-43.314	-27.742	1.00	23.87	BBBB
	ATOM	3563	O	ASN	B	128	15.026	-43.856	-28.830	1.00	24.05	BBBB
	ATOM	3564	N	GLY	B	129	15.798	-42.885	-26.940	1.00	24.35	BBBB
	ATOM	3565	CA	GLY	B	129	17.203	-43.019	-27.294	1.00	25.36	BBBB

	ATOM	3611	CG	LYS	B	136	16.183	-54.424	-30.178	1.00	27.75	BBBB
	ATOM	3612	CD	LYS	B	136	16.998	-54.494	-28.902	1.00	30.17	BBBB
	ATOM	3613	CE	LYS	B	136	18.479	-54.671	-29.203	1.00	32.33	BBBB
	ATOM	3614	NZ	LYS	B	136	19.278	-54.641	-27.944	1.00	33.37	BBBB
5	ATOM	3615	C	LYS	B	136	13.793	-55.229	-31.966	1.00	23.46	BBBB
	ATOM	3616	O	LYS	B	136	14.561	-55.407	-32.912	1.00	23.71	BBBB
	ATOM	3617	N	TRP	B	137	12.868	-56.127	-31.633	1.00	21.78	BBBB
	ATOM	3618	CA	TRP	B	137	12.753	-57.345	-32.424	1.00	22.06	BBBB
	ATOM	3619	CB	TRP	B	137	12.361	-58.552	-31.553	1.00	21.20	BBBB
10	ATOM	3620	CG	TRP	B	137	10.990	-58.525	-30.922	1.00	20.23	BBBB
	ATOM	3621	CD2	TRP	B	137	9.748	-58.877	-31.544	1.00	18.68	BBBB
	ATOM	3622	CE2	TRP	B	137	8.743	-58.780	-30.555	1.00	18.97	BBBB
	ATOM	3623	CE3	TRP	B	137	9.383	-59.270	-32.840	1.00	19.75	BBBB
	ATOM	3624	CD1	TRP	B	137	10.696	-58.231	-29.618	1.00	19.62	BBBB
15	ATOM	3625	NE1	TRP	B	137	9.349	-58.385	-29.390	1.00	19.31	BBBB
	ATOM	3626	CZ2	TRP	B	137	7.401	-59.058	-30.821	1.00	18.18	BBBB
	ATOM	3627	CZ3	TRP	B	137	8.046	-59.549	-33.107	1.00	18.87	BBBB
	ATOM	3628	CH2	TRP	B	137	7.072	-59.440	-32.099	1.00	18.94	BBBB
	ATOM	3629	C	TRP	B	137	11.768	-57.202	-33.574	1.00	21.75	BBBB
20	ATOM	3630	O	TRP	B	137	11.936	-57.822	-34.623	1.00	21.76	BBBB
	ATOM	3631	N	LEU	B	138	10.741	-56.381	-33.386	1.00	21.61	BBBB
	ATOM	3632	CA	LEU	B	138	9.744	-56.188	-34.431	1.00	23.15	BBBB
	ATOM	3633	CB	LEU	B	138	8.618	-55.305	-33.886	1.00	23.87	BBBB
	ATOM	3634	CG	LEU	B	138	7.312	-55.155	-34.664	1.00	26.48	BBBB
25	ATOM	3635	CD1	LEU	B	138	6.672	-56.508	-34.915	1.00	25.34	BBBB
	ATOM	3636	CD2	LEU	B	138	6.383	-54.267	-33.851	1.00	25.90	BBBB
	ATOM	3637	C	LEU	B	138	10.384	-55.558	-35.676	1.00	23.07	BBBB
	ATOM	3638	O	LEU	B	138	9.958	-55.801	-36.809	1.00	22.68	BBBB
	ATOM	3639	N	ALA	B	139	11.423	-54.763	-35.453	1.00	23.34	BBBB
30	ATOM	3640	CA	ALA	B	139	12.128	-54.092	-36.542	1.00	25.29	BBBB
	ATOM	3641	CB	ALA	B	139	13.298	-53.287	-35.984	1.00	24.97	BBBB
	ATOM	3642	C	ALA	B	139	12.624	-55.064	-37.610	1.00	26.83	BBBB
	ATOM	3643	O	ALA	B	139	12.829	-54.672	-38.754	1.00	27.29	BBBB
	ATOM	3644	N	LYS	B	140	12.801	-56.332	-37.241	1.00	27.38	BBBB
35	ATOM	3645	CA	LYS	B	140	13.279	-57.337	-38.182	1.00	28.05	BBBB
	ATOM	3646	CB	LYS	B	140	13.893	-58.501	-37.401	1.00	29.91	BBBB
	ATOM	3647	CG	LYS	B	140	15.134	-58.057	-36.635	1.00	31.62	BBBB
	ATOM	3648	CD	LYS	B	140	15.719	-59.149	-35.757	1.00	33.53	BBBB
	ATOM	3649	CE	LYS	B	140	16.974	-58.634	-35.055	1.00	34.46	BBBB
40	ATOM	3650	NZ	LYS	B	140	17.692	-59.713	-34.320	1.00	36.17	BBBB
	ATOM	3651	C	LYS	B	140	12.254	-57.833	-39.212	1.00	27.83	BBBB
	ATOM	3652	O	LYS	B	140	12.602	-58.562	-40.142	1.00	27.80	BBBB
	ATOM	3653	N	ILE	B	141	10.992	-57.445	-39.052	1.00	26.40	BBBB
	ATOM	3654	CA	ILE	B	141	9.963	-57.818	-40.016	1.00	26.09	BBBB
45	ATOM	3655	CB	ILE	B	141	8.854	-58.721	-39.405	1.00	26.39	BBBB

5	ATOM	3656	CG2	ILE	B	141	9.401	-60.118	-39.145	1.00	28.33	BBBB
	ATOM	3657	CG1	ILE	B	141	8.298	-58.092	-38.127	1.00	26.45	BBBB
	ATOM	3658	CD1	ILE	B	141	7.136	-58.845	-37.549	1.00	26.95	BBBB
	ATOM	3659	C	ILE	B	141	9.316	-56.542	-40.530	1.00	25.81	BBBB
	ATOM	3660	O	ILE	B	141	8.353	-56.586	-41.305	1.00	26.10	BBBB
10	ATOM	3661	N	ALA	B	142	9.856	-55.405	-40.097	1.00	23.78	BBBB
	ATOM	3662	CA	ALA	B	142	9.331	-54.107	-40.498	1.00	25.03	BBBB
	ATOM	3663	CB	ALA	B	142	9.717	-53.046	-39.466	1.00	24.89	BBBB
	ATOM	3664	C	ALA	B	142	9.816	-53.680	-41.880	1.00	25.08	BBBB
	ATOM	3665	O	ALA	B	142	10.973	-53.894	-42.237	1.00	24.93	BBBB
15	ATOM	3666	N	THR	B	143	8.920	-53.075	-42.651	1.00	25.03	BBBB
	ATOM	3667	CA	THR	B	143	9.262	-52.595	-43.984	1.00	26.10	BBBB
	ATOM	3668	CB	THR	B	143	7.987	-52.318	-44.816	1.00	25.75	BBBB
	ATOM	3669	OG1	THR	B	143	7.249	-53.534	-44.970	1.00	25.54	BBBB
	ATOM	3670	CG2	THR	B	143	8.345	-51.782	-46.207	1.00	26.92	BBBB
20	ATOM	3671	C	THR	B	143	10.079	-51.310	-43.863	1.00	26.63	BBBB
	ATOM	3672	O	THR	B	143	10.996	-51.061	-44.656	1.00	27.13	BBBB
	ATOM	3673	N	LYS	B	144	9.753	-50.506	-42.853	1.00	24.95	BBBB
	ATOM	3674	CA	LYS	B	144	10.436	-49.238	-42.618	1.00	24.73	BBBB
	ATOM	3675	CB	LYS	B	144	9.688	-48.103	-43.329	1.00	26.20	BBBB
25	ATOM	3676	CG	LYS	B	144	10.202	-46.710	-43.013	1.00	27.44	BBBB
	ATOM	3677	CD	LYS	B	144	11.602	-46.480	-43.558	1.00	29.01	BBBB
	ATOM	3678	CE	LYS	B	144	12.055	-45.051	-43.293	1.00	29.74	BBBB
	ATOM	3679	NZ	LYS	B	144	13.406	-44.774	-43.854	1.00	31.29	BBBB
	ATOM	3680	C	LYS	B	144	10.506	-48.943	-41.125	1.00	24.61	BBBB
30	ATOM	3681	O	LYS	B	144	9.493	-49.008	-40.423	1.00	23.36	BBBB
	ATOM	3682	N	VAL	B	145	11.707	-48.623	-40.656	1.00	23.68	BBBB
	ATOM	3683	CA	VAL	B	145	11.947	-48.311	-39.252	1.00	23.62	BBBB
	ATOM	3684	CB	VAL	B	145	12.981	-49.279	-38.617	1.00	23.66	BBBB
	ATOM	3685	CG1	VAL	B	145	13.083	-49.014	-37.114	1.00	24.44	BBBB
35	ATOM	3686	CG2	VAL	B	145	12.589	-50.724	-38.878	1.00	23.51	BBBB
	ATOM	3687	C	VAL	B	145	12.510	-46.900	-39.125	1.00	24.09	BBBB
	ATOM	3688	O	VAL	B	145	13.473	-46.545	-39.808	1.00	23.68	BBBB
	ATOM	3689	N	MET	B	146	11.902	-46.103	-38.251	1.00	23.84	BBBB
	ATOM	3690	CA	MET	B	146	12.338	-44.736	-37.993	1.00	23.15	BBBB
40	ATOM	3691	CB	MET	B	146	11.274	-43.729	-38.448	1.00	24.72	BBBB
	ATOM	3692	CG	MET	B	146	11.130	-43.577	-39.970	1.00	21.76	BBBB
	ATOM	3693	SD	MET	B	146	9.649	-42.636	-40.468	1.00	25.05	BBBB
	ATOM	3694	CE	MET	B	146	8.376	-43.846	-40.325	1.00	21.96	BBBB
	ATOM	3695	C	MET	B	146	12.567	-44.593	-36.488	1.00	24.69	BBBB
45	ATOM	3696	O	MET	B	146	11.963	-45.311	-35.689	1.00	22.43	BBBB
	ATOM	3697	N	GLN	B	147	13.456	-43.678	-36.112	1.00	23.37	BBBB
	ATOM	3698	CA	GLN	B	147	13.762	-43.418	-34.712	1.00	25.05	BBBB
	ATOM	3699	CB	GLN	B	147	15.067	-44.114	-34.301	1.00	24.99	BBBB
	ATOM	3700	CG	GLN	B	147	16.259	-43.750	-35.169	1.00	26.10	BBBB

	ATOM	3701	CD	GLN	B	147	17.527	-44.508	-34.803	1.00	26.65	BBBB
	ATOM	3702	OE1	GLN	B	147	18.425	-44.671	-35.637	1.00	28.62	BBBB
	ATOM	3703	NE2	GLN	B	147	17.615	-44.966	-33.558	1.00	26.05	BBBB
	ATOM	3704	C	GLN	B	147	13.880	-41.911	-34.515	1.00	26.28	BBBB
5	ATOM	3705	O	GLN	B	147	14.292	-41.177	-35.430	1.00	25.02	BBBB
	ATOM	3706	N	ALA	B	148	13.518	-41.452	-33.323	1.00	26.58	BBBB
	ATOM	3707	CA	ALA	B	148	13.559	-40.032	-33.009	1.00	26.88	BBBB
	ATOM	3708	CB	ALA	B	148	12.853	-39.776	-31.685	1.00	26.71	BBBB
	ATOM	3709	C	ALA	B	148	14.983	-39.502	-32.954	1.00	27.88	BBBB
10	ATOM	3710	O	ALA	B	148	15.293	-38.463	-33.545	1.00	27.38	BBBB
	ATOM	3711	N	PHE	B	149	15.847	-40.219	-32.242	1.00	27.92	BBBB
	ATOM	3712	CA	PHE	B	149	17.239	-39.820	-32.098	1.00	29.39	BBBB
	ATOM	3713	CB	PHE	B	149	17.596	-39.631	-30.617	1.00	28.95	BBBB
	ATOM	3714	CG	PHE	B	149	16.549	-38.910	-29.821	1.00	28.91	BBBB
15	ATOM	3715	CD1	PHE	B	149	15.745	-39.603	-28.929	1.00	27.96	BBBB
	ATOM	3716	CD2	PHE	B	149	16.372	-37.537	-29.957	1.00	29.03	BBBB
	ATOM	3717	CE1	PHE	B	149	14.779	-38.945	-28.178	1.00	28.64	BBBB
	ATOM	3718	CE2	PHE	B	149	15.406	-36.866	-29.211	1.00	30.10	BBBB
	ATOM	3719	CZ	PHE	B	149	14.608	-37.575	-28.317	1.00	29.02	BBBB
20	ATOM	3720	C	PHE	B	149	18.153	-40.893	-32.673	1.00	30.03	BBBB
	ATOM	3721	O	PHE	B	149	17.750	-42.036	-32.849	1.00	30.05	BBBB
	ATOM	3722	N	PRO	B	150	19.401	-40.530	-32.991	1.00	31.73	BBBB
	ATOM	3723	CD	PRO	B	150	20.018	-39.192	-33.018	1.00	32.39	BBBB
	ATOM	3724	CA	PRO	B	150	20.310	-41.541	-33.535	1.00	31.87	BBBB
25	ATOM	3725	CB	PRO	B	150	21.418	-40.698	-34.154	1.00	33.07	BBBB
	ATOM	3726	CG	PRO	B	150	21.480	-39.517	-33.238	1.00	33.70	BBBB
	ATOM	3727	C	PRO	B	150	20.809	-42.411	-32.376	1.00	31.93	BBBB
	ATOM	3728	O	PRO	B	150	20.873	-41.945	-31.239	1.00	31.39	BBBB
	ATOM	3729	N	GLY	B	151	21.130	-43.671	-32.651	1.00	31.67	BBBB
30	ATOM	3730	CA	GLY	B	151	21.629	-44.537	-31.595	1.00	32.62	BBBB
	ATOM	3731	C	GLY	B	151	20.717	-45.655	-31.112	1.00	32.88	BBBB
	ATOM	3732	O	GLY	B	151	21.206	-46.690	-30.657	1.00	32.98	BBBB
	ATOM	3733	N	ALA	B	152	19.403	-45.458	-31.196	1.00	32.24	BBBB
	ATOM	3734	CA	ALA	B	152	18.447	-46.476	-30.753	1.00	32.71	BBBB
35	ATOM	3735	CB	ALA	B	152	17.020	-45.924	-30.817	1.00	31.78	BBBB
	ATOM	3736	C	ALA	B	152	18.582	-47.708	-31.643	1.00	33.00	BBBB
	ATOM	3737	O	ALA	B	152	18.528	-48.842	-31.169	1.00	32.08	BBBB
	ATOM	3738	N	PHE	B	153	18.732	-47.462	-32.941	1.00	33.66	BBBB
	ATOM	3739	CA	PHE	B	153	18.925	-48.506	-33.937	1.00	34.83	BBBB
40	ATOM	3740	CB	PHE	B	153	17.734	-48.611	-34.893	1.00	33.64	BBBB
	ATOM	3741	CG	PHE	B	153	16.518	-49.244	-34.289	1.00	32.97	BBBB
	ATOM	3742	CD1	PHE	B	153	15.468	-48.461	-33.823	1.00	31.93	BBBB
	ATOM	3743	CD2	PHE	B	153	16.421	-50.628	-34.184	1.00	32.46	BBBB
	ATOM	3744	CE1	PHE	B	153	14.339	-49.049	-33.265	1.00	32.18	BBBB
45	ATOM	3745	CE2	PHE	B	153	15.294	-51.224	-33.626	1.00	31.75	BBBB

5	ATOM	3746	CZ	PHE	B	153	14.254	-50.435	-33.166	1.00	31.22	BBBB
	ATOM	3747	C	PHE	B	153	20.155	-48.075	-34.723	1.00	36.90	BBBB
	ATOM	3748	O	PHE	B	153	20.407	-46.878	-34.879	1.00	37.54	BBBB
	ATOM	3749	N	PRO	B	154	20.944	-49.040	-35.220	1.00	38.15	BBBB
	ATOM	3750	CD	PRO	B	154	20.845	-50.482	-34.932	1.00	38.37	BBBB
10	ATOM	3751	CA	PRO	B	154	22.158	-48.751	-35.993	1.00	38.97	BBBB
	ATOM	3752	CB	PRO	B	154	22.706	-50.143	-36.302	1.00	39.31	BBBB
	ATOM	3753	CG	PRO	B	154	22.274	-50.941	-35.108	1.00	39.50	BBBB
	ATOM	3754	C	PRO	B	154	21.964	-47.921	-37.266	1.00	39.90	BBBB
	ATOM	3755	O	PRO	B	154	22.697	-46.958	-37.496	1.00	39.89	BBBB
15	ATOM	3756	N	ASN	B	155	20.979	-48.280	-38.088	1.00	40.46	BBBB
	ATOM	3757	CA	ASN	B	155	20.765	-47.568	-39.346	1.00	41.08	BBBB
	ATOM	3758	CB	ASN	B	155	21.135	-48.488	-40.510	1.00	43.63	BBBB
	ATOM	3759	CG	ASN	B	155	22.618	-48.753	-40.585	1.00	45.00	BBBB
	ATOM	3760	OD1	ASN	B	155	23.401	-47.861	-40.922	1.00	46.41	BBBB
20	ATOM	3761	ND2	ASN	B	155	23.019	-49.978	-40.259	1.00	45.20	BBBB
	ATOM	3762	C	ASN	B	155	19.393	-46.966	-39.627	1.00	40.73	BBBB
	ATOM	3763	O	ASN	B	155	19.145	-46.501	-40.742	1.00	41.01	BBBB
	ATOM	3764	N	ALA	B	156	18.507	-46.956	-38.638	1.00	38.93	BBBB
	ATOM	3765	CA	ALA	B	156	17.170	-46.407	-38.843	1.00	37.55	BBBB
25	ATOM	3766	CB	ALA	B	156	16.304	-46.689	-37.618	1.00	37.34	BBBB
	ATOM	3767	C	ALA	B	156	17.209	-44.909	-39.123	1.00	36.36	BBBB
	ATOM	3768	O	ALA	B	156	17.934	-44.171	-38.459	1.00	36.95	BBBB
	ATOM	3769	N	GLU	B	157	16.428	-44.464	-40.107	1.00	35.76	BBBB
	ATOM	3770	CA	GLU	B	157	16.367	-43.044	-40.460	1.00	34.40	BBBB
30	ATOM	3771	CB	GLU	B	157	15.375	-42.815	-41.613	1.00	34.84	BBBB
	ATOM	3772	CG	GLU	B	157	15.246	-41.349	-42.055	1.00	34.91	BBBB
	ATOM	3773	CD	GLU	B	157	14.171	-41.123	-43.117	1.00	36.66	BBBB
	ATOM	3774	OE1	GLU	B	157	13.952	-39.951	-43.509	1.00	37.67	BBBB
	ATOM	3775	OE2	GLU	B	157	13.543	-42.107	-43.563	1.00	35.62	BBBB
35	ATOM	3776	C	GLU	B	157	15.922	-42.249	-39.231	1.00	33.89	BBBB
	ATOM	3777	O	GLU	B	157	14.941	-42.605	-38.574	1.00	33.04	BBBB
	ATOM	3778	N	VAL	B	158	16.655	-41.185	-38.915	1.00	32.73	BBBB
	ATOM	3779	CA	VAL	B	158	16.337	-40.344	-37.764	1.00	31.16	BBBB
	ATOM	3780	CB	VAL	B	158	17.606	-39.680	-37.202	1.00	31.85	BBBB
40	ATOM	3781	CG1	VAL	B	158	17.238	-38.729	-36.073	1.00	31.22	BBBB
	ATOM	3782	CG2	VAL	B	158	18.574	-40.752	-36.708	1.00	31.41	BBBB
	ATOM	3783	C	VAL	B	158	15.352	-39.260	-38.178	1.00	30.27	BBBB
	ATOM	3784	O	VAL	B	158	15.649	-38.445	-39.053	1.00	30.18	BBBB
	ATOM	3785	N	VAL	B	159	14.186	-39.241	-37.544	1.00	28.57	BBBB
45	ATOM	3786	CA	VAL	B	159	13.155	-38.265	-37.889	1.00	28.10	BBBB
	ATOM	3787	CB	VAL	B	159	11.942	-38.963	-38.535	1.00	27.81	BBBB
	ATOM	3788	CG1	VAL	B	159	12.365	-39.667	-39.819	1.00	28.61	BBBB
	ATOM	3789	CG2	VAL	B	159	11.336	-39.962	-37.548	1.00	27.61	BBBB
	ATOM	3790	C	VAL	B	159	12.636	-37.430	-36.725	1.00	27.64	BBBB

	ATOM	3791	O	VAL B	159	11.757	-36.591	-36.918	1.00	27.97	BBBB
	ATOM	3792	N	GLY B	160	13.168	-37.662	-35.527	1.00	27.60	BBBB
	ATOM	3793	CA	GLY B	160	12.724	-36.921	-34.355	1.00	26.93	BBBB
	ATOM	3794	C	GLY B	160	11.331	-37.312	-33.883	1.00	26.66	BBBB
5	ATOM	3795	O	GLY B	160	10.757	-38.275	-34.384	1.00	26.71	BBBB
	ATOM	3796	N	ASN B	161	10.797	-36.569	-32.914	1.00	25.68	BBBB
	ATOM	3797	CA	ASN B	161	9.456	-36.807	-32.375	1.00	25.27	BBBB
	ATOM	3798	CB	ASN B	161	9.481	-36.963	-30.849	1.00	23.89	BBBB
	ATOM	3799	CG	ASN B	161	10.042	-38.285	-30.401	1.00	22.91	BBBB
10	ATOM	3800	OD1	ASN B	161	9.600	-39.335	-30.850	1.00	22.70	BBBB
	ATOM	3801	ND2	ASN B	161	11.017	-38.243	-29.496	1.00	22.71	BBBB
	ATOM	3802	C	ASN B	161	8.556	-35.618	-32.670	1.00	25.39	BBBB
	ATOM	3803	O	ASN B	161	9.028	-34.499	-32.821	1.00	25.45	BBBB
	ATOM	3804	N	PRO B	162	7.241	-35.849	-32.741	1.00	26.08	BBBB
15	ATOM	3805	CD	PRO B	162	6.533	-37.140	-32.710	1.00	25.20	BBBB
	ATOM	3806	CA	PRO B	162	6.315	-34.747	-33.004	1.00	26.14	BBBB
	ATOM	3807	CB	PRO B	162	4.952	-35.431	-32.976	1.00	25.76	BBBB
	ATOM	3808	CG	PRO B	162	5.255	-36.821	-33.430	1.00	26.48	BBBB
	ATOM	3809	C	PRO B	162	6.455	-33.728	-31.866	1.00	27.00	BBBB
20	ATOM	3810	O	PRO B	162	6.652	-34.102	-30.703	1.00	25.08	BBBB
	ATOM	3811	N	VAL B	163	6.355	-32.446	-32.203	1.00	27.54	BBBB
	ATOM	3812	CA	VAL B	163	6.456	-31.379	-31.216	1.00	27.75	BBBB
	ATOM	3813	CB	VAL B	163	7.748	-30.561	-31.421	1.00	28.81	BBBB
	ATOM	3814	CG1	VAL B	163	7.839	-29.451	-30.381	1.00	28.20	BBBB
25	ATOM	3815	CG2	VAL B	163	8.958	-31.471	-31.335	1.00	27.87	BBBB
	ATOM	3816	C	VAL B	163	5.261	-30.440	-31.365	1.00	29.43	BBBB
	ATOM	3817	O	VAL B	163	4.777	-30.227	-32.476	1.00	28.49	BBBB
	ATOM	3818	N	ARG B	164	4.790	-29.891	-30.246	1.00	29.93	BBBB
	ATOM	3819	CA	ARG B	164	3.667	-28.953	-30.246	1.00	32.36	BBBB
30	ATOM	3820	CB	ARG B	164	3.430	-28.411	-28.833	1.00	34.56	BBBB
	ATOM	3821	CG	ARG B	164	2.967	-29.439	-27.832	1.00	38.34	BBBB
	ATOM	3822	CD	ARG B	164	3.067	-28.889	-26.417	1.00	41.59	BBBB
	ATOM	3823	NE	ARG B	164	2.481	-27.555	-26.299	1.00	44.08	BBBB
	ATOM	3824	CZ	ARG B	164	2.307	-26.919	-25.144	1.00	45.79	BBBB
35	ATOM	3825	NH1	ARG B	164	2.673	-27.499	-24.008	1.00	46.89	BBBB
	ATOM	3826	NH2	ARG B	164	1.769	-25.705	-25.123	1.00	47.50	BBBB
	ATOM	3827	C	ARG B	164	3.939	-27.775	-31.187	1.00	31.56	BBBB
	ATOM	3828	O	ARG B	164	5.031	-27.212	-31.191	1.00	30.03	BBBB
	ATOM	3829	N	THR B	165	2.928	-27.401	-31.965	1.00	32.06	BBBB
40	ATOM	3830	CA	THR B	165	3.038	-26.307	-32.924	1.00	31.74	BBBB
	ATOM	3831	CB	THR B	165	1.701	-26.104	-33.678	1.00	32.51	BBBB
	ATOM	3832	OG1	THR B	165	1.198	-27.375	-34.094	1.00	32.54	BBBB
	ATOM	3833	CG2	THR B	165	1.907	-25.239	-34.916	1.00	32.14	BBBB
	ATOM	3834	C	THR B	165	3.445	-24.976	-32.295	1.00	31.49	BBBB
45	ATOM	3835	O	THR B	165	4.236	-24.238	-32.872	1.00	31.48	BBBB

5	ATOM	3881	CB	LEU B 172	16.106	-18.557	-34.247	1.00	29.88	BBBB
	ATOM	3882	CG	LEU B 172	15.800	-19.149	-35.628	1.00	32.18	BBBB
	ATOM	3883	CD1	LEU B 172	15.593	-20.656	-35.510	1.00	32.75	BBBB
	ATOM	3884	CD2	LEU B 172	14.573	-18.476	-36.222	1.00	33.92	BBBB
	ATOM	3885	C	LEU B 172	15.805	-18.206	-31.805	1.00	26.61	BBBB
10	ATOM	3886	O	LEU B 172	15.478	-17.093	-31.388	1.00	26.45	BBBB
	ATOM	3887	N	PRO B 173	16.735	-18.959	-31.190	1.00	25.73	BBBB
	ATOM	3888	CD	PRO B 173	17.093	-20.345	-31.550	1.00	24.63	BBBB
	ATOM	3889	CA	PRO B 173	17.450	-18.550	-29.977	1.00	25.25	BBBB
	ATOM	3890	CB	PRO B 173	18.512	-19.635	-29.827	1.00	25.04	BBBB
15	ATOM	3891	CG	PRO B 173	17.818	-20.831	-30.309	1.00	24.90	BBBB
	ATOM	3892	C	PRO B 173	18.066	-17.145	-29.999	1.00	24.24	BBBB
	ATOM	3893	O	PRO B 173	17.791	-16.337	-29.116	1.00	22.89	BBBB
	ATOM	3894	N	GLN B 174	18.899	-16.850	-30.995	1.00	24.48	BBBB
	ATOM	3895	CA	GLN B 174	19.526	-15.527	-31.049	1.00	25.46	BBBB
20	ATOM	3896	CB	GLN B 174	20.384	-15.382	-32.313	1.00	26.10	BBBB
	ATOM	3897	CG	GLN B 174	21.173	-14.070	-32.382	1.00	26.21	BBBB
	ATOM	3898	CD	GLN B 174	20.325	-12.883	-32.812	1.00	26.24	BBBB
	ATOM	3899	OE1	GLN B 174	20.634	-11.732	-32.491	1.00	26.98	BBBB
	ATOM	3900	NE2	GLN B 174	19.258	-13.154	-33.550	1.00	25.58	BBBB
25	ATOM	3901	C	GLN B 174	18.485	-14.408	-30.981	1.00	25.33	BBBB
	ATOM	3902	O	GLN B 174	18.646	-13.432	-30.249	1.00	24.63	BBBB
	ATOM	3903	N	GLN B 175	17.402	-14.555	-31.726	1.00	26.49	BBBB
	ATOM	3904	CA	GLN B 175	16.365	-13.525	-31.718	1.00	28.47	BBBB
	ATOM	3905	CB	GLN B 175	15.333	-13.819	-32.809	1.00	29.48	BBBB
30	ATOM	3906	CG	GLN B 175	14.206	-12.805	-32.888	1.00	33.70	BBBB
	ATOM	3907	CD	GLN B 175	13.324	-13.006	-34.109	1.00	35.20	BBBB
	ATOM	3908	OE1	GLN B 175	12.247	-12.422	-34.215	1.00	38.98	BBBB
	ATOM	3909	NE2	GLN B 175	13.785	-13.828	-35.042	1.00	37.92	BBBB
	ATOM	3910	C	GLN B 175	15.678	-13.430	-30.355	1.00	27.54	BBBB
35	ATOM	3911	O	GLN B 175	15.521	-12.346	-29.796	1.00	26.49	BBBB
	ATOM	3912	N	ARG B 176	15.288	-14.578	-29.818	1.00	28.19	BBBB
	ATOM	3913	CA	ARG B 176	14.611	-14.635	-28.525	1.00	29.01	BBBB
	ATOM	3914	CB	ARG B 176	14.183	-16.088	-28.260	1.00	32.12	BBBB
	ATOM	3915	CG	ARG B 176	13.783	-16.410	-26.825	1.00	34.95	BBBB
40	ATOM	3916	CD	ARG B 176	12.879	-17.638	-26.779	1.00	36.93	BBBB
	ATOM	3917	NE	ARG B 176	13.401	-18.749	-27.566	1.00	37.99	BBBB
	ATOM	3918	CZ	ARG B 176	14.458	-19.480	-27.231	1.00	40.44	BBBB
	ATOM	3919	NH1	ARG B 176	15.121	-19.233	-26.107	1.00	41.22	BBBB
	ATOM	3920	NH2	ARG B 176	14.866	-20.451	-28.040	1.00	42.79	BBBB
45	ATOM	3921	C	ARG B 176	15.449	-14.094	-27.357	1.00	28.58	BBBB
	ATOM	3922	O	ARG B 176	14.933	-13.414	-26.467	1.00	26.70	BBBB
	ATOM	3923	N	LEU B 177	16.744	-14.382	-27.384	1.00	28.60	BBBB
	ATOM	3924	CA	LEU B 177	17.673	-13.970	-26.331	1.00	29.90	BBBB
	ATOM	3925	CB	LEU B 177	18.729	-15.071	-26.140	1.00	30.05	BBBB

5	ATOM	3926	CG	LEU	B	177	18.323	-16.402	-25.484	1.00	31.35	BBBB
	ATOM	3927	CD1	LEU	B	177	16.893	-16.755	-25.807	1.00	31.63	BBBB
	ATOM	3928	CD2	LEU	B	177	19.266	-17.504	-25.948	1.00	30.16	BBBB
	ATOM	3929	C	LEU	B	177	18.384	-12.637	-26.594	1.00	30.48	BBBB
	ATOM	3930	O	LEU	B	177	19.148	-12.161	-25.752	1.00	30.67	BBBB
10	ATOM	3931	N	ALA	B	178	18.128	-12.036	-27.752	1.00	31.18	BBBB
	ATOM	3932	CA	ALA	B	178	18.766	-10.776	-28.131	1.00	30.78	BBBB
	ATOM	3933	CB	ALA	B	178	18.238	-10.319	-29.496	1.00	32.30	BBBB
	ATOM	3934	C	ALA	B	178	18.639	-9.636	-27.123	1.00	31.11	BBBB
	ATOM	3935	O	ALA	B	178	17.537	-9.253	-26.726	1.00	30.59	BBBB
15	ATOM	3936	N	GLY	B	179	19.792	-9.105	-26.718	1.00	30.45	BBBB
	ATOM	3937	CA	GLY	B	179	19.846	-7.993	-25.784	1.00	30.10	BBBB
	ATOM	3938	C	GLY	B	179	19.392	-8.298	-24.374	1.00	29.54	BBBB
	ATOM	3939	O	GLY	B	179	19.288	-7.405	-23.537	1.00	28.79	BBBB
	ATOM	3940	N	ARG	B	180	19.129	-9.568	-24.101	1.00	29.31	BBBB
20	ATOM	3941	CA	ARG	B	180	18.676	-9.965	-22.787	1.00	28.97	BBBB
	ATOM	3942	CB	ARG	B	180	18.120	-11.391	-22.868	1.00	28.73	BBBB
	ATOM	3943	CG	ARG	B	180	17.281	-11.815	-21.693	1.00	25.80	BBBB
	ATOM	3944	CD	ARG	B	180	16.813	-13.245	-21.869	1.00	24.21	BBBB
	ATOM	3945	NE	ARG	B	180	15.595	-13.363	-22.665	1.00	23.27	BBBB
25	ATOM	3946	CZ	ARG	B	180	14.898	-14.489	-22.776	1.00	24.65	BBBB
	ATOM	3947	NH1	ARG	B	180	15.316	-15.579	-22.146	1.00	21.06	BBBB
	ATOM	3948	NH2	ARG	B	180	13.777	-14.529	-23.491	1.00	23.07	BBBB
	ATOM	3949	C	ARG	B	180	19.818	-9.874	-21.769	1.00	30.52	BBBB
	ATOM	3950	O	ARG	B	180	20.916	-10.398	-21.980	1.00	30.32	BBBB
30	ATOM	3951	N	GLU	B	181	19.562	-9.171	-20.677	1.00	30.40	BBBB
	ATOM	3952	CA	GLU	B	181	20.545	-9.027	-19.621	1.00	31.79	BBBB
	ATOM	3953	CB	GLU	B	181	21.157	-7.617	-19.650	1.00	34.59	BBBB
	ATOM	3954	CG	GLU	B	181	22.130	-7.422	-20.826	1.00	38.85	BBBB
	ATOM	3955	CD	GLU	B	181	22.659	-6.001	-20.957	1.00	41.19	BBBB
35	ATOM	3956	OE1	GLU	B	181	23.274	-5.495	-19.996	1.00	43.24	BBBB
	ATOM	3957	OE2	GLU	B	181	22.467	-5.392	-22.032	1.00	43.11	BBBB
	ATOM	3958	C	GLU	B	181	19.815	-9.307	-18.313	1.00	31.51	BBBB
	ATOM	3959	O	GLU	B	181	18.605	-9.543	-18.313	1.00	33.44	BBBB
	ATOM	3960	N	GLY	B	182	20.535	-9.314	-17.203	1.00	29.65	BBBB
40	ATOM	3961	CA	GLY	B	182	19.871	-9.586	-15.943	1.00	27.75	BBBB
	ATOM	3962	C	GLY	B	182	19.989	-11.051	-15.565	1.00	25.32	BBBB
	ATOM	3963	O	GLY	B	182	20.573	-11.830	-16.311	1.00	22.00	BBBB
	ATOM	3964	N	PRO	B	183	19.414	-11.455	-14.423	1.00	23.79	BBBB
	ATOM	3965	CD	PRO	B	183	18.562	-10.609	-13.572	1.00	24.07	BBBB
45	ATOM	3966	CA	PRO	B	183	19.450	-12.832	-13.913	1.00	22.93	BBBB
	ATOM	3967	CB	PRO	B	183	18.480	-12.796	-12.727	1.00	23.23	BBBB
	ATOM	3968	CG	PRO	B	183	18.549	-11.381	-12.271	1.00	24.61	BBBB
	ATOM	3969	C	PRO	B	183	19.063	-13.912	-14.905	1.00	21.77	BBBB
	ATOM	3970	O	PRO	B	183	18.117	-13.758	-15.683	1.00	21.04	BBBB

	ATOM	3971	N	VAL	B	184	19.805	-15.011	-14.867	1.00	19.40	BBBB
	ATOM	3972	CA	VAL	B	184	19.524	-16.146	-15.729	1.00	18.01	BBBB
	ATOM	3973	CB	VAL	B	184	20.597	-17.248	-15.549	1.00	17.45	BBBB
	ATOM	3974	CG1	VAL	B	184	20.171	-18.534	-16.249	1.00	15.59	BBBB
5	ATOM	3975	CG2	VAL	B	184	21.931	-16.753	-16.121	1.00	18.46	BBBB
	ATOM	3976	C	VAL	B	184	18.155	-16.650	-15.283	1.00	18.17	BBBB
	ATOM	3977	O	VAL	B	184	17.931	-16.882	-14.092	1.00	16.37	BBBB
	ATOM	3978	N	ARG	B	185	17.244	-16.771	-16.245	1.00	17.91	BBBB
	ATOM	3979	CA	ARG	B	185	15.873	-17.216	-16.011	1.00	17.62	BBBB
10	ATOM	3980	CB	ARG	B	185	14.966	-16.622	-17.092	1.00	17.65	BBBB
	ATOM	3981	CG	ARG	B	185	15.036	-15.110	-17.160	1.00	18.62	BBBB
	ATOM	3982	CD	ARG	B	185	14.344	-14.624	-18.420	1.00	20.39	BBBB
	ATOM	3983	NE	ARG	B	185	14.307	-13.173	-18.516	1.00	19.72	BBBB
	ATOM	3984	CZ	ARG	B	185	13.647	-12.520	-19.466	1.00	20.23	BBBB
15	ATOM	3985	NH1	ARG	B	185	12.977	-13.197	-20.391	1.00	19.85	BBBB
	ATOM	3986	NH2	ARG	B	185	13.650	-11.197	-19.487	1.00	23.44	BBBB
	ATOM	3987	C	ARG	B	185	15.804	-18.740	-16.037	1.00	16.88	BBBB
	ATOM	3988	O	ARG	B	185	15.971	-19.367	-17.087	1.00	15.75	BBBB
	ATOM	3989	N	VAL	B	186	15.566	-19.326	-14.870	1.00	15.97	BBBB
20	ATOM	3990	CA	VAL	B	186	15.508	-20.771	-14.741	1.00	16.47	BBBB
	ATOM	3991	CB	VAL	B	186	16.259	-21.245	-13.476	1.00	15.51	BBBB
	ATOM	3992	CG1	VAL	B	186	16.316	-22.770	-13.448	1.00	17.66	BBBB
	ATOM	3993	CG2	VAL	B	186	17.652	-20.626	-13.430	1.00	16.97	BBBB
	ATOM	3994	C	VAL	B	186	14.076	-21.282	-14.644	1.00	16.41	BBBB
25	ATOM	3995	O	VAL	B	186	13.343	-20.920	-13.732	1.00	18.33	BBBB
	ATOM	3996	N	LEU	B	187	13.695	-22.128	-15.588	1.00	15.92	BBBB
	ATOM	3997	CA	LEU	B	187	12.361	-22.710	-15.604	1.00	16.75	BBBB
	ATOM	3998	CB	LEU	B	187	11.813	-22.701	-17.035	1.00	16.85	BBBB
	ATOM	3999	CG	LEU	B	187	10.445	-23.340	-17.276	1.00	18.63	BBBB
30	ATOM	4000	CD1	LEU	B	187	9.368	-22.478	-16.625	1.00	19.42	BBBB
	ATOM	4001	CD2	LEU	B	187	10.198	-23.449	-18.783	1.00	19.11	BBBB
	ATOM	4002	C	LEU	B	187	12.450	-24.146	-15.085	1.00	16.85	BBBB
	ATOM	4003	O	LEU	B	187	13.115	-24.982	-15.688	1.00	17.18	BBBB
	ATOM	4004	N	VAL	B	188	11.788	-24.426	-13.964	1.00	18.20	BBBB
35	ATOM	4005	CA	VAL	B	188	11.774	-25.775	-13.381	1.00	18.41	BBBB
	ATOM	4006	CB	VAL	B	188	11.902	-25.714	-11.842	1.00	18.98	BBBB
	ATOM	4007	CG1	VAL	B	188	12.088	-27.126	-11.270	1.00	18.50	BBBB
	ATOM	4008	CG2	VAL	B	188	13.061	-24.818	-11.449	1.00	18.83	BBBB
	ATOM	4009	C	VAL	B	188	10.434	-26.440	-13.739	1.00	19.88	BBBB
40	ATOM	4010	O	VAL	B	188	9.371	-25.967	-13.336	1.00	20.39	BBBB
	ATOM	4011	N	VAL	B	189	10.493	-27.532	-14.496	1.00	21.55	BBBB
	ATOM	4012	CA	VAL	B	189	9.298	-28.234	-14.948	1.00	22.11	BBBB
	ATOM	4013	CB	VAL	B	189	9.299	-28.342	-16.488	1.00	22.50	BBBB
	ATOM	4014	CG1	VAL	B	189	8.009	-29.013	-16.981	1.00	22.70	BBBB
45	ATOM	4015	CG2	VAL	B	189	9.470	-26.943	-17.101	1.00	21.26	BBBB

5	ATOM	4016	C	VAL	B	189	9.191	-29.639	-14.351	1.00	23.90	BBBB
	ATOM	4017	O	VAL	B	189	10.067	-30.478	-14.559	1.00	23.61	BBBB
	ATOM	4018	N	GLY	B	190	8.111	-29.887	-13.615	1.00	25.60	BBBB
	ATOM	4019	CA	GLY	B	190	7.914	-31.188	-12.994	1.00	27.28	BBBB
	ATOM	4020	C	GLY	B	190	6.808	-32.026	-13.604	1.00	29.67	BBBB
10	ATOM	4021	O	GLY	B	190	6.668	-33.208	-13.283	1.00	29.86	BBBB
	ATOM	4022	N	GLY	B	191	6.025	-31.430	-14.497	1.00	30.56	BBBB
	ATOM	4023	CA	GLY	B	191	4.935	-32.163	-15.115	1.00	31.94	BBBB
	ATOM	4024	C	GLY	B	191	3.676	-32.104	-14.269	1.00	33.11	BBBB
	ATOM	4025	O	GLY	B	191	3.691	-31.556	-13.165	1.00	32.14	BBBB
15	ATOM	4026	N	SER	B	192	2.587	-32.673	-14.779	1.00	34.23	BBBB
	ATOM	4027	CA	SER	B	192	1.313	-32.665	-14.064	1.00	35.91	BBBB
	ATOM	4028	CB	SER	B	192	0.283	-33.532	-14.801	1.00	36.87	BBBB
	ATOM	4029	OG	SER	B	192	0.702	-34.887	-14.877	1.00	39.58	BBBB
	ATOM	4030	C	SER	B	192	1.419	-33.128	-12.609	1.00	36.41	BBBB
20	ATOM	4031	O	SER	B	192	0.862	-32.499	-11.714	1.00	35.78	BBBB
	ATOM	4032	N	GLN	B	193	2.134	-34.225	-12.380	1.00	37.60	BBBB
	ATOM	4033	CA	GLN	B	193	2.292	-34.763	-11.033	1.00	38.53	BBBB
	ATOM	4034	CB	GLN	B	193	2.584	-36.263	-11.096	1.00	41.10	BBBB
	ATOM	4035	CG	GLN	B	193	1.501	-37.082	-11.779	1.00	45.38	BBBB
25	ATOM	4036	CD	GLN	B	193	0.152	-36.948	-11.099	1.00	47.81	BBBB
	ATOM	4037	OE1	GLN	B	193	-0.484	-35.892	-11.149	1.00	49.50	BBBB
	ATOM	4038	NE2	GLN	B	193	-0.290	-38.023	-10.452	1.00	49.36	BBBB
	ATOM	4039	C	GLN	B	193	3.405	-34.072	-10.260	1.00	37.76	BBBB
	ATOM	4040	O	GLN	B	193	3.458	-34.146	-9.030	1.00	37.02	BBBB
30	ATOM	4041	N	GLY	B	194	4.291	-33.398	-10.986	1.00	36.47	BBBB
	ATOM	4042	CA	GLY	B	194	5.398	-32.711	-10.350	1.00	35.02	BBBB
	ATOM	4043	C	GLY	B	194	6.584	-33.630	-10.146	1.00	34.51	BBBB
	ATOM	4044	O	GLY	B	194	6.442	-34.851	-10.191	1.00	34.26	BBBB
	ATOM	4045	N	ALA	B	195	7.761	-33.045	-9.938	1.00	33.54	BBBB
35	ATOM	4046	CA	ALA	B	195	8.977	-33.819	-9.709	1.00	33.12	BBBB
	ATOM	4047	CB	ALA	B	195	10.073	-33.387	-10.679	1.00	33.17	BBBB
	ATOM	4048	C	ALA	B	195	9.423	-33.590	-8.267	1.00	32.87	BBBB
	ATOM	4049	O	ALA	B	195	9.955	-32.533	-7.923	1.00	31.47	BBBB
	ATOM	4050	N	ARG	B	196	9.195	-34.592	-7.426	1.00	32.81	BBBB
40	ATOM	4051	CA	ARG	B	196	9.538	-34.512	-6.010	1.00	32.63	BBBB
	ATOM	4052	CB	ARG	B	196	9.373	-35.891	-5.361	1.00	35.51	BBBB
	ATOM	4053	CG	ARG	B	196	10.382	-36.954	-5.830	1.00	39.68	BBBB
	ATOM	4054	CD	ARG	B	196	10.317	-37.224	-7.329	1.00	41.52	BBBB
	ATOM	4055	NE	ARG	B	196	9.007	-37.722	-7.738	1.00	43.02	BBBB
45	ATOM	4056	CZ	ARG	B	196	8.661	-37.955	-8.997	1.00	42.91	BBBB
	ATOM	4057	NH1	ARG	B	196	9.527	-37.735	-9.975	1.00	44.39	BBBB
	ATOM	4058	NH2	ARG	B	196	7.449	-38.408	-9.279	1.00	45.18	BBBB
	ATOM	4059	C	ARG	B	196	10.940	-33.977	-5.729	1.00	30.96	BBBB
	ATOM	4060	O	ARG	B	196	11.108	-33.035	-4.957	1.00	29.99	BBBB

5	ATOM	4061	N	ILE	B	197	11.942	-34.573	-6.367	1.00	29.47	BBBB
	ATOM	4062	CA	ILE	B	197	13.329	-34.168	-6.164	1.00	28.10	BBBB
	ATOM	4063	CB	ILE	B	197	14.284	-35.109	-6.946	1.00	28.46	BBBB
	ATOM	4064	CG2	ILE	B	197	13.984	-35.041	-8.430	1.00	27.99	BBBB
	ATOM	4065	CG1	ILE	B	197	15.742	-34.749	-6.657	1.00	28.64	BBBB
	ATOM	4066	CD1	ILE	B	197	16.212	-35.158	-5.281	1.00	30.51	BBBB
	ATOM	4067	C	ILE	B	197	13.579	-32.703	-6.554	1.00	27.65	BBBB
	ATOM	4068	O	ILE	B	197	14.378	-32.013	-5.921	1.00	27.21	BBBB
10	ATOM	4069	N	LEU	B	198	12.897	-32.223	-7.590	1.00	27.07	BBBB
	ATOM	4070	CA	LEU	B	198	13.069	-30.833	-8.003	1.00	26.58	BBBB
	ATOM	4071	CB	LEU	B	198	12.504	-30.616	-9.412	1.00	25.88	BBBB
	ATOM	4072	CG	LEU	B	198	13.196	-31.408	-10.524	1.00	25.40	BBBB
15	ATOM	4073	CD1	LEU	B	198	12.625	-31.007	-11.874	1.00	26.54	BBBB
	ATOM	4074	CD2	LEU	B	198	14.692	-31.146	-10.493	1.00	25.94	BBBB
	ATOM	4075	C	LEU	B	198	12.388	-29.893	-7.006	1.00	26.41	BBBB
	ATOM	4076	O	LEU	B	198	12.930	-28.835	-6.667	1.00	26.35	BBBB
	ATOM	4077	N	ASN	B	199	11.205	-30.274	-6.532	1.00	26.01	BBBB
	ATOM	4078	CA	ASN	B	199	10.497	-29.447	-5.563	1.00	27.07	BBBB
20	ATOM	4079	CB	ASN	B	199	9.123	-30.035	-5.238	1.00	26.63	BBBB
	ATOM	4080	CG	ASN	B	199	8.212	-30.050	-6.434	1.00	27.62	BBBB
	ATOM	4081	OD1	ASN	B	199	8.519	-29.434	-7.460	1.00	26.33	BBBB
	ATOM	4082	ND2	ASN	B	199	7.080	-30.749	-6.320	1.00	24.20	BBBB
25	ATOM	4083	C	ASN	B	199	11.308	-29.319	-4.282	1.00	27.65	BBBB
	ATOM	4084	O	ASN	B	199	11.207	-28.321	-3.581	1.00	28.19	BBBB
	ATOM	4085	N	GLN	B	200	12.124	-30.328	-3.994	1.00	28.38	BBBB
	ATOM	4086	CA	GLN	B	200	12.955	-30.326	-2.794	1.00	30.10	BBBB
	ATOM	4087	CB	GLN	B	200	13.158	-31.764	-2.301	1.00	31.91	BBBB
	ATOM	4088	CG	GLN	B	200	11.883	-32.453	-1.827	1.00	35.02	BBBB
30	ATOM	4089	CD	GLN	B	200	12.056	-33.956	-1.632	1.00	37.49	BBBB
	ATOM	4090	OE1	GLN	B	200	11.204	-34.619	-1.032	1.00	38.76	BBBB
	ATOM	4091	NE2	GLN	B	200	13.155	-34.502	-2.151	1.00	37.28	BBBB
	ATOM	4092	C	GLN	B	200	14.319	-29.675	-3.011	1.00	30.18	BBBB
35	ATOM	4093	O	GLN	B	200	14.834	-28.975	-2.135	1.00	31.13	BBBB
	ATOM	4094	N	THR	B	201	14.897	-29.884	-4.187	1.00	28.94	BBBB
	ATOM	4095	CA	THR	B	201	16.215	-29.345	-4.474	1.00	27.34	BBBB
	ATOM	4096	CB	THR	B	201	16.915	-30.181	-5.567	1.00	28.81	BBBB
	ATOM	4097	OG1	THR	B	201	16.988	-31.553	-5.149	1.00	28.92	BBBB
	ATOM	4098	CG2	THR	B	201	18.331	-29.654	-5.817	1.00	28.29	BBBB
40	ATOM	4099	C	THR	B	201	16.313	-27.871	-4.869	1.00	25.78	BBBB
	ATOM	4100	O	THR	B	201	17.137	-27.138	-4.331	1.00	24.91	BBBB
	ATOM	4101	N	MET	B	202	15.479	-27.430	-5.800	1.00	24.08	BBBB
	ATOM	4102	CA	MET	B	202	15.567	-26.048	-6.268	1.00	23.68	BBBB
45	ATOM	4103	CB	MET	B	202	14.558	-25.827	-7.397	1.00	22.29	BBBB
	ATOM	4104	CG	MET	B	202	14.856	-26.685	-8.633	1.00	22.80	BBBB
	ATOM	4105	SD	MET	B	202	16.590	-26.614	-9.190	1.00	25.93	BBBB

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

5	ATOM	4106	CE	MET	B	202	16.814	-24.877	-9.345	1.00	22.63	BBBB
	ATOM	4107	C	MET	B	202	15.489	-24.926	-5.229	1.00	23.47	BBBB
	ATOM	4108	O	MET	B	202	16.189	-23.929	-5.354	1.00	24.40	BBBB
	ATOM	4109	N	PRO	B	203	14.636	-25.059	-4.192	1.00	24.12	BBBB
	ATOM	4110	CD	PRO	B	203	13.518	-25.991	-3.970	1.00	22.27	BBBB
	ATOM	4111	CA	PRO	B	203	14.608	-23.963	-3.220	1.00	23.84	BBBB
	ATOM	4112	CB	PRO	B	203	13.553	-24.424	-2.217	1.00	24.46	BBBB
	ATOM	4113	CG	PRO	B	203	12.593	-25.178	-3.084	1.00	24.04	BBBB
	ATOM	4114	C	PRO	B	203	15.987	-23.731	-2.573	1.00	24.07	BBBB
10	ATOM	4115	O	PRO	B	203	16.395	-22.593	-2.343	1.00	23.18	BBBB
	ATOM	4116	N	GLN	B	204	16.706	-24.814	-2.290	1.00	25.26	BBBB
	ATOM	4117	CA	GLN	B	204	18.033	-24.708	-1.684	1.00	26.34	BBBB
	ATOM	4118	CB	GLN	B	204	18.474	-26.078	-1.157	1.00	28.67	BBBB
	ATOM	4119	CG	GLN	B	204	17.555	-26.626	-0.065	1.00	33.65	BBBB
15	ATOM	4120	CD	GLN	B	204	17.885	-28.059	0.328	1.00	37.09	BBBB
	ATOM	4121	OE1	GLN	B	204	18.991	-28.354	0.792	1.00	39.30	BBBB
	ATOM	4122	NE2	GLN	B	204	16.924	-28.960	0.140	1.00	38.32	BBBB
	ATOM	4123	C	GLN	B	204	19.030	-24.177	-2.717	1.00	25.36	BBBB
	ATOM	4124	O	GLN	B	204	19.985	-23.466	-2.385	1.00	24.98	BBBB
20	ATOM	4125	N	VAL	B	205	18.806	-24.522	-3.978	1.00	24.46	BBBB
	ATOM	4126	CA	VAL	B	205	19.672	-24.033	-5.043	1.00	24.44	BBBB
	ATOM	4127	CB	VAL	B	205	19.288	-24.634	-6.409	1.00	24.84	BBBB
	ATOM	4128	CG1	VAL	B	205	20.039	-23.906	-7.534	1.00	23.72	BBBB
	ATOM	4129	CG2	VAL	B	205	19.614	-26.110	-6.428	1.00	22.91	BBBB
25	ATOM	4130	C	VAL	B	205	19.511	-22.515	-5.110	1.00	23.79	BBBB
	ATOM	4131	O	VAL	B	205	20.487	-21.789	-5.270	1.00	25.25	BBBB
	ATOM	4132	N	ALA	B	206	18.273	-22.044	-4.972	1.00	24.12	BBBB
	ATOM	4133	CA	ALA	B	206	17.980	-20.610	-5.013	1.00	22.84	BBBB
	ATOM	4134	CB	ALA	B	206	16.466	-20.377	-4.908	1.00	21.55	BBBB
30	ATOM	4135	C	ALA	B	206	18.700	-19.862	-3.890	1.00	24.09	BBBB
	ATOM	4136	O	ALA	B	206	19.174	-18.740	-4.081	1.00	24.90	BBBB
	ATOM	4137	N	ALA	B	207	18.768	-20.477	-2.713	1.00	25.15	BBBB
	ATOM	4138	CA	ALA	B	207	19.442	-19.857	-1.576	1.00	26.65	BBBB
	ATOM	4139	CB	ALA	B	207	19.260	-20.710	-0.324	1.00	27.83	BBBB
35	ATOM	4140	C	ALA	B	207	20.924	-19.686	-1.879	1.00	26.96	BBBB
	ATOM	4141	O	ALA	B	207	21.537	-18.693	-1.493	1.00	27.82	BBBB
	ATOM	4142	N	LYS	B	208	21.498	-20.651	-2.586	1.00	27.19	BBBB
	ATOM	4143	CA	LYS	B	208	22.915	-20.595	-2.919	1.00	28.31	BBBB
	ATOM	4144	CB	LYS	B	208	23.432	-21.989	-3.300	1.00	29.85	BBBB
40	ATOM	4145	CG	LYS	B	208	23.030	-23.088	-2.329	1.00	32.97	BBBB
	ATOM	4146	CD	LYS	B	208	23.264	-22.667	-0.886	1.00	35.74	BBBB
	ATOM	4147	CE	LYS	B	208	22.689	-23.689	0.084	1.00	37.28	BBBB
	ATOM	4148	NZ	LYS	B	208	21.227	-23.899	-0.135	1.00	35.29	BBBB
	ATOM	4149	C	LYS	B	208	23.237	-19.624	-4.050	1.00	27.83	BBBB
45	ATOM	4150	O	LYS	B	208	24.286	-18.978	-4.033	1.00	27.46	BBBB

5	ATOM	4151	N	LEU	B	209	22.341	-19.517	-5.028	1.00	26.04	BBBB
	ATOM	4152	CA	LEU	B	209	22.577	-18.640	-6.171	1.00	25.68	BBBB
	ATOM	4153	CB	LEU	B	209	21.975	-19.268	-7.435	1.00	25.08	BBBB
	ATOM	4154	CG	LEU	B	209	22.534	-20.638	-7.844	1.00	25.01	BBBB
	ATOM	4155	CD1	LEU	B	209	21.797	-21.151	-9.074	1.00	25.67	BBBB
	ATOM	4156	CD2	LEU	B	209	24.029	-20.528	-8.119	1.00	25.13	BBBB
	ATOM	4157	C	LEU	B	209	22.075	-17.200	-6.007	1.00	25.59	BBBB
	ATOM	4158	O	LEU	B	209	22.496	-16.313	-6.742	1.00	25.26	BBBB
10	ATOM	4159	N	GLY	B	210	21.185	-16.970	-5.045	1.00	26.27	BBBB
	ATOM	4160	CA	GLY	B	210	20.675	-15.628	-4.804	1.00	26.56	BBBB
	ATOM	4161	C	GLY	B	210	20.238	-14.836	-6.030	1.00	27.75	BBBB
	ATOM	4162	O	GLY	B	210	19.518	-15.349	-6.889	1.00	27.68	BBBB
15	ATOM	4163	N	ASP	B	211	20.696	-13.585	-6.105	1.00	27.93	BBBB
	ATOM	4164	CA	ASP	B	211	20.370	-12.647	-7.190	1.00	28.28	BBBB
	ATOM	4165	CB	ASP	B	211	21.011	-11.283	-6.906	1.00	29.89	BBBB
	ATOM	4166	CG	ASP	B	211	20.351	-10.545	-5.768	1.00	31.43	BBBB
	ATOM	4167	OD1	ASP	B	211	20.864	-9.469	-5.398	1.00	32.43	BBBB
	ATOM	4168	OD2	ASP	B	211	19.323	-11.025	-5.249	1.00	33.41	BBBB
20	ATOM	4169	C	ASP	B	211	20.768	-13.035	-8.615	1.00	27.77	BBBB
	ATOM	4170	O	ASP	B	211	20.320	-12.397	-9.578	1.00	26.32	BBBB
	ATOM	4171	N	SER	B	212	21.616	-14.048	-8.753	1.00	25.75	BBBB
	ATOM	4172	CA	SER	B	212	22.098	-14.474	-10.067	1.00	25.73	BBBB
25	ATOM	4173	CB	SER	B	212	23.331	-15.376	-9.904	1.00	26.63	BBBB
	ATOM	4174	OG	SER	B	212	22.971	-16.596	-9.282	1.00	26.71	BBBB
	ATOM	4175	C	SER	B	212	21.062	-15.185	-10.943	1.00	23.61	BBBB
	ATOM	4176	O	SER	B	212	21.262	-15.334	-12.147	1.00	22.28	BBBB
	ATOM	4177	N	VAL	B	213	19.969	-15.644	-10.344	1.00	23.16	BBBB
	ATOM	4178	CA	VAL	B	213	18.925	-16.308	-11.116	1.00	20.76	BBBB
30	ATOM	4179	CB	VAL	B	213	18.952	-17.867	-10.989	1.00	21.69	BBBB
	ATOM	4180	CG1	VAL	B	213	20.318	-18.423	-11.375	1.00	19.84	BBBB
	ATOM	4181	CG2	VAL	B	213	18.564	-18.288	-9.576	1.00	20.36	BBBB
	ATOM	4182	C	VAL	B	213	17.535	-15.871	-10.677	1.00	21.41	BBBB
35	ATOM	4183	O	VAL	B	213	17.328	-15.396	-9.554	1.00	20.58	BBBB
	ATOM	4184	N	THR	B	214	16.593	-16.021	-11.595	1.00	19.82	BBBB
	ATOM	4185	CA	THR	B	214	15.204	-15.726	-11.337	1.00	19.60	BBBB
	ATOM	4186	CB	THR	B	214	14.718	-14.478	-12.126	1.00	21.35	BBBB
	ATOM	4187	OG1	THR	B	214	13.323	-14.273	-11.870	1.00	21.93	BBBB
	ATOM	4188	CG2	THR	B	214	14.983	-14.633	-13.622	1.00	19.52	BBBB
40	ATOM	4189	C	THR	B	214	14.543	-17.021	-11.791	1.00	20.24	BBBB
	ATOM	4190	O	THR	B	214	14.803	-17.533	-12.893	1.00	18.70	BBBB
	ATOM	4191	N	ILE	B	215	13.706	-17.569	-10.921	1.00	19.21	BBBB
	ATOM	4192	CA	ILE	B	215	13.076	-18.850	-11.169	1.00	18.75	BBBB
45	ATOM	4193	CB	ILE	B	215	13.417	-19.828	-10.008	1.00	18.82	BBBB
	ATOM	4194	CG2	ILE	B	215	12.690	-21.157	-10.194	1.00	19.53	BBBB
	ATOM	4195	CG1	ILE	B	215	14.934	-20.030	-9.931	1.00	19.76	BBBB

5	ATOM	4196	CD1	ILE	B	215	15.421	-20.656	-8.600	1.00	19.40	BBBB
	ATOM	4197	C	ILE	B	215	11.568	-18.837	-11.315	1.00	19.26	BBBB
	ATOM	4198	O	ILE	B	215	10.874	-18.025	-10.699	1.00	18.28	BBBB
	ATOM	4199	N	TRP	B	216	11.089	-19.737	-12.167	1.00	18.93	BBBB
	ATOM	4200	CA	TRP	B	216	9.661	-19.973	-12.378	1.00	19.34	BBBB
10	ATOM	4201	CB	TRP	B	216	9.222	-19.631	-13.797	1.00	18.97	BBBB
	ATOM	4202	CG	TRP	B	216	7.757	-19.897	-14.065	1.00	20.09	BBBB
	ATOM	4203	CD2	TRP	B	216	7.015	-19.467	-15.211	1.00	19.61	BBBB
	ATOM	4204	CE2	TRP	B	216	5.705	-19.988	-15.085	1.00	19.98	BBBB
	ATOM	4205	CE3	TRP	B	216	7.329	-18.690	-16.333	1.00	19.39	BBBB
15	ATOM	4206	CD1	TRP	B	216	6.888	-20.639	-13.303	1.00	19.30	BBBB
	ATOM	4207	NE1	TRP	B	216	5.653	-20.700	-13.914	1.00	20.95	BBBB
	ATOM	4208	CZ2	TRP	B	216	4.713	-19.759	-16.043	1.00	22.06	BBBB
	ATOM	4209	CZ3	TRP	B	216	6.336	-18.459	-17.288	1.00	20.42	BBBB
	ATOM	4210	CH2	TRP	B	216	5.047	-18.993	-17.134	1.00	21.16	BBBB
20	ATOM	4211	C	TRP	B	216	9.629	-21.479	-12.176	1.00	19.95	BBBB
	ATOM	4212	O	TRP	B	216	10.114	-22.241	-13.010	1.00	19.91	BBBB
	ATOM	4213	N	HIS	B	217	9.067	-21.897	-11.050	1.00	21.62	BBBB
	ATOM	4214	CA	HIS	B	217	9.015	-23.303	-10.680	1.00	21.06	BBBB
	ATOM	4215	CB	HIS	B	217	9.553	-23.419	-9.242	1.00	20.56	BBBB
25	ATOM	4216	CG	HIS	B	217	9.717	-24.824	-8.747	1.00	21.95	BBBB
	ATOM	4217	CD2	HIS	B	217	8.915	-25.910	-8.846	1.00	22.12	BBBB
	ATOM	4218	ND1	HIS	B	217	10.807	-25.219	-8.002	1.00	23.39	BBBB
	ATOM	4219	CE1	HIS	B	217	10.670	-26.490	-7.663	1.00	21.82	BBBB
	ATOM	4220	NE2	HIS	B	217	9.530	-26.933	-8.162	1.00	22.14	BBBB
30	ATOM	4221	C	HIS	B	217	7.596	-23.870	-10.795	1.00	21.27	BBBB
	ATOM	4222	O	HIS	B	217	6.655	-23.334	-10.214	1.00	21.69	BBBB
	ATOM	4223	N	GLN	B	218	7.448	-24.940	-11.567	1.00	20.83	BBBB
	ATOM	4224	CA	GLN	B	218	6.149	-25.594	-11.735	1.00	24.30	BBBB
	ATOM	4225	CB	GLN	B	218	5.915	-25.935	-13.206	1.00	23.84	BBBB
35	ATOM	4226	CG	GLN	B	218	4.561	-26.558	-13.495	1.00	25.91	BBBB
	ATOM	4227	CD	GLN	B	218	4.637	-28.060	-13.673	1.00	26.52	BBBB
	ATOM	4228	OE1	GLN	B	218	3.757	-28.793	-13.214	1.00	28.05	BBBB
	ATOM	4229	NE2	GLN	B	218	5.680	-28.529	-14.360	1.00	25.20	BBBB
	ATOM	4230	C	GLN	B	218	6.173	-26.854	-10.854	1.00	24.64	BBBB
40	ATOM	4231	O	GLN	B	218	6.780	-27.866	-11.199	1.00	25.73	BBBB
	ATOM	4232	N	SER	B	219	5.502	-26.756	-9.709	1.00	26.38	BBBB
	ATOM	4233	CA	SER	B	219	5.463	-27.800	-8.684	1.00	26.73	BBBB
	ATOM	4234	CB	SER	B	219	4.947	-27.188	-7.380	1.00	28.26	BBBB
	ATOM	4235	OG	SER	B	219	3.563	-26.881	-7.488	1.00	26.22	BBBB
45	ATOM	4236	C	SER	B	219	4.689	-29.096	-8.914	1.00	27.58	BBBB
	ATOM	4237	O	SER	B	219	5.014	-30.122	-8.320	1.00	26.39	BBBB
	ATOM	4238	N	GLY	B	220	3.662	-29.054	-9.750	1.00	28.58	BBBB
	ATOM	4239	CA	GLY	B	220	2.855	-30.242	-9.961	1.00	30.53	BBBB
	ATOM	4240	C	GLY	B	220	1.596	-30.110	-9.111	1.00	31.96	BBBB

5	ATOM	4241	O	GLY B 220	1.523	-29.248	-8.233	1.00	30.92	BBBB
	ATOM	4242	N	LYS B 221	0.608	-30.965	-9.358	1.00	33.93	BBBB
	ATOM	4243	CA	LYS B 221	-0.657	-30.914	-8.628	1.00	35.12	BBBB
	ATOM	4244	CB	LYS B 221	-1.573	-32.049	-9.094	1.00	37.88	BBBB
	ATOM	4245	CG	LYS B 221	-2.942	-32.055	-8.427	1.00	40.51	BBBB
	ATOM	4246	CD	LYS B 221	-3.792	-33.215	-8.934	1.00	42.62	BBBB
	ATOM	4247	CE	LYS B 221	-5.162	-33.249	-8.260	1.00	43.67	BBBB
	ATOM	4248	NZ	LYS B 221	-6.002	-34.383	-8.763	1.00	45.38	BBBB
10	ATOM	4249	C	LYS B 221	-0.545	-30.950	-7.103	1.00	35.13	BBBB
	ATOM	4250	O	LYS B 221	0.110	-31.823	-6.531	1.00	34.60	BBBB
	ATOM	4251	N	GLY B 222	-1.187	-29.979	-6.461	1.00	34.79	BBBB
	ATOM	4252	CA	GLY B 222	-1.195	-29.899	-5.011	1.00	35.34	BBBB
15	ATOM	4253	C	GLY B 222	0.111	-29.594	-4.299	1.00	35.61	BBBB
	ATOM	4254	O	GLY B 222	0.163	-29.678	-3.071	1.00	35.51	BBBB
	ATOM	4255	N	SER B 223	1.158	-29.234	-5.038	1.00	34.65	BBBB
	ATOM	4256	CA	SER B 223	2.451	-28.934	-4.418	1.00	33.98	BBBB
	ATOM	4257	CB	SER B 223	3.552	-29.781	-5.062	1.00	35.02	BBBB
	ATOM	4258	OG	SER B 223	3.303	-31.168	-4.897	1.00	36.07	BBBB
	ATOM	4259	C	SER B 223	2.839	-27.454	-4.504	1.00	33.55	BBBB
	ATOM	4260	O	SER B 223	3.930	-27.063	-4.086	1.00	31.72	BBBB
20	ATOM	4261	N	GLN B 224	1.941	-26.639	-5.044	1.00	33.22	BBBB
	ATOM	4262	CA	GLN B 224	2.187	-25.208	-5.186	1.00	33.71	BBBB
	ATOM	4263	CB	GLN B 224	0.954	-24.539	-5.799	1.00	35.45	BBBB
	ATOM	4264	CG	GLN B 224	1.160	-23.120	-6.337	1.00	37.82	BBBB
	ATOM	4265	CD	GLN B 224	1.344	-22.076	-5.249	1.00	40.08	BBBB
	ATOM	4266	OE1	GLN B 224	0.669	-22.111	-4.217	1.00	40.97	BBBB
	ATOM	4267	NE2	GLN B 224	2.244	-21.124	-5.486	1.00	40.08	BBBB
	ATOM	4268	C	GLN B 224	2.510	-24.560	-3.840	1.00	33.86	BBBB
25	ATOM	4269	O	GLN B 224	3.512	-23.856	-3.697	1.00	33.38	BBBB
	ATOM	4270	N	GLN B 225	1.659	-24.814	-2.850	1.00	33.06	BBBB
	ATOM	4271	CA	GLN B 225	1.823	-24.239	-1.519	1.00	32.32	BBBB
	ATOM	4272	CB	GLN B 225	0.624	-24.619	-0.640	1.00	35.12	BBBB
	ATOM	4273	CG	GLN B 225	-0.743	-24.143	-1.151	1.00	36.85	BBBB
	ATOM	4274	CD	GLN B 225	-1.144	-24.751	-2.495	1.00	39.09	BBBB
	ATOM	4275	OE1	GLN B 225	-0.914	-25.937	-2.759	1.00	39.42	BBBB
	ATOM	4276	NE2	GLN B 225	-1.768	-23.937	-3.345	1.00	40.13	BBBB
30	ATOM	4277	C	GLN B 225	3.117	-24.606	-0.788	1.00	30.73	BBBB
	ATOM	4278	O	GLN B 225	3.766	-23.742	-0.202	1.00	30.36	BBBB
	ATOM	4279	N	SER B 226	3.494	-25.878	-0.817	1.00	29.26	BBBB
	ATOM	4280	CA	SER B 226	4.701	-26.309	-0.122	1.00	28.30	BBBB
	ATOM	4281	CB	SER B 226	4.727	-27.834	0.003	1.00	29.10	BBBB
	ATOM	4282	OG	SER B 226	4.563	-28.461	-1.254	1.00	32.61	BBBB
	ATOM	4283	C	SER B 226	5.991	-25.809	-0.771	1.00	26.41	BBBB
	ATOM	4284	O	SER B 226	6.950	-25.486	-0.073	1.00	25.24	BBBB
45	ATOM	4285	N	VAL B 227	6.019	-25.738	-2.099	1.00	25.21	BBBB

5	ATOM	4286	CA	VAL	B	227	7.214	-25.247	-2.791	1.00	24.28	BBBB
	ATOM	4287	CB	VAL	B	227	7.150	-25.527	-4.317	1.00	23.32	BBBB
	ATOM	4288	CG1	VAL	B	227	8.368	-24.914	-5.028	1.00	20.67	BBBB
	ATOM	4289	CG2	VAL	B	227	7.117	-27.024	-4.563	1.00	22.45	BBBB
	ATOM	4290	C	VAL	B	227	7.335	-23.743	-2.545	1.00	24.34	BBBB
10	ATOM	4291	O	VAL	B	227	8.421	-23.240	-2.281	1.00	25.50	BBBB
	ATOM	4292	N	GLU	B	228	6.209	-23.035	-2.623	1.00	26.12	BBBB
	ATOM	4293	CA	GLU	B	228	6.178	-21.592	-2.387	1.00	27.23	BBBB
	ATOM	4294	CB	GLU	B	228	4.735	-21.075	-2.476	1.00	28.60	BBBB
	ATOM	4295	CG	GLU	B	228	4.558	-19.586	-2.184	1.00	30.24	BBBB
15	ATOM	4296	CD	GLU	B	228	4.938	-18.688	-3.356	1.00	31.99	BBBB
	ATOM	4297	OE1	GLU	B	228	5.012	-17.452	-3.159	1.00	31.68	BBBB
	ATOM	4298	OE2	GLU	B	228	5.154	-19.212	-4.471	1.00	32.04	BBBB
	ATOM	4299	C	GLU	B	228	6.746	-21.327	-0.994	1.00	27.95	BBBB
	ATOM	4300	O	GLU	B	228	7.511	-20.383	-0.787	1.00	27.32	BBBB
20	ATOM	4301	N	GLN	B	229	6.374	-22.178	-0.041	1.00	28.66	BBBB
	ATOM	4302	CA	GLN	B	229	6.853	-22.046	1.329	1.00	28.38	BBBB
	ATOM	4303	CB	GLN	B	229	6.082	-22.990	2.261	1.00	31.03	BBBB
	ATOM	4304	CG	GLN	B	229	6.570	-22.946	3.700	1.00	35.48	BBBB
	ATOM	4305	CD	GLN	B	229	5.780	-23.860	4.615	1.00	38.01	BBBB
25	ATOM	4306	OE1	GLN	B	229	4.548	-23.810	4.645	1.00	39.26	BBBB
	ATOM	4307	NE2	GLN	B	229	6.484	-24.697	5.370	1.00	38.61	BBBB
	ATOM	4308	C	GLN	B	229	8.338	-22.362	1.407	1.00	27.09	BBBB
	ATOM	4309	O	GLN	B	229	9.084	-21.697	2.124	1.00	28.29	BBBB
	ATOM	4310	N	ALA	B	230	8.771	-23.385	0.677	1.00	26.97	BBBB
30	ATOM	4311	CA	ALA	B	230	10.185	-23.754	0.682	1.00	26.18	BBBB
	ATOM	4312	CB	ALA	B	230	10.412	-24.984	-0.184	1.00	25.07	BBBB
	ATOM	4313	C	ALA	B	230	11.054	-22.588	0.192	1.00	26.36	BBBB
	ATOM	4314	O	ALA	B	230	12.119	-22.317	0.755	1.00	25.04	BBBB
	ATOM	4315	N	TYR	B	231	10.605	-21.895	-0.854	1.00	25.85	BBBB
35	ATOM	4316	CA	TYR	B	231	11.371	-20.766	-1.366	1.00	25.47	BBBB
	ATOM	4317	CB	TYR	B	231	10.762	-20.248	-2.678	1.00	24.72	BBBB
	ATOM	4318	CG	TYR	B	231	11.236	-21.014	-3.905	1.00	23.66	BBBB
	ATOM	4319	CD1	TYR	B	231	12.546	-20.869	-4.381	1.00	23.97	BBBB
	ATOM	4320	CE1	TYR	B	231	13.006	-21.599	-5.488	1.00	21.40	BBBB
40	ATOM	4321	CD2	TYR	B	231	10.393	-21.905	-4.567	1.00	22.63	BBBB
	ATOM	4322	CE2	TYR	B	231	10.841	-22.641	-5.681	1.00	22.71	BBBB
	ATOM	4323	CZ	TYR	B	231	12.151	-22.480	-6.128	1.00	21.91	BBBB
	ATOM	4324	OH	TYR	B	231	12.600	-23.214	-7.199	1.00	21.69	BBBB
	ATOM	4325	C	TYR	B	231	11.450	-19.639	-0.336	1.00	26.53	BBBB
45	ATOM	4326	O	TYR	B	231	12.498	-19.011	-0.175	1.00	26.32	BBBB
	ATOM	4327	N	ALA	B	232	10.345	-19.380	0.361	1.00	26.28	BBBB
	ATOM	4328	CA	ALA	B	232	10.342	-18.322	1.368	1.00	27.51	BBBB
	ATOM	4329	CB	ALA	B	232	8.930	-18.109	1.910	1.00	28.09	BBBB
	ATOM	4330	C	ALA	B	232	11.303	-18.695	2.499	1.00	28.03	BBBB

5	ATOM	4331	O	ALA	B	232	12.069	-17.858	2.983	1.00	27.93	BBBB
	ATOM	4332	N	GLU	B	233	11.263	-19.958	2.911	1.00	29.43	BBBB
	ATOM	4333	CA	GLU	B	233	12.145	-20.441	3.966	1.00	30.87	BBBB
	ATOM	4334	CB	GLU	B	233	11.772	-21.877	4.344	1.00	33.60	BBBB
	ATOM	4335	CG	GLU	B	233	10.491	-21.973	5.170	1.00	37.67	BBBB
	ATOM	4336	CD	GLU	B	233	10.077	-23.404	5.461	1.00	40.35	BBBB
	ATOM	4337	OE1	GLU	B	233	10.964	-24.283	5.525	1.00	42.97	BBBB
	ATOM	4338	OE2	GLU	B	233	8.864	-23.649	5.641	1.00	41.95	BBBB
	ATOM	4339	C	GLU	B	233	13.606	-20.369	3.530	1.00	30.58	BBBB
10	ATOM	4340	O	GLU	B	233	14.499	-20.202	4.359	1.00	30.82	BBBB
	ATOM	4341	N	ALA	B	234	13.850	-20.485	2.227	1.00	29.17	BBBB
	ATOM	4342	CA	ALA	B	234	15.215	-20.417	1.714	1.00	28.48	BBBB
	ATOM	4343	CB	ALA	B	234	15.310	-21.110	0.354	1.00	27.71	BBBB
	ATOM	4344	C	ALA	B	234	15.649	-18.961	1.588	1.00	27.73	BBBB
15	ATOM	4345	O	ALA	B	234	16.787	-18.677	1.213	1.00	27.34	BBBB
	ATOM	4346	N	GLY	B	235	14.731	-18.045	1.890	1.00	26.74	BBBB
	ATOM	4347	CA	GLY	B	235	15.033	-16.627	1.815	1.00	26.23	BBBB
	ATOM	4348	C	GLY	B	235	14.946	-16.009	0.426	1.00	26.13	BBBB
	ATOM	4349	O	GLY	B	235	15.483	-14.924	0.198	1.00	25.67	BBBB
20	ATOM	4350	N	GLN	B	236	14.284	-16.696	-0.502	1.00	25.36	BBBB
	ATOM	4351	CA	GLN	B	236	14.121	-16.198	-1.870	1.00	25.53	BBBB
	ATOM	4352	CB	GLN	B	236	14.940	-17.043	-2.852	1.00	25.84	BBBB
	ATOM	4353	CG	GLN	B	236	16.436	-17.074	-2.603	1.00	27.18	BBBB
	ATOM	4354	CD	GLN	B	236	17.080	-15.705	-2.661	1.00	28.96	BBBB
25	ATOM	4355	OE1	GLN	B	236	16.686	-14.850	-3.456	1.00	30.03	BBBB
	ATOM	4356	NE2	GLN	B	236	18.092	-15.495	-1.829	1.00	29.39	BBBB
	ATOM	4357	C	GLN	B	236	12.641	-16.298	-2.232	1.00	24.12	BBBB
	ATOM	4358	O	GLN	B	236	12.262	-17.002	-3.167	1.00	23.31	BBBB
	ATOM	4359	N	PRO	B	237	11.783	-15.578	-1.497	1.00	24.40	BBBB
30	ATOM	4360	CD	PRO	B	237	12.143	-14.580	-0.473	1.00	24.52	BBBB
	ATOM	4361	CA	PRO	B	237	10.336	-15.587	-1.720	1.00	24.65	BBBB
	ATOM	4362	CB	PRO	B	237	9.808	-14.798	-0.527	1.00	25.37	BBBB
	ATOM	4363	CG	PRO	B	237	10.862	-13.773	-0.340	1.00	25.24	BBBB
	ATOM	4364	C	PRO	B	237	9.837	-15.012	-3.043	1.00	25.33	BBBB
35	ATOM	4365	O	PRO	B	237	8.720	-15.313	-3.465	1.00	24.93	BBBB
	ATOM	4366	N	GLN	B	238	10.663	-14.197	-3.690	1.00	24.47	BBBB
	ATOM	4367	CA	GLN	B	238	10.277	-13.558	-4.945	1.00	24.29	BBBB
	ATOM	4368	CB	GLN	B	238	11.281	-12.455	-5.306	1.00	23.76	BBBB
	ATOM	4369	CG	GLN	B	238	12.622	-12.945	-5.852	1.00	25.22	BBBB
40	ATOM	4370	CD	GLN	B	238	13.535	-13.523	-4.783	1.00	26.90	BBBB
	ATOM	4371	OE1	GLN	B	238	13.188	-13.550	-3.600	1.00	28.05	BBBB
	ATOM	4372	NE2	GLN	B	238	14.712	-13.983	-5.195	1.00	25.61	BBBB
	ATOM	4373	C	GLN	B	238	10.108	-14.489	-6.143	1.00	23.41	BBBB
	ATOM	4374	O	GLN	B	238	9.485	-14.112	-7.139	1.00	20.49	BBBB
45	ATOM	4375	N	HIS	B	239	10.655	-15.700	-6.069	1.00	22.66	BBBB

5	ATOM	4376	CA	HIS	B	239	10.526	-16.608	-7.201	1.00	22.08	BBBB
	ATOM	4377	CB	HIS	B	239	11.432	-17.829	-7.008	1.00	22.41	BBBB
	ATOM	4378	CG	HIS	B	239	12.891	-17.488	-6.998	1.00	20.93	BBBB
	ATOM	4379	CD2	HIS	B	239	13.869	-17.774	-6.104	1.00	20.09	BBBB
	ATOM	4380	ND1	HIS	B	239	13.488	-16.743	-7.992	1.00	20.30	BBBB
10	ATOM	4381	CE1	HIS	B	239	14.769	-16.582	-7.711	1.00	22.38	BBBB
	ATOM	4382	NE2	HIS	B	239	15.025	-17.197	-6.569	1.00	19.62	BBBB
	ATOM	4383	C	HIS	B	239	9.076	-17.024	-7.433	1.00	22.98	BBBB
	ATOM	4384	O	HIS	B	239	8.293	-17.161	-6.490	1.00	21.86	BBBB
	ATOM	4385	N	LYS	B	240	8.727	-17.209	-8.703	1.00	21.76	BBBB
15	ATOM	4386	CA	LYS	B	240	7.375	-17.589	-9.105	1.00	23.26	BBBB
	ATOM	4387	CB	LYS	B	240	7.112	-17.102	-10.534	1.00	23.38	BBBB
	ATOM	4388	CG	LYS	B	240	5.718	-17.385	-11.079	1.00	24.06	BBBB
	ATOM	4389	CD	LYS	B	240	5.701	-17.155	-12.585	1.00	23.93	BBBB
	ATOM	4390	CE	LYS	B	240	4.315	-17.309	-13.193	1.00	23.72	BBBB
20	ATOM	4391	NZ	LYS	B	240	3.478	-16.129	-12.884	1.00	21.82	BBBB
	ATOM	4392	C	LYS	B	240	7.149	-19.091	-9.046	1.00	23.38	BBBB
	ATOM	4393	O	LYS	B	240	7.922	-19.871	-9.607	1.00	23.06	BBBB
	ATOM	4394	N	VAL	B	241	6.075	-19.497	-8.378	1.00	23.98	BBBB
	ATOM	4395	CA	VAL	B	241	5.740	-20.911	-8.277	1.00	23.78	BBBB
25	ATOM	4396	CB	VAL	B	241	5.858	-21.428	-6.833	1.00	24.03	BBBB
	ATOM	4397	CG1	VAL	B	241	5.548	-22.923	-6.803	1.00	24.14	BBBB
	ATOM	4398	CG2	VAL	B	241	7.242	-21.144	-6.281	1.00	23.49	BBBB
	ATOM	4399	C	VAL	B	241	4.299	-21.136	-8.723	1.00	24.15	BBBB
	ATOM	4400	O	VAL	B	241	3.380	-20.528	-8.184	1.00	24.63	BBBB
30	ATOM	4401	N	THR	B	242	4.103	-22.000	-9.710	1.00	24.22	BBBB
	ATOM	4402	CA	THR	B	242	2.758	-22.301	-10.177	1.00	25.93	BBBB
	ATOM	4403	CB	THR	B	242	2.513	-21.812	-11.615	1.00	25.89	BBBB
	ATOM	4404	OG1	THR	B	242	3.466	-22.419	-12.492	1.00	27.48	BBBB
	ATOM	4405	CG2	THR	B	242	2.639	-20.299	-11.697	1.00	26.82	BBBB
35	ATOM	4406	C	THR	B	242	2.555	-23.809	-10.135	1.00	26.29	BBBB
	ATOM	4407	O	THR	B	242	3.503	-24.577	-10.303	1.00	26.75	BBBB
	ATOM	4408	N	GLU	B	243	1.319	-24.228	-9.898	1.00	26.70	BBBB
	ATOM	4409	CA	GLU	B	243	0.999	-25.651	-9.837	1.00	27.03	BBBB
	ATOM	4410	CB	GLU	B	243	-0.473	-25.828	-9.445	1.00	29.00	BBBB
40	ATOM	4411	CG	GLU	B	243	-0.831	-27.218	-8.962	1.00	30.88	BBBB
	ATOM	4412	CD	GLU	B	243	-2.297	-27.341	-8.583	1.00	33.00	BBBB
	ATOM	4413	OE1	GLU	B	243	-2.682	-28.402	-8.048	1.00	33.66	BBBB
	ATOM	4414	OE2	GLU	B	243	-3.063	-26.383	-8.827	1.00	32.17	BBBB
	ATOM	4415	C	GLU	B	243	1.256	-26.289	-11.202	1.00	26.61	BBBB
45	ATOM	4416	O	GLU	B	243	1.841	-27.370	-11.304	1.00	26.48	BBBB
	ATOM	4417	N	PHE	B	244	0.807	-25.602	-12.248	1.00	26.54	BBBB
	ATOM	4418	CA	PHE	B	244	0.964	-26.068	-13.620	1.00	26.54	BBBB
	ATOM	4419	CB	PHE	B	244	-0.376	-26.553	-14.186	1.00	29.14	BBBB
	ATOM	4420	CG	PHE	B	244	-1.110	-27.531	-13.307	1.00	30.15	BBBB

5	ATOM	4421	CD1	PHE	B	244	-0.622	-28.817	-13.107	1.00	32.26	BBBB
	ATOM	4422	CD2	PHE	B	244	-2.318	-27.172	-12.716	1.00	31.10	BBBB
	ATOM	4423	CE1	PHE	B	244	-1.335	-29.744	-12.328	1.00	33.63	BBBB
	ATOM	4424	CE2	PHE	B	244	-3.040	-28.083	-11.938	1.00	32.04	BBBB
	ATOM	4425	CZ	PHE	B	244	-2.549	-29.371	-11.744	1.00	32.59	BBBB
10	ATOM	4426	C	PHE	B	244	1.420	-24.915	-14.507	1.00	25.60	BBBB
	ATOM	4427	O	PHE	B	244	1.604	-23.794	-14.053	1.00	24.93	BBBB
	ATOM	4428	N	ILE	B	245	1.591	-25.223	-15.786	1.00	27.02	BBBB
	ATOM	4429	CA	ILE	B	245	1.932	-24.242	-16.802	1.00	28.48	BBBB
	ATOM	4430	CB	ILE	B	245	3.441	-24.226	-17.159	1.00	28.41	BBBB
15	ATOM	4431	CG2	ILE	B	245	3.676	-23.348	-18.399	1.00	27.05	BBBB
	ATOM	4432	CG1	ILE	B	245	4.245	-23.663	-15.983	1.00	27.10	BBBB
	ATOM	4433	CD1	ILE	B	245	5.734	-23.543	-16.256	1.00	27.28	BBBB
	ATOM	4434	C	ILE	B	245	1.127	-24.721	-18.000	1.00	30.75	BBBB
	ATOM	4435	O	ILE	B	245	1.428	-25.753	-18.595	1.00	31.41	BBBB
20	ATOM	4436	N	ASP	B	246	0.071	-23.997	-18.331	1.00	33.46	BBBB
	ATOM	4437	CA	ASP	B	246	-0.754	-24.396	-19.457	1.00	36.00	BBBB
	ATOM	4438	CB	ASP	B	246	-2.143	-23.754	-19.342	1.00	39.42	BBBB
	ATOM	4439	CG	ASP	B	246	-2.083	-22.246	-19.141	1.00	42.83	BBBB
	ATOM	4440	OD1	ASP	B	246	-1.447	-21.795	-18.162	1.00	44.54	BBBB
25	ATOM	4441	OD2	ASP	B	246	-2.678	-21.511	-19.962	1.00	45.41	BBBB
	ATOM	4442	C	ASP	B	246	-0.088	-24.020	-20.780	1.00	35.70	BBBB
	ATOM	4443	O	ASP	B	246	-0.155	-24.768	-21.758	1.00	38.58	BBBB
	ATOM	4444	N	ASP	B	247	0.582	-22.876	-20.794	1.00	33.18	BBBB
	ATOM	4445	CA	ASP	B	247	1.245	-22.392	-21.999	1.00	30.74	BBBB
30	ATOM	4446	CB	ASP	B	247	0.936	-20.904	-22.182	1.00	29.62	BBBB
	ATOM	4447	CG	ASP	B	247	1.344	-20.380	-23.548	1.00	30.15	BBBB
	ATOM	4448	OD1	ASP	B	247	2.161	-21.036	-24.225	1.00	27.57	BBBB
	ATOM	4449	OD2	ASP	B	247	0.854	-19.296	-23.935	1.00	29.19	BBBB
	ATOM	4450	C	ASP	B	247	2.754	-22.607	-21.892	1.00	28.87	BBBB
35	ATOM	4451	O	ASP	B	247	3.494	-21.695	-21.525	1.00	27.28	BBBB
	ATOM	4452	N	MET	B	248	3.204	-23.818	-22.205	1.00	27.72	BBBB
	ATOM	4453	CA	MET	B	248	4.625	-24.136	-22.138	1.00	28.41	BBBB
	ATOM	4454	CB	MET	B	248	4.856	-25.623	-22.405	1.00	29.48	BBBB
	ATOM	4455	CG	MET	B	248	4.952	-26.469	-21.150	1.00	34.21	BBBB
40	ATOM	4456	SD	MET	B	248	6.277	-25.936	-20.049	1.00	38.21	BBBB
	ATOM	4457	CE	MET	B	248	5.611	-26.499	-18.479	1.00	37.90	BBBB
	ATOM	4458	C	MET	B	248	5.429	-23.313	-23.132	1.00	27.22	BBBB
	ATOM	4459	O	MET	B	248	6.578	-22.965	-22.873	1.00	27.06	BBBB
	ATOM	4460	N	ALA	B	249	4.827	-23.009	-24.279	1.00	26.23	BBBB
45	ATOM	4461	CA	ALA	B	249	5.512	-22.216	-25.290	1.00	24.67	BBBB
	ATOM	4462	CB	ALA	B	249	4.625	-22.069	-26.537	1.00	25.39	BBBB
	ATOM	4463	C	ALA	B	249	5.870	-20.843	-24.721	1.00	24.03	BBBB
	ATOM	4464	O	ALA	B	249	6.971	-20.338	-24.932	1.00	23.78	BBBB
	ATOM	4465	N	ALA	B	250	4.942	-20.241	-23.983	1.00	23.39	BBBB

	ATOM	4511	N	ASP	B	256	15.803	-19.036	-19.927	1.00	19.01	BBBB
	ATOM	4512	CA	ASP	B	256	17.176	-19.026	-20.434	1.00	17.58	BBBB
	ATOM	4513	CB	ASP	B	256	18.078	-18.185	-19.534	1.00	18.47	BBBB
	ATOM	4514	CG	ASP	B	256	17.954	-16.699	-19.795	1.00	18.05	BBBB
5	ATOM	4515	OD1	ASP	B	256	17.845	-15.944	-18.806	1.00	16.89	BBBB
	ATOM	4516	OD2	ASP	B	256	17.983	-16.287	-20.982	1.00	19.53	BBBB
	ATOM	4517	C	ASP	B	256	17.657	-20.481	-20.379	1.00	18.01	BBBB
	ATOM	4518	O	ASP	B	256	18.459	-20.929	-21.198	1.00	16.11	BBBB
	ATOM	4519	N	VAL	B	257	17.147	-21.216	-19.396	1.00	17.49	BBBB
10	ATOM	4520	CA	VAL	B	257	17.535	-22.603	-19.194	1.00	18.53	BBBB
	ATOM	4521	CB	VAL	B	257	18.831	-22.681	-18.332	1.00	17.72	BBBB
	ATOM	4522	CG1	VAL	B	257	18.586	-22.069	-16.966	1.00	19.19	BBBB
	ATOM	4523	CG2	VAL	B	257	19.286	-24.129	-18.200	1.00	20.40	BBBB
	ATOM	4524	C	VAL	B	257	16.400	-23.363	-18.501	1.00	18.31	BBBB
15	ATOM	4525	O	VAL	B	257	15.659	-22.795	-17.703	1.00	19.74	BBBB
	ATOM	4526	N	VAL	B	258	16.263	-24.643	-18.818	1.00	18.74	BBBB
	ATOM	4527	CA	VAL	B	258	15.208	-25.456	-18.234	1.00	19.32	BBBB
	ATOM	4528	CB	VAL	B	258	14.328	-26.100	-19.337	1.00	19.89	BBBB
	ATOM	4529	CG1	VAL	B	258	13.101	-26.754	-18.714	1.00	19.81	BBBB
20	ATOM	4530	CG2	VAL	B	258	13.907	-25.041	-20.364	1.00	21.59	BBBB
	ATOM	4531	C	VAL	B	258	15.799	-26.585	-17.389	1.00	19.70	BBBB
	ATOM	4532	O	VAL	B	258	16.808	-27.175	-17.758	1.00	18.96	BBBB
	ATOM	4533	N	VAL	B	259	15.167	-26.861	-16.253	1.00	20.24	BBBB
	ATOM	4534	CA	VAL	B	259	15.581	-27.957	-15.374	1.00	19.85	BBBB
25	ATOM	4535	CB	VAL	B	259	15.850	-27.483	-13.936	1.00	20.08	BBBB
	ATOM	4536	CG1	VAL	B	259	16.222	-28.689	-13.059	1.00	20.22	BBBB
	ATOM	4537	CG2	VAL	B	259	16.966	-26.453	-13.930	1.00	17.86	BBBB
	ATOM	4538	C	VAL	B	259	14.382	-28.890	-15.371	1.00	20.02	BBBB
	ATOM	4539	O	VAL	B	259	13.301	-28.500	-14.942	1.00	21.88	BBBB
30	ATOM	4540	N	CYS	B	260	14.562	-30.111	-15.867	1.00	21.70	BBBB
	ATOM	4541	CA	CYS	B	260	13.454	-31.055	-15.946	1.00	22.00	BBBB
	ATOM	4542	CB	CYS	B	260	12.494	-30.618	-17.057	1.00	22.77	BBBB
	ATOM	4543	SG	CYS	B	260	13.297	-30.506	-18.711	1.00	22.15	BBBB
	ATOM	4544	C	CYS	B	260	13.903	-32.478	-16.242	1.00	21.86	BBBB
35	ATOM	4545	O	CYS	B	260	15.087	-32.730	-16.496	1.00	21.34	BBBB
	ATOM	4546	N	ARG	B	261	12.937	-33.397	-16.212	1.00	22.34	BBBB
	ATOM	4547	CA	ARG	B	261	13.170	-34.800	-16.515	1.00	23.75	BBBB
	ATOM	4548	CB	ARG	B	261	11.964	-35.663	-16.104	1.00	27.16	BBBB
	ATOM	4549	CG	ARG	B	261	11.376	-35.337	-14.738	1.00	31.82	BBBB
40	ATOM	4550	CD	ARG	B	261	11.490	-36.473	-13.732	1.00	36.33	BBBB
	ATOM	4551	NE	ARG	B	261	12.865	-36.721	-13.323	1.00	38.48	BBBB
	ATOM	4552	CZ	ARG	B	261	13.218	-37.176	-12.125	1.00	37.25	BBBB
	ATOM	4553	NH1	ARG	B	261	12.295	-37.433	-11.204	1.00	38.46	BBBB
	ATOM	4554	NH2	ARG	B	261	14.499	-37.370	-11.848	1.00	36.79	BBBB
45	ATOM	4555	C	ARG	B	261	13.351	-34.871	-18.032	1.00	23.98	BBBB

5	ATOM	4556	O	ARG	B	261	13.117	-33.883	-18.746	1.00	22.44	BBBB
	ATOM	4557	N	SER	B	262	13.740	-36.038	-18.527	1.00	22.00	BBBB
	ATOM	4558	CA	SER	B	262	13.975	-36.189	-19.948	1.00	23.18	BBBB
10	ATOM	4559	CB	SER	B	262	15.481	-36.377	-20.203	1.00	24.45	BBBB
	ATOM	4560	OG	SER	B	262	16.043	-37.326	-19.311	1.00	25.79	BBBB
	ATOM	4561	C	SER	B	262	13.173	-37.263	-20.676	1.00	22.90	BBBB
15	ATOM	4562	O	SER	B	262	13.738	-38.179	-21.274	1.00	23.25	BBBB
	ATOM	4563	N	GLY	B	263	11.850	-37.151	-20.619	1.00	22.74	BBBB
	ATOM	4564	CA	GLY	B	263	11.026	-38.079	-21.361	1.00	22.85	BBBB
20	ATOM	4565	C	GLY	B	263	11.392	-37.793	-22.813	1.00	24.06	BBBB
	ATOM	4566	O	GLY	B	263	11.908	-36.705	-23.121	1.00	22.75	BBBB
	ATOM	4567	N	ALA	B	264	11.130	-38.739	-23.708	1.00	23.37	BBBB
25	ATOM	4568	CA	ALA	B	264	11.482	-38.564	-25.115	1.00	24.25	BBBB
	ATOM	4569	CB	ALA	B	264	11.133	-39.829	-25.894	1.00	24.58	BBBB
	ATOM	4570	C	ALA	B	264	10.843	-37.343	-25.783	1.00	24.29	BBBB
30	ATOM	4571	O	ALA	B	264	11.523	-36.572	-26.470	1.00	24.33	BBBB
	ATOM	4572	N	LEU	B	265	9.541	-37.167	-25.596	1.00	24.44	BBBB
	ATOM	4573	CA	LEU	B	265	8.846	-36.037	-26.205	1.00	24.66	BBBB
35	ATOM	4574	CB	LEU	B	265	7.332	-36.183	-26.011	1.00	25.33	BBBB
	ATOM	4575	CG	LEU	B	265	6.760	-37.544	-26.426	1.00	27.97	BBBB
	ATOM	4576	CD1	LEU	B	265	5.242	-37.541	-26.258	1.00	28.21	BBBB
40	ATOM	4577	CD2	LEU	B	265	7.146	-37.856	-27.878	1.00	27.40	BBBB
	ATOM	4578	C	LEU	B	265	9.331	-34.717	-25.613	1.00	24.47	BBBB
	ATOM	4579	O	LEU	B	265	9.374	-33.693	-26.301	1.00	23.85	BBBB
45	ATOM	4580	N	THR	B	266	9.702	-34.747	-24.338	1.00	22.12	BBBB
	ATOM	4581	CA	THR	B	266	10.194	-33.557	-23.657	1.00	22.34	BBBB
	ATOM	4582	CB	THR	B	266	10.348	-33.803	-22.140	1.00	22.35	BBBB
50	ATOM	4583	OG1	THR	B	266	9.061	-34.087	-21.583	1.00	24.46	BBBB
	ATOM	4584	CG2	THR	B	266	10.945	-32.573	-21.444	1.00	24.00	BBBB
	ATOM	4585	C	THR	B	266	11.535	-33.117	-24.226	1.00	21.15	BBBB
55	ATOM	4586	O	THR	B	266	11.761	-31.926	-24.442	1.00	20.35	BBBB
	ATOM	4587	N	VAL	B	267	12.427	-34.075	-24.461	1.00	20.46	BBBB
	ATOM	4588	CA	VAL	B	267	13.730	-33.762	-25.023	1.00	21.11	BBBB
60	ATOM	4589	CB	VAL	B	267	14.614	-35.039	-25.114	1.00	21.54	BBBB
	ATOM	4590	CG1	VAL	B	267	15.903	-34.740	-25.865	1.00	20.72	BBBB
	ATOM	4591	CG2	VAL	B	267	14.938	-35.541	-23.708	1.00	20.45	BBBB
65	ATOM	4592	C	VAL	B	267	13.548	-33.138	-26.416	1.00	21.34	BBBB
	ATOM	4593	O	VAL	B	267	14.188	-32.135	-26.747	1.00	19.99	BBBB
	ATOM	4594	N	SER	B	268	12.663	-33.717	-27.222	1.00	21.61	BBBB
70	ATOM	4595	CA	SER	B	268	12.411	-33.191	-28.567	1.00	21.96	BBBB
	ATOM	4596	CB	SER	B	268	11.474	-34.121	-29.344	1.00	21.57	BBBB
	ATOM	4597	OG	SER	B	268	12.141	-35.316	-29.721	1.00	24.06	BBBB
75	ATOM	4598	C	SER	B	268	11.817	-31.790	-28.519	1.00	21.81	BBBB
	ATOM	4599	O	SER	B	268	12.158	-30.933	-29.336	1.00	22.60	BBBB
	ATOM	4600	N	GLU	B	269	10.928	-31.563	-27.557	1.00	21.64	BBBB

5	ATOM	4601	CA	GLU	B	269	10.282	-30.272	-27.378	1.00	21.95	BBBB
	ATOM	4602	CB	GLU	B	269	9.213	-30.399	-26.292	1.00	24.72	BBBB
	ATOM	4603	CG	GLU	B	269	8.480	-29.128	-25.940	1.00	27.67	BBBB
	ATOM	4604	CD	GLU	B	269	7.385	-29.380	-24.908	1.00	30.05	BBBB
	ATOM	4605	OE1	GLU	B	269	6.325	-29.915	-25.287	1.00	31.50	BBBB
	ATOM	4606	OE2	GLU	B	269	7.591	-29.057	-23.719	1.00	29.84	BBBB
	ATOM	4607	C	GLU	B	269	11.321	-29.214	-26.999	1.00	21.68	BBBB
	ATOM	4608	O	GLU	B	269	11.301	-28.095	-27.518	1.00	18.12	BBBB
10	ATOM	4609	N	ILE	B	270	12.224	-29.581	-26.092	1.00	19.43	BBBB
	ATOM	4610	CA	ILE	B	270	13.295	-28.698	-25.638	1.00	20.62	BBBB
	ATOM	4611	CB	ILE	B	270	14.157	-29.391	-24.533	1.00	20.30	BBBB
	ATOM	4612	CG2	ILE	B	270	15.415	-28.595	-24.266	1.00	19.17	BBBB
15	ATOM	4613	CG1	ILE	B	270	13.337	-29.574	-23.254	1.00	21.32	BBBB
	ATOM	4614	CD1	ILE	B	270	12.926	-28.291	-22.583	1.00	23.40	BBBB
	ATOM	4615	C	ILE	B	270	14.214	-28.314	-26.806	1.00	20.58	BBBB
	ATOM	4616	O	ILE	B	270	14.595	-27.151	-26.954	1.00	20.50	BBBB
	ATOM	4617	N	ALA	B	271	14.574	-29.298	-27.624	1.00	21.29	BBBB
20	ATOM	4618	CA	ALA	B	271	15.440	-29.058	-28.776	1.00	22.45	BBBB
	ATOM	4619	CB	ALA	B	271	15.741	-30.376	-29.485	1.00	23.36	BBBB
	ATOM	4620	C	ALA	B	271	14.766	-28.084	-29.745	1.00	23.03	BBBB
	ATOM	4621	O	ALA	B	271	15.400	-27.156	-30.259	1.00	23.57	BBBB
	ATOM	4622	N	ALA	B	272	13.479	-28.301	-29.988	1.00	21.81	BBBB
25	ATOM	4623	CA	ALA	B	272	12.719	-27.451	-30.898	1.00	22.17	BBBB
	ATOM	4624	CB	ALA	B	272	11.335	-28.053	-31.131	1.00	22.15	BBBB
	ATOM	4625	C	ALA	B	272	12.590	-26.030	-30.355	1.00	22.78	BBBB
	ATOM	4626	O	ALA	B	272	12.585	-25.058	-31.122	1.00	21.77	BBBB
	ATOM	4627	N	ALA	B	273	12.474	-25.907	-29.034	1.00	21.06	BBBB
30	ATOM	4628	CA	ALA	B	273	12.361	-24.596	-28.407	1.00	21.97	BBBB
	ATOM	4629	CB	ALA	B	273	11.919	-24.737	-26.949	1.00	20.63	BBBB
	ATOM	4630	C	ALA	B	273	13.699	-23.867	-28.468	1.00	21.83	BBBB
	ATOM	4631	O	ALA	B	273	13.754	-22.642	-28.344	1.00	22.67	BBBB
	ATOM	4632	N	GLY	B	274	14.773	-24.621	-28.656	1.00	20.90	BBBB
35	ATOM	4633	CA	GLY	B	274	16.093	-24.023	-28.709	1.00	21.07	BBBB
	ATOM	4634	C	GLY	B	274	16.498	-23.549	-27.327	1.00	21.48	BBBB
	ATOM	4635	O	GLY	B	274	16.961	-22.421	-27.154	1.00	20.01	BBBB
	ATOM	4636	N	LEU	B	275	16.331	-24.420	-26.333	1.00	19.66	BBBB
	ATOM	4637	CA	LEU	B	275	16.666	-24.057	-24.966	1.00	19.78	BBBB
40	ATOM	4638	CB	LEU	B	275	15.402	-24.068	-24.102	1.00	21.30	BBBB
	ATOM	4639	CG	LEU	B	275	14.451	-22.870	-24.202	1.00	24.60	BBBB
	ATOM	4640	CD1	LEU	B	275	13.220	-23.136	-23.349	1.00	26.44	BBBB
	ATOM	4641	CD2	LEU	B	275	15.159	-21.609	-23.725	1.00	24.02	BBBB
	ATOM	4642	C	LEU	B	275	17.698	-24.970	-24.318	1.00	18.79	BBBB
45	ATOM	4643	O	LEU	B	275	17.679	-26.180	-24.524	1.00	19.36	BBBB
	ATOM	4644	N	PRO	B	276	18.634	-24.389	-23.554	1.00	17.27	BBBB
	ATOM	4645	CD	PRO	B	276	18.925	-22.955	-23.416	1.00	16.95	BBBB

5	ATOM	4646	CA	PRO B 276	19.651	-25.199	-22.875	1.00	16.62	BBBB
	ATOM	4647	CB	PRO B 276	20.619	-24.162	-22.317	1.00	17.27	BBBB
	ATOM	4648	CG	PRO B 276	20.408	-22.957	-23.195	1.00	18.59	BBBB
	ATOM	4649	C	PRO B 276	18.900	-25.900	-21.746	1.00	17.23	BBBB
	ATOM	4650	O	PRO B 276	17.944	-25.340	-21.189	1.00	15.14	BBBB
10	ATOM	4651	N	ALA B 277	19.316	-27.110	-21.396	1.00	17.01	BBBB
	ATOM	4652	CA	ALA B 277	18.638	-27.807	-20.321	1.00	15.80	BBBB
	ATOM	4653	CB	ALA B 277	17.641	-28.805	-20.895	1.00	17.01	BBBB
	ATOM	4654	C	ALA B 277	19.591	-28.526	-19.382	1.00	17.37	BBBB
	ATOM	4655	O	ALA B 277	20.710	-28.891	-19.755	1.00	17.09	BBBB
15	ATOM	4656	N	LEU B 278	19.147	-28.673	-18.138	1.00	17.14	BBBB
	ATOM	4657	CA	LEU B 278	19.896	-29.429	-17.145	1.00	18.48	BBBB
	ATOM	4658	CB	LEU B 278	20.140	-28.619	-15.869	1.00	19.19	BBBB
	ATOM	4659	CG	LEU B 278	21.084	-29.308	-14.868	1.00	20.85	BBBB
	ATOM	4660	CD1	LEU B 278	21.283	-28.411	-13.668	1.00	21.11	BBBB
20	ATOM	4661	CD2	LEU B 278	20.497	-30.647	-14.433	1.00	19.16	BBBB
	ATOM	4662	C	LEU B 278	18.884	-30.535	-16.898	1.00	19.62	BBBB
	ATOM	4663	O	LEU B 278	17.870	-30.330	-16.218	1.00	20.77	BBBB
	ATOM	4664	N	PHE B 279	19.149	-31.691	-17.495	1.00	19.50	BBBB
	ATOM	4665	CA	PHE B 279	18.266	-32.838	-17.392	1.00	21.59	BBBB
25	ATOM	4666	CB	PHE B 279	18.385	-33.700	-18.651	1.00	21.07	BBBB
	ATOM	4667	CG	PHE B 279	17.740	-33.099	-19.876	1.00	19.35	BBBB
	ATOM	4668	CD1	PHE B 279	18.481	-32.898	-21.035	1.00	19.42	BBBB
	ATOM	4669	CD2	PHE B 279	16.379	-32.794	-19.888	1.00	18.16	BBBB
	ATOM	4670	CE1	PHE B 279	17.874	-32.405	-22.203	1.00	19.06	BBBB
30	ATOM	4671	CE2	PHE B 279	15.759	-32.298	-21.052	1.00	17.65	BBBB
	ATOM	4672	CZ	PHE B 279	16.515	-32.108	-22.208	1.00	15.61	BBBB
	ATOM	4673	C	PHE B 279	18.525	-33.709	-16.167	1.00	22.86	BBBB
	ATOM	4674	O	PHE B 279	19.671	-34.065	-15.871	1.00	23.32	BBBB
	ATOM	4675	N	VAL B 280	17.445	-34.037	-15.461	1.00	23.88	BBBB
35	ATOM	4676	CA	VAL B 280	17.502	-34.902	-14.281	1.00	25.67	BBBB
	ATOM	4677	CB	VAL B 280	16.883	-34.223	-13.048	1.00	26.89	BBBB
	ATOM	4678	CG1	VAL B 280	16.954	-35.159	-11.847	1.00	28.12	BBBB
	ATOM	4679	CG2	VAL B 280	17.631	-32.929	-12.742	1.00	27.70	BBBB
	ATOM	4680	C	VAL B 280	16.690	-36.136	-14.658	1.00	25.65	BBBB
40	ATOM	4681	O	VAL B 280	15.509	-36.239	-14.346	1.00	24.57	BBBB
	ATOM	4682	N	PRO B 281	17.324	-37.080	-15.370	1.00	27.08	BBBB
	ATOM	4683	CD	PRO B 281	18.750	-37.057	-15.726	1.00	27.31	BBBB
	ATOM	4684	CA	PRO B 281	16.698	-38.320	-15.824	1.00	29.05	BBBB
	ATOM	4685	CB	PRO B 281	17.851	-39.071	-16.492	1.00	29.44	BBBB
45	ATOM	4686	CG	PRO B 281	18.791	-37.992	-16.895	1.00	29.67	BBBB
	ATOM	4687	C	PRO B 281	16.092	-39.121	-14.684	1.00	31.51	BBBB
	ATOM	4688	O	PRO B 281	16.675	-39.223	-13.603	1.00	32.26	BBBB
	ATOM	4689	N	PHE B 282	14.908	-39.668	-14.923	1.00	33.83	BBBB
	ATOM	4690	CA	PHE B 282	14.246	-40.496	-13.926	1.00	37.13	BBBB

	ATOM	4691	CB	PHE	B	282	12.818	-40.808	-14.372	1.00	38.38	BBBB
	ATOM	4692	CG	PHE	B	282	12.032	-41.606	-13.377	1.00	40.57	BBBB
	ATOM	4693	CD1	PHE	B	282	11.720	-41.074	-12.130	1.00	41.80	BBBB
	ATOM	4694	CD2	PHE	B	282	11.590	-42.886	-13.689	1.00	41.65	BBBB
5	ATOM	4695	CE1	PHE	B	282	10.975	-41.806	-11.209	1.00	42.03	BBBB
	ATOM	4696	CE2	PHE	B	282	10.843	-43.628	-12.773	1.00	42.49	BBBB
	ATOM	4697	CZ	PHE	B	282	10.536	-43.085	-11.532	1.00	41.74	BBBB
	ATOM	4698	C	PHE	B	282	15.078	-41.776	-13.880	1.00	38.09	BBBB
	ATOM	4699	O	PHE	B	282	15.357	-42.373	-14.921	1.00	38.33	BBBB
10	ATOM	4700	N	GLN	B	283	15.492	-42.197	-12.690	1.00	39.70	BBBB
	ATOM	4701	CA	GLN	B	283	16.319	-43.395	-12.591	1.00	41.11	BBBB
	ATOM	4702	CB	GLN	B	283	17.010	-43.477	-11.223	1.00	41.41	BBBB
	ATOM	4703	CG	GLN	B	283	17.953	-44.676	-11.096	1.00	42.60	BBBB
	ATOM	4704	CD	GLN	B	283	19.143	-44.605	-12.051	1.00	42.87	BBBB
15	ATOM	4705	OE1	GLN	B	283	20.199	-44.068	-11.712	1.00	43.66	BBBB
	ATOM	4706	NE2	GLN	B	283	18.969	-45.135	-13.254	1.00	42.46	BBBB
	ATOM	4707	C	GLN	B	283	15.543	-44.679	-12.846	1.00	41.60	BBBB
	ATOM	4708	O	GLN	B	283	14.382	-44.809	-12.462	1.00	40.91	BBBB
	ATOM	4709	N	HIS	B	284	16.211	-45.618	-13.511	1.00	42.92	BBBB
20	ATOM	4710	CA	HIS	B	284	15.641	-46.917	-13.843	1.00	43.69	BBBB
	ATOM	4711	CB	HIS	B	284	14.508	-46.760	-14.858	1.00	43.91	BBBB
	ATOM	4712	CG	HIS	B	284	13.795	-48.039	-15.165	1.00	44.71	BBBB
	ATOM	4713	CD2	HIS	B	284	12.574	-48.489	-14.793	1.00	44.80	BBBB
	ATOM	4714	ND1	HIS	B	284	14.360	-49.044	-15.923	1.00	44.69	BBBB
25	ATOM	4715	CE1	HIS	B	284	13.516	-50.058	-16.002	1.00	45.06	BBBB
	ATOM	4716	NE2	HIS	B	284	12.425	-49.747	-15.325	1.00	44.90	BBBB
	ATOM	4717	C	HIS	B	284	16.749	-47.788	-14.424	1.00	44.09	BBBB
	ATOM	4718	O	HIS	B	284	17.602	-47.302	-15.164	1.00	43.02	BBBB
	ATOM	4719	N	LYS	B	285	16.740	-49.074	-14.085	1.00	44.90	BBBB
30	ATOM	4720	CA	LYS	B	285	17.767	-49.993	-14.571	1.00	45.34	BBBB
	ATOM	4721	CB	LYS	B	285	17.386	-51.436	-14.222	1.00	46.84	BBBB
	ATOM	4722	CG	LYS	B	285	18.541	-52.425	-14.327	1.00	49.53	BBBB
	ATOM	4723	CD	LYS	B	285	18.140	-53.802	-13.807	1.00	51.08	BBBB
	ATOM	4724	CE	LYS	B	285	19.325	-54.759	-13.780	1.00	51.58	BBBB
35	ATOM	4725	NZ	LYS	B	285	18.931	-56.115	-13.292	1.00	52.11	BBBB
	ATOM	4726	C	LYS	B	285	17.969	-49.853	-16.079	1.00	45.02	BBBB
	ATOM	4727	O	LYS	B	285	19.067	-50.070	-16.595	1.00	45.49	BBBB
	ATOM	4728	N	ASP	B	286	16.903	-49.478	-16.777	1.00	44.33	BBBB
	ATOM	4729	CA	ASP	B	286	16.949	-49.299	-18.222	1.00	43.26	BBBB
40	ATOM	4730	CB	ASP	B	286	15.532	-49.379	-18.794	1.00	45.91	BBBB
	ATOM	4731	CG	ASP	B	286	15.511	-49.354	-20.304	1.00	48.32	BBBB
	ATOM	4732	OD1	ASP	B	286	15.971	-50.338	-20.925	1.00	49.52	BBBB
	ATOM	4733	OD2	ASP	B	286	15.037	-48.346	-20.872	1.00	51.04	BBBB
	ATOM	4734	C	ASP	B	286	17.573	-47.947	-18.582	1.00	40.92	BBBB
45	ATOM	4735	O	ASP	B	286	18.179	-47.796	-19.643	1.00	40.31	BBBB

	ATOM	4736	N	ARG B 287	17.415	-46.972	-17.689	1.00	38.60	BBBB
	ATOM	4737	CA	ARG B 287	17.951	-45.623	-17.883	1.00	36.28	BBBB
	ATOM	4738	CB	ARG B 287	19.477	-45.650	-17.910	1.00	37.28	BBBB
	ATOM	4739	CG	ARG B 287	20.116	-46.263	-16.687	1.00	40.54	BBBB
5	ATOM	4740	CD	ARG B 287	21.605	-46.395	-16.906	1.00	42.34	BBBB
	ATOM	4741	NE	ARG B 287	22.291	-45.113	-16.802	1.00	44.33	BBBB
	ATOM	4742	CZ	ARG B 287	23.449	-44.842	-17.392	1.00	45.20	BBBB
	ATOM	4743	NH1	ARG B 287	24.045	-45.764	-18.135	1.00	45.60	BBBB
	ATOM	4744	NH2	ARG B 287	24.019	-43.656	-17.227	1.00	45.68	BBBB
10	ATOM	4745	C	ARG B 287	17.449	-45.005	-19.180	1.00	33.59	BBBB
	ATOM	4746	O	ARG B 287	18.167	-44.255	-19.844	1.00	32.61	BBBB
	ATOM	4747	N	GLN B 288	16.212	-45.321	-19.533	1.00	30.94	BBBB
	ATOM	4748	CA	GLN B 288	15.622	-44.804	-20.755	1.00	30.77	BBBB
	ATOM	4749	CB	GLN B 288	14.143	-45.158	-20.810	1.00	30.59	BBBB
15	ATOM	4750	CG	GLN B 288	13.473	-44.772	-22.109	1.00	29.73	BBBB
	ATOM	4751	CD	GLN B 288	11.981	-44.971	-22.044	1.00	28.04	BBBB
	ATOM	4752	OE1	GLN B 288	11.294	-44.295	-21.279	1.00	29.59	BBBB
	ATOM	4753	NE2	GLN B 288	11.468	-45.905	-22.838	1.00	26.98	BBBB
	ATOM	4754	C	GLN B 288	15.783	-43.291	-20.885	1.00	29.70	BBBB
20	ATOM	4755	O	GLN B 288	16.268	-42.801	-21.902	1.00	29.79	BBBB
	ATOM	4756	N	GLN B 289	15.378	-42.554	-19.857	1.00	29.38	BBBB
	ATOM	4757	CA	GLN B 289	15.474	-41.099	-19.904	1.00	29.46	BBBB
	ATOM	4758	CB	GLN B 289	14.772	-40.472	-18.700	1.00	29.25	BBBB
	ATOM	4759	CG	GLN B 289	13.265	-40.416	-18.883	1.00	29.32	BBBB
25	ATOM	4760	CD	GLN B 289	12.575	-39.585	-17.826	1.00	29.84	BBBB
	ATOM	4761	OE1	GLN B 289	13.191	-38.728	-17.188	1.00	29.52	BBBB
	ATOM	4762	NE2	GLN B 289	11.281	-39.821	-17.647	1.00	28.95	BBBB
	ATOM	4763	C	GLN B 289	16.906	-40.613	-20.005	1.00	29.36	BBBB
	ATOM	4764	O	GLN B 289	17.173	-39.557	-20.585	1.00	29.12	BBBB
30	ATOM	4765	N	TYR B 290	17.835	-41.374	-19.442	1.00	28.95	BBBB
	ATOM	4766	CA	TYR B 290	19.228	-40.984	-19.550	1.00	29.55	BBBB
	ATOM	4767	CB	TYR B 290	20.136	-41.934	-18.768	1.00	31.40	BBBB
	ATOM	4768	CG	TYR B 290	21.587	-41.780	-19.148	1.00	33.37	BBBB
	ATOM	4769	CD1	TYR B 290	22.332	-40.682	-18.717	1.00	34.57	BBBB
35	ATOM	4770	CE1	TYR B 290	23.644	-40.490	-19.148	1.00	35.97	BBBB
	ATOM	4771	CD2	TYR B 290	22.192	-42.684	-20.017	1.00	34.90	BBBB
	ATOM	4772	CE2	TYR B 290	23.497	-42.500	-20.453	1.00	36.03	BBBB
	ATOM	4773	CZ	TYR B 290	24.214	-41.402	-20.019	1.00	36.29	BBBB
	ATOM	4774	OH	TYR B 290	25.499	-41.215	-20.475	1.00	39.44	BBBB
40	ATOM	4775	C	TYR B 290	19.593	-41.042	-21.032	1.00	28.80	BBBB
	ATOM	4776	O	TYR B 290	20.192	-40.113	-21.567	1.00	29.22	BBBB
	ATOM	4777	N	TRP B 291	19.227	-42.135	-21.697	1.00	27.57	BBBB
	ATOM	4778	CA	TRP B 291	19.542	-42.282	-23.116	1.00	28.07	BBBB
	ATOM	4779	CB	TRP B 291	19.217	-43.705	-23.599	1.00	29.42	BBBB
45	ATOM	4780	CG	TRP B 291	20.070	-44.750	-22.936	1.00	31.82	BBBB

	ATOM	4781	CD2	TRP	B	291	21.487	-44.908	-23.069	1.00	33.22	BBBB
	ATOM	4782	CE2	TRP	B	291	21.873	-45.966	-22.213	1.00	33.81	BBBB
	ATOM	4783	CE3	TRP	B	291	22.470	-44.257	-23.826	1.00	33.13	BBBB
	ATOM	4784	CD1	TRP	B	291	19.663	-45.695	-22.035	1.00	32.62	BBBB
5	ATOM	4785	NE1	TRP	B	291	20.741	-46.428	-21.595	1.00	33.43	BBBB
	ATOM	4786	CZ2	TRP	B	291	23.203	-46.387	-22.093	1.00	34.69	BBBB
	ATOM	4787	CZ3	TRP	B	291	23.794	-44.676	-23.707	1.00	35.41	BBBB
	ATOM	4788	CH2	TRP	B	291	24.146	-45.732	-22.845	1.00	35.26	BBBB
	ATOM	4789	C	TRP	B	291	18.808	-41.256	-23.978	1.00	26.84	BBBB
10	ATOM	4790	O	TRP	B	291	19.283	-40.900	-25.058	1.00	26.55	BBBB
	ATOM	4791	N	ASN	B	292	17.658	-40.779	-23.508	1.00	25.52	BBBB
	ATOM	4792	CA	ASN	B	292	16.902	-39.784	-24.270	1.00	26.06	BBBB
	ATOM	4793	CB	ASN	B	292	15.484	-39.599	-23.709	1.00	24.78	BBBB
	ATOM	4794	CG	ASN	B	292	14.590	-40.811	-23.928	1.00	24.46	BBBB
15	ATOM	4795	OD1	ASN	B	292	14.842	-41.641	-24.798	1.00	25.33	BBBB
	ATOM	4796	ND2	ASN	B	292	13.523	-40.900	-23.146	1.00	23.83	BBBB
	ATOM	4797	C	ASN	B	292	17.605	-38.427	-24.258	1.00	25.99	BBBB
	ATOM	4798	O	ASN	B	292	17.566	-37.687	-25.244	1.00	26.18	BBBB
	ATOM	4799	N	ALA	B	293	18.242	-38.105	-23.139	1.00	25.66	BBBB
20	ATOM	4800	CA	ALA	B	293	18.926	-36.822	-22.979	1.00	25.69	BBBB
	ATOM	4801	CB	ALA	B	293	18.940	-36.422	-21.506	1.00	24.17	BBBB
	ATOM	4802	C	ALA	B	293	20.346	-36.800	-23.521	1.00	25.67	BBBB
	ATOM	4803	O	ALA	B	293	20.855	-35.743	-23.902	1.00	25.52	BBBB
	ATOM	4804	N	LEU	B	294	20.978	-37.969	-23.560	1.00	25.62	BBBB
25	ATOM	4805	CA	LEU	B	294	22.354	-38.088	-24.032	1.00	25.90	BBBB
	ATOM	4806	CB	LEU	B	294	22.745	-39.566	-24.121	1.00	26.51	BBBB
	ATOM	4807	CG	LEU	B	294	24.226	-39.864	-24.350	1.00	28.12	BBBB
	ATOM	4808	CD1	LEU	B	294	25.085	-39.055	-23.380	1.00	28.29	BBBB
	ATOM	4809	CD2	LEU	B	294	24.470	-41.368	-24.169	1.00	28.15	BBBB
30	ATOM	4810	C	LEU	B	294	22.644	-37.392	-25.359	1.00	25.66	BBBB
	ATOM	4811	O	LEU	B	294	23.677	-36.741	-25.507	1.00	24.79	BBBB
	ATOM	4812	N	PRO	B	295	21.748	-37.532	-26.351	1.00	26.24	BBBB
	ATOM	4813	CD	PRO	B	295	20.560	-38.400	-26.437	1.00	25.75	BBBB
	ATOM	4814	CA	PRO	B	295	21.998	-36.870	-27.635	1.00	26.15	BBBB
35	ATOM	4815	CB	PRO	B	295	20.740	-37.201	-28.439	1.00	26.70	BBBB
	ATOM	4816	CG	PRO	B	295	20.382	-38.548	-27.932	1.00	26.84	BBBB
	ATOM	4817	C	PRO	B	295	22.219	-35.358	-27.480	1.00	25.78	BBBB
	ATOM	4818	O	PRO	B	295	23.138	-34.792	-28.069	1.00	25.05	BBBB
	ATOM	4819	N	LEU	B	296	21.375	-34.703	-26.688	1.00	25.66	BBBB
40	ATOM	4820	CA	LEU	B	296	21.521	-33.265	-26.481	1.00	25.42	BBBB
	ATOM	4821	CB	LEU	B	296	20.283	-32.685	-25.779	1.00	24.45	BBBB
	ATOM	4822	CG	LEU	B	296	19.066	-32.458	-26.679	1.00	25.59	BBBB
	ATOM	4823	CD1	LEU	B	296	17.968	-31.718	-25.911	1.00	23.56	BBBB
	ATOM	4824	CD2	LEU	B	296	19.496	-31.630	-27.893	1.00	25.87	BBBB
45	ATOM	4825	C	LEU	B	296	22.784	-32.935	-25.688	1.00	26.07	BBBB

5	ATOM	4871	C	LYS	B	303	23.083	-32.319	-18.302	1.00	26.41	BBBB
	ATOM	4872	O	LYS	B	303	22.015	-31.948	-17.802	1.00	25.76	BBBB
	ATOM	4873	N	ILE	B	304	23.520	-33.570	-18.234	1.00	25.65	BBBB
	ATOM	4874	CA	ILE	B	304	22.753	-34.598	-17.550	1.00	27.17	BBBB
	ATOM	4875	CB	ILE	B	304	22.786	-35.946	-18.316	1.00	27.06	BBBB
10	ATOM	4876	CG2	ILE	B	304	21.977	-36.996	-17.555	1.00	28.49	BBBB
	ATOM	4877	CG1	ILE	B	304	22.242	-35.769	-19.733	1.00	27.61	BBBB
	ATOM	4878	CD1	ILE	B	304	22.380	-37.009	-20.599	1.00	27.05	BBBB
	ATOM	4879	C	ILE	B	304	23.308	-34.855	-16.160	1.00	27.00	BBBB
	ATOM	4880	O	ILE	B	304	24.511	-35.012	-15.986	1.00	27.46	BBBB
15	ATOM	4881	N	ILE	B	305	22.428	-34.869	-15.168	1.00	27.22	BBBB
	ATOM	4882	CA	ILE	B	305	22.843	-35.178	-13.813	1.00	29.01	BBBB
	ATOM	4883	CB	ILE	B	305	22.713	-33.977	-12.858	1.00	28.91	BBBB
	ATOM	4884	CG2	ILE	B	305	23.063	-34.416	-11.432	1.00	30.98	BBBB
	ATOM	4885	CG1	ILE	B	305	23.660	-32.855	-13.299	1.00	29.51	BBBB
20	ATOM	4886	CD1	ILE	B	305	23.674	-31.653	-12.367	1.00	29.43	BBBB
	ATOM	4887	C	ILE	B	305	21.934	-36.302	-13.351	1.00	29.64	BBBB
	ATOM	4888	O	ILE	B	305	20.806	-36.067	-12.932	1.00	29.25	BBBB
	ATOM	4889	N	GLU	B	306	22.429	-37.532	-13.467	1.00	32.18	BBBB
	ATOM	4890	CA	GLU	B	306	21.664	-38.702	-13.061	1.00	34.65	BBBB
25	ATOM	4891	CB	GLU	B	306	22.356	-39.989	-13.530	1.00	34.79	BBBB
	ATOM	4892	CG	GLU	B	306	22.529	-40.067	-15.035	1.00	36.39	BBBB
	ATOM	4893	CD	GLU	B	306	23.114	-41.388	-15.504	1.00	36.86	BBBB
	ATOM	4894	OE1	GLU	B	306	22.468	-42.433	-15.289	1.00	36.59	BBBB
	ATOM	4895	OE2	GLU	B	306	24.214	-41.378	-16.099	1.00	37.75	BBBB
30	ATOM	4896	C	GLU	B	306	21.531	-38.704	-11.552	1.00	35.50	BBBB
	ATOM	4897	O	GLU	B	306	22.241	-37.984	-10.858	1.00	35.55	BBBB
	ATOM	4898	N	GLN	B	307	20.612	-39.514	-11.048	1.00	38.41	BBBB
	ATOM	4899	CA	GLN	B	307	20.377	-39.599	-9.613	1.00	40.54	BBBB
	ATOM	4900	CB	GLN	B	307	19.397	-40.734	-9.322	1.00	40.99	BBBB
35	ATOM	4901	CG	GLN	B	307	18.896	-40.769	-7.896	1.00	42.76	BBBB
	ATOM	4902	CD	GLN	B	307	17.879	-41.867	-7.681	1.00	44.33	BBBB
	ATOM	4903	OE1	GLN	B	307	18.181	-43.051	-7.847	1.00	44.46	BBBB
	ATOM	4904	NE2	GLN	B	307	16.659	-41.481	-7.318	1.00	45.30	BBBB
	ATOM	4905	C	GLN	B	307	21.647	-39.784	-8.776	1.00	40.94	BBBB
40	ATOM	4906	O	GLN	B	307	21.796	-39.154	-7.732	1.00	41.24	BBBB
	ATOM	4907	N	PRO	B	308	22.580	-40.648	-9.224	1.00	42.16	BBBB
	ATOM	4908	CD	PRO	B	308	22.456	-41.593	-10.349	1.00	42.40	BBBB
	ATOM	4909	CA	PRO	B	308	23.828	-40.891	-8.484	1.00	43.20	BBBB
	ATOM	4910	CB	PRO	B	308	24.533	-41.954	-9.329	1.00	43.16	BBBB
45	ATOM	4911	CG	PRO	B	308	23.395	-42.708	-9.938	1.00	43.10	BBBB
	ATOM	4912	C	PRO	B	308	24.719	-39.668	-8.250	1.00	43.82	BBBB
	ATOM	4913	O	PRO	B	308	25.652	-39.724	-7.449	1.00	44.24	BBBB
	ATOM	4914	N	GLN	B	309	24.442	-38.569	-8.944	1.00	44.04	BBBB
	ATOM	4915	CA	GLN	B	309	25.247	-37.361	-8.787	1.00	43.46	BBBB

	ATOM	4916	CB	GLN	B	309	26.071	-37.104	-10.056	1.00	44.98	BBBB
	ATOM	4917	CG	GLN	B	309	27.183	-38.113	-10.329	1.00	46.93	BBBB
	ATOM	4918	CD	GLN	B	309	26.683	-39.437	-10.885	1.00	47.93	BBBB
	ATOM	4919	OE1	GLN	B	309	27.459	-40.376	-11.054	1.00	48.87	BBBB
5	ATOM	4920	NE2	GLN	B	309	25.388	-39.515	-11.179	1.00	49.17	BBBB
	ATOM	4921	C	GLN	B	309	24.417	-36.119	-8.479	1.00	42.87	BBBB
	ATOM	4922	O	GLN	B	309	24.955	-35.013	-8.404	1.00	43.33	BBBB
	ATOM	4923	N	LEU	B	310	23.113	-36.297	-8.289	1.00	41.06	BBBB
	ATOM	4924	CA	LEU	B	310	22.232	-35.166	-8.022	1.00	39.65	BBBB
10	ATOM	4925	CB	LEU	B	310	20.779	-35.549	-8.330	1.00	39.95	BBBB
	ATOM	4926	CG	LEU	B	310	19.730	-34.437	-8.480	1.00	39.98	BBBB
	ATOM	4927	CD1	LEU	B	310	19.545	-33.699	-7.166	1.00	41.39	BBBB
	ATOM	4928	CD2	LEU	B	310	20.160	-33.472	-9.580	1.00	40.19	BBBB
	ATOM	4929	C	LEU	B	310	22.342	-34.659	-6.591	1.00	38.83	BBBB
15	ATOM	4930	O	LEU	B	310	22.246	-35.428	-5.634	1.00	39.25	BBBB
	ATOM	4931	N	SER	B	311	22.541	-33.354	-6.457	1.00	36.17	BBBB
	ATOM	4932	CA	SER	B	311	22.660	-32.714	-5.154	1.00	34.90	BBBB
	ATOM	4933	CB	SER	B	311	24.059	-32.928	-4.569	1.00	35.08	BBBB
	ATOM	4934	OG	SER	B	311	25.022	-32.135	-5.248	1.00	33.92	BBBB
20	ATOM	4935	C	SER	B	311	22.434	-31.227	-5.357	1.00	33.51	BBBB
	ATOM	4936	O	SER	B	311	22.476	-30.741	-6.485	1.00	33.60	BBBB
	ATOM	4937	N	VAL	B	312	22.202	-30.509	-4.266	1.00	32.42	BBBB
	ATOM	4938	CA	VAL	B	312	21.990	-29.074	-4.341	1.00	31.50	BBBB
	ATOM	4939	CB	VAL	B	312	21.707	-28.482	-2.938	1.00	31.69	BBBB
25	ATOM	4940	CG1	VAL	B	312	21.546	-26.976	-3.023	1.00	31.54	BBBB
	ATOM	4941	CG2	VAL	B	312	20.445	-29.106	-2.362	1.00	31.93	BBBB
	ATOM	4942	C	VAL	B	312	23.228	-28.417	-4.946	1.00	31.40	BBBB
	ATOM	4943	O	VAL	B	312	23.123	-27.612	-5.875	1.00	30.04	BBBB
	ATOM	4944	N	ASP	B	313	24.406	-28.780	-4.444	1.00	30.18	BBBB
30	ATOM	4945	CA	ASP	B	313	25.642	-28.202	-4.957	1.00	29.61	BBBB
	ATOM	4946	CB	ASP	B	313	26.840	-28.656	-4.120	1.00	32.36	BBBB
	ATOM	4947	CG	ASP	B	313	26.817	-28.085	-2.718	1.00	34.21	BBBB
	ATOM	4948	OD1	ASP	B	313	26.662	-26.855	-2.578	1.00	36.52	BBBB
	ATOM	4949	OD2	ASP	B	313	26.958	-28.865	-1.751	1.00	38.92	BBBB
35	ATOM	4950	C	ASP	B	313	25.910	-28.516	-6.425	1.00	28.84	BBBB
	ATOM	4951	O	ASP	B	313	26.442	-27.677	-7.146	1.00	28.96	BBBB
	ATOM	4952	N	ALA	B	314	25.555	-29.719	-6.868	1.00	26.61	BBBB
	ATOM	4953	CA	ALA	B	314	25.782	-30.099	-8.254	1.00	26.47	BBBB
	ATOM	4954	CB	ALA	B	314	25.441	-31.575	-8.460	1.00	26.05	BBBB
40	ATOM	4955	C	ALA	B	314	24.928	-29.220	-9.174	1.00	25.78	BBBB
	ATOM	4956	O	ALA	B	314	25.412	-28.714	-10.187	1.00	24.94	BBBB
	ATOM	4957	N	VAL	B	315	23.661	-29.046	-8.815	1.00	25.00	BBBB
	ATOM	4958	CA	VAL	B	315	22.755	-28.215	-9.612	1.00	25.33	BBBB
	ATOM	4959	CB	VAL	B	315	21.305	-28.298	-9.088	1.00	24.74	BBBB
45	ATOM	4960	CG1	VAL	B	315	20.392	-27.382	-9.898	1.00	23.53	BBBB

	ATOM	4961	CG2	VAL	B	315	20.810	-29.738	-9.172	1.00	25.69	BBBB
	ATOM	4962	C	VAL	B	315	23.222	-26.764	-9.561	1.00	25.02	BBBB
	ATOM	4963	O	VAL	B	315	23.398	-26.125	-10.590	1.00	25.73	BBBB
	ATOM	4964	N	ALA	B	316	23.445	-26.251	-8.359	1.00	26.04	BBBB
5	ATOM	4965	CA	ALA	B	316	23.888	-24.872	-8.199	1.00	27.13	BBBB
	ATOM	4966	CB	ALA	B	316	24.059	-24.545	-6.714	1.00	27.12	BBBB
	ATOM	4967	C	ALA	B	316	25.185	-24.584	-8.955	1.00	28.17	BBBB
	ATOM	4968	O	ALA	B	316	25.289	-23.572	-9.652	1.00	27.04	BBBB
	ATOM	4969	N	ASN	B	317	26.178	-25.463	-8.823	1.00	28.72	BBBB
10	ATOM	4970	CA	ASN	B	317	27.444	-25.246	-9.518	1.00	28.52	BBBB
	ATOM	4971	CB	ASN	B	317	28.493	-26.271	-9.081	1.00	31.30	BBBB
	ATOM	4972	CG	ASN	B	317	28.940	-26.068	-7.645	1.00	34.01	BBBB
	ATOM	4973	OD1	ASN	B	317	29.091	-24.933	-7.183	1.00	33.87	BBBB
	ATOM	4974	ND2	ASN	B	317	29.170	-27.171	-6.933	1.00	35.63	BBBB
15	ATOM	4975	C	ASN	B	317	27.270	-25.310	-11.026	1.00	27.23	BBBB
	ATOM	4976	O	ASN	B	317	27.887	-24.543	-11.765	1.00	26.36	BBBB
	ATOM	4977	N	THR	B	318	26.424	-26.224	-11.482	1.00	26.95	BBBB
	ATOM	4978	CA	THR	B	318	26.174	-26.371	-12.906	1.00	27.04	BBBB
	ATOM	4979	CB	THR	B	318	25.203	-27.537	-13.189	1.00	27.91	BBBB
20	ATOM	4980	OG1	THR	B	318	25.843	-28.779	-12.872	1.00	30.24	BBBB
	ATOM	4981	CG2	THR	B	318	24.784	-27.539	-14.655	1.00	27.49	BBBB
	ATOM	4982	C	THR	B	318	25.579	-25.087	-13.480	1.00	26.50	BBBB
	ATOM	4983	O	THR	B	318	26.085	-24.548	-14.465	1.00	26.71	BBBB
	ATOM	4984	N	LEU	B	319	24.516	-24.588	-12.859	1.00	24.75	BBBB
25	ATOM	4985	CA	LEU	B	319	23.883	-23.370	-13.357	1.00	25.21	BBBB
	ATOM	4986	CB	LEU	B	319	22.579	-23.090	-12.600	1.00	23.70	BBBB
	ATOM	4987	CG	LEU	B	319	21.496	-24.153	-12.803	1.00	23.20	BBBB
	ATOM	4988	CD1	LEU	B	319	20.384	-23.962	-11.785	1.00	22.93	BBBB
	ATOM	4989	CD2	LEU	B	319	20.963	-24.065	-14.237	1.00	22.39	BBBB
30	ATOM	4990	C	LEU	B	319	24.814	-22.169	-13.253	1.00	25.23	BBBB
	ATOM	4991	O	LEU	B	319	24.888	-21.368	-14.168	1.00	25.17	BBBB
	ATOM	4992	N	ALA	B	320	25.540	-22.055	-12.147	1.00	24.41	BBBB
	ATOM	4993	CA	ALA	B	320	26.445	-20.931	-11.957	1.00	24.59	BBBB
	ATOM	4994	CB	ALA	B	320	27.069	-20.987	-10.547	1.00	24.46	BBBB
35	ATOM	4995	C	ALA	B	320	27.549	-20.865	-13.010	1.00	24.21	BBBB
	ATOM	4996	O	ALA	B	320	28.091	-19.800	-13.281	1.00	24.35	BBBB
	ATOM	4997	N	GLY	B	321	27.878	-22.005	-13.601	1.00	24.35	BBBB
	ATOM	4998	CA	GLY	B	321	28.934	-22.031	-14.591	1.00	24.34	BBBB
	ATOM	4999	C	GLY	B	321	28.509	-21.642	-15.993	1.00	24.34	BBBB
40	ATOM	5000	O	GLY	B	321	29.345	-21.585	-16.890	1.00	24.63	BBBB
	ATOM	5001	N	TRP	B	322	27.225	-21.357	-16.188	1.00	22.62	BBBB
	ATOM	5002	CA	TRP	B	322	26.738	-21.007	-17.521	1.00	21.72	BBBB
	ATOM	5003	CB	TRP	B	322	25.499	-21.841	-17.858	1.00	20.09	BBBB
	ATOM	5004	CG	TRP	B	322	25.763	-23.318	-17.973	1.00	19.85	BBBB
45	ATOM	5005	CD2	TRP	B	322	24.789	-24.370	-17.939	1.00	19.16	BBBB

	ATOM	5006	CE2	TRP	B	322	25.479	-25.584	-18.164	1.00	20.31	BBBB
	ATOM	5007	CE3	TRP	B	322	23.403	-24.406	-17.742	1.00	19.35	BBBB
	ATOM	5008	CD1	TRP	B	322	26.973	-23.925	-18.204	1.00	19.51	BBBB
	ATOM	5009	NE1	TRP	B	322	26.806	-25.281	-18.323	1.00	18.84	BBBB
5	ATOM	5010	CZ2	TRP	B	322	24.825	-26.825	-18.198	1.00	20.00	BBBB
	ATOM	5011	CZ3	TRP	B	322	22.749	-25.646	-17.775	1.00	19.90	BBBB
	ATOM	5012	CH2	TRP	B	322	23.467	-26.836	-18.003	1.00	20.26	BBBB
	ATOM	5013	C	TRP	B	322	26.422	-19.524	-17.722	1.00	21.61	BBBB
	ATOM	5014	O	TRP	B	322	25.390	-19.030	-17.271	1.00	21.25	BBBB
10	ATOM	5015	N	SER	B	323	27.320	-18.824	-18.409	1.00	19.53	BBBB
	ATOM	5016	CA	SER	B	323	27.141	-17.404	-18.692	1.00	19.04	BBBB
	ATOM	5017	CB	SER	B	323	28.456	-16.807	-19.186	1.00	18.51	BBBB
	ATOM	5018	OG	SER	B	323	28.793	-17.374	-20.447	1.00	16.33	BBBB
	ATOM	5019	C	SER	B	323	26.099	-17.239	-19.799	1.00	18.26	BBBB
15	ATOM	5020	O	SER	B	323	25.690	-18.216	-20.426	1.00	16.71	BBBB
	ATOM	5021	N	ARG	B	324	25.690	-15.999	-20.053	1.00	19.12	BBBB
	ATOM	5022	CA	ARG	B	324	24.725	-15.741	-21.112	1.00	18.09	BBBB
	ATOM	5023	CB	ARG	B	324	24.298	-14.268	-21.108	1.00	19.15	BBBB
	ATOM	5024	CG	ARG	B	324	23.266	-13.973	-20.031	1.00	20.58	BBBB
20	ATOM	5025	CD	ARG	B	324	22.508	-12.662	-20.220	1.00	22.13	BBBB
	ATOM	5026	NE	ARG	B	324	21.345	-12.641	-19.331	1.00	21.36	BBBB
	ATOM	5027	CZ	ARG	B	324	20.268	-13.403	-19.510	1.00	21.63	BBBB
	ATOM	5028	NH1	ARG	B	324	20.206	-14.224	-20.549	1.00	20.63	BBBB
	ATOM	5029	NH2	ARG	B	324	19.269	-13.378	-18.633	1.00	22.19	BBBB
25	ATOM	5030	C	ARG	B	324	25.288	-16.145	-22.481	1.00	17.79	BBBB
	ATOM	5031	O	ARG	B	324	24.540	-16.611	-23.341	1.00	17.56	BBBB
	ATOM	5032	N	GLU	B	325	26.597	-15.975	-22.686	1.00	17.74	BBBB
	ATOM	5033	CA	GLU	B	325	27.220	-16.368	-23.954	1.00	16.96	BBBB
	ATOM	5034	CB	GLU	B	325	28.690	-15.907	-24.028	1.00	17.92	BBBB
30	ATOM	5035	CG	GLU	B	325	29.361	-16.398	-25.319	1.00	18.50	BBBB
	ATOM	5036	CD	GLU	B	325	30.844	-16.068	-25.454	1.00	19.03	BBBB
	ATOM	5037	OE1	GLU	B	325	31.446	-16.562	-26.433	1.00	18.89	BBBB
	ATOM	5038	OE2	GLU	B	325	31.408	-15.325	-24.615	1.00	20.56	BBBB
	ATOM	5039	C	GLU	B	325	27.164	-17.894	-24.110	1.00	16.65	BBBB
35	ATOM	5040	O	GLU	B	325	26.838	-18.428	-25.172	1.00	15.39	BBBB
	ATOM	5041	N	THR	B	326	27.500	-18.603	-23.042	1.00	16.67	BBBB
	ATOM	5042	CA	THR	B	326	27.460	-20.055	-23.070	1.00	16.39	BBBB
	ATOM	5043	CB	THR	B	326	27.967	-20.635	-21.725	1.00	16.62	BBBB
	ATOM	5044	OG1	THR	B	326	29.346	-20.294	-21.561	1.00	18.31	BBBB
40	ATOM	5045	CG2	THR	B	326	27.804	-22.143	-21.690	1.00	18.20	BBBB
	ATOM	5046	C	THR	B	326	26.034	-20.551	-23.321	1.00	17.40	BBBB
	ATOM	5047	O	THR	B	326	25.817	-21.478	-24.107	1.00	16.65	BBBB
	ATOM	5048	N	LEU	B	327	25.068	-19.932	-22.643	1.00	17.90	BBBB
	ATOM	5049	CA	LEU	B	327	23.659	-20.305	-22.780	1.00	17.27	BBBB
45	ATOM	5050	CB	LEU	B	327	22.791	-19.514	-21.791	1.00	17.35	BBBB

	ATOM	5051	CG	LEU B 327	22.922	-19.919	-20.309	1.00	16.74	BBBB
	ATOM	5052	CD1	LEU B 327	22.192	-18.930	-19.416	1.00	14.82	BBBB
	ATOM	5053	CD2	LEU B 327	22.361	-21.312	-20.129	1.00	18.13	BBBB
	ATOM	5054	C	LEU B 327	23.145	-20.096	-24.198	1.00	17.58	BBBB
5	ATOM	5055	O	LEU B 327	22.352	-20.899	-24.692	1.00	16.08	BBBB
	ATOM	5056	N	LEU B 328	23.584	-19.014	-24.845	1.00	17.87	BBBB
	ATOM	5057	CA	LEU B 328	23.175	-18.745	-26.222	1.00	17.39	BBBB
	ATOM	5058	CB	LEU B 328	23.706	-17.379	-26.690	1.00	17.84	BBBB
	ATOM	5059	CG	LEU B 328	23.475	-17.021	-28.173	1.00	18.65	BBBB
10	ATOM	5060	CD1	LEU B 328	21.988	-17.112	-28.494	1.00	16.92	BBBB
	ATOM	5061	CD2	LEU B 328	23.984	-15.608	-28.460	1.00	18.47	BBBB
	ATOM	5062	C	LEU B 328	23.716	-19.868	-27.111	1.00	17.74	BBBB
	ATOM	5063	O	LEU B 328	23.003	-20.400	-27.953	1.00	17.59	BBBB
	ATOM	5064	N	THR B 329	24.977	-20.244	-26.910	1.00	20.12	BBBB
15	ATOM	5065	CA	THR B 329	25.567	-21.335	-27.688	1.00	21.30	BBBB
	ATOM	5066	CB	THR B 329	27.069	-21.556	-27.336	1.00	22.69	BBBB
	ATOM	5067	OG1	THR B 329	27.866	-20.591	-28.029	1.00	25.80	BBBB
	ATOM	5068	CG2	THR B 329	27.533	-22.957	-27.757	1.00	24.48	BBBB
	ATOM	5069	C	THR B 329	24.819	-22.644	-27.457	1.00	20.40	BBBB
20	ATOM	5070	O	THR B 329	24.552	-23.382	-28.398	1.00	20.34	BBBB
	ATOM	5071	N	MET B 330	24.494	-22.933	-26.200	1.00	20.31	BBBB
	ATOM	5072	CA	MET B 330	23.771	-24.153	-25.870	1.00	19.91	BBBB
	ATOM	5073	CB	MET B 330	23.642	-24.292	-24.350	1.00	20.88	BBBB
	ATOM	5074	CG	MET B 330	24.957	-24.571	-23.647	1.00	21.37	BBBB
25	ATOM	5075	SD	MET B 330	24.805	-24.609	-21.855	1.00	22.76	BBBB
	ATOM	5076	CE	MET B 330	24.118	-26.250	-21.622	1.00	22.37	BBBB
	ATOM	5077	C	MET B 330	22.389	-24.149	-26.519	1.00	19.43	BBBB
	ATOM	5078	O	MET B 330	21.924	-25.167	-27.029	1.00	20.85	BBBB
	ATOM	5079	N	ALA B 331	21.737	-22.996	-26.504	1.00	18.81	BBBB
30	ATOM	5080	CA	ALA B 331	20.412	-22.871	-27.098	1.00	18.49	BBBB
	ATOM	5081	CB	ALA B 331	19.868	-21.462	-26.859	1.00	17.16	BBBB
	ATOM	5082	C	ALA B 331	20.481	-23.162	-28.594	1.00	19.04	BBBB
	ATOM	5083	O	ALA B 331	19.644	-23.879	-29.130	1.00	18.16	BBBB
	ATOM	5084	N	GLU B 332	21.489	-22.613	-29.269	1.00	19.87	BBBB
35	ATOM	5085	CA	GLU B 332	21.626	-22.827	-30.704	1.00	21.47	BBBB
	ATOM	5086	CB	GLU B 332	22.709	-21.912	-31.274	1.00	22.13	BBBB
	ATOM	5087	CG	GLU B 332	22.328	-20.455	-31.143	1.00	24.10	BBBB
	ATOM	5088	CD	GLU B 332	23.428	-19.522	-31.572	1.00	26.61	BBBB
	ATOM	5089	OE1	GLU B 332	24.594	-19.765	-31.197	1.00	26.92	BBBB
40	ATOM	5090	OE2	GLU B 332	23.118	-18.542	-32.273	1.00	27.58	BBBB
	ATOM	5091	C	GLU B 332	21.921	-24.280	-31.025	1.00	22.44	BBBB
	ATOM	5092	O	GLU B 332	21.412	-24.814	-32.006	1.00	22.84	BBBB
	ATOM	5093	N	ARG B 333	22.739	-24.923	-30.200	1.00	22.30	BBBB
	ATOM	5094	CA	ARG B 333	23.040	-26.330	-30.408	1.00	23.77	BBBB
45	ATOM	5095	CB	ARG B 333	24.117	-26.789	-29.427	1.00	25.03	BBBB

5	ATOM	5096	CG	ARG	B	333	25.503	-26.222	-29.737	1.00	26.79	BBBB
	ATOM	5097	CD	ARG	B	333	26.443	-26.467	-28.570	1.00	28.88	BBBB
	ATOM	5098	NE	ARG	B	333	27.810	-26.041	-28.846	1.00	29.09	BBBB
	ATOM	5099	CZ	ARG	B	333	28.772	-26.001	-27.932	1.00	30.32	BBBB
	ATOM	5100	NH1	ARG	B	333	28.514	-26.361	-26.678	1.00	32.07	BBBB
	ATOM	5101	NH2	ARG	B	333	29.990	-25.596	-28.269	1.00	31.36	BBBB
	ATOM	5102	C	ARG	B	333	21.763	-27.147	-30.218	1.00	23.13	BBBB
	ATOM	5103	O	ARG	B	333	21.548	-28.151	-30.895	1.00	23.45	BBBB
10	ATOM	5104	N	ALA	B	334	20.907	-26.713	-29.299	1.00	22.82	BBBB
	ATOM	5105	CA	ALA	B	334	19.648	-27.420	-29.063	1.00	22.88	BBBB
	ATOM	5106	CB	ALA	B	334	18.915	-26.800	-27.882	1.00	22.08	BBBB
	ATOM	5107	C	ALA	B	334	18.778	-27.333	-30.317	1.00	22.86	BBBB
15	ATOM	5108	O	ALA	B	334	18.285	-28.339	-30.827	1.00	21.38	BBBB
	ATOM	5109	N	ARG	B	335	18.602	-26.114	-30.815	1.00	23.14	BBBB
	ATOM	5110	CA	ARG	B	335	17.795	-25.892	-32.002	1.00	23.54	BBBB
	ATOM	5111	CB	ARG	B	335	17.815	-24.407	-32.361	1.00	25.17	BBBB
20	ATOM	5112	CG	ARG	B	335	16.804	-23.995	-33.418	1.00	26.90	BBBB
	ATOM	5113	CD	ARG	B	335	15.381	-24.129	-32.891	1.00	30.87	BBBB
	ATOM	5114	NE	ARG	B	335	14.435	-23.414	-33.736	1.00	33.71	BBBB
	ATOM	5115	CZ	ARG	B	335	13.607	-22.469	-33.301	1.00	35.57	BBBB
25	ATOM	5116	NH1	ARG	B	335	13.601	-22.123	-32.016	1.00	34.54	BBBB
	ATOM	5117	NH2	ARG	B	335	12.791	-21.862	-34.157	1.00	35.17	BBBB
	ATOM	5118	C	ARG	B	335	18.348	-26.724	-33.163	1.00	23.86	BBBB
	ATOM	5119	O	ARG	B	335	17.595	-27.360	-33.902	1.00	22.38	BBBB
30	ATOM	5120	N	ALA	B	336	19.671	-26.737	-33.297	1.00	25.17	BBBB
	ATOM	5121	CA	ALA	B	336	20.330	-27.477	-34.372	1.00	26.85	BBBB
	ATOM	5122	CB	ALA	B	336	21.830	-27.174	-34.374	1.00	26.27	BBBB
	ATOM	5123	C	ALA	B	336	20.101	-28.985	-34.288	1.00	27.80	BBBB
35	ATOM	5124	O	ALA	B	336	20.052	-29.665	-35.308	1.00	27.33	BBBB
	ATOM	5125	N	ALA	B	337	19.959	-29.501	-33.072	1.00	29.45	BBBB
	ATOM	5126	CA	ALA	B	337	19.740	-30.925	-32.865	1.00	30.89	BBBB
	ATOM	5127	CB	ALA	B	337	20.205	-31.320	-31.467	1.00	31.47	BBBB
40	ATOM	5128	C	ALA	B	337	18.267	-31.276	-33.047	1.00	32.47	BBBB
	ATOM	5129	O	ALA	B	337	17.887	-32.445	-33.029	1.00	34.14	BBBB
	ATOM	5130	N	SER	B	338	17.442	-30.254	-33.229	1.00	31.76	BBBB
	ATOM	5131	CA	SER	B	338	16.008	-30.432	-33.408	1.00	32.41	BBBB
45	ATOM	5132	CB	SER	B	338	15.286	-29.140	-33.029	1.00	31.94	BBBB
	ATOM	5133	OG	SER	B	338	13.921	-29.196	-33.385	1.00	34.53	BBBB
	ATOM	5134	C	SER	B	338	15.593	-30.822	-34.829	1.00	33.16	BBBB
	ATOM	5135	O	SER	B	338	16.274	-30.503	-35.801	1.00	32.25	BBBB
50	ATOM	5136	N	ILE	B	339	14.466	-31.523	-34.921	1.00	33.44	BBBB
	ATOM	5137	CA	ILE	B	339	13.882	-31.941	-36.187	1.00	34.35	BBBB
	ATOM	5138	CB	ILE	B	339	13.989	-33.472	-36.384	1.00	35.51	BBBB
	ATOM	5139	CG2	ILE	B	339	13.271	-33.880	-37.658	1.00	35.53	BBBB
55	ATOM	5140	CG1	ILE	B	339	15.463	-33.887	-36.450	1.00	36.09	BBBB

5	ATOM	5141	CD1	ILE	B	339	15.688	-35.378	-36.667	1.00	37.71	BBBB
	ATOM	5142	C	ILE	B	339	12.416	-31.518	-36.059	1.00	34.84	BBBB
	ATOM	5143	O	ILE	B	339	11.601	-32.229	-35.479	1.00	35.09	BBBB
	ATOM	5144	N	PRO	B	340	12.068	-30.344	-36.611	1.00	34.93	BBBB
	ATOM	5145	CD	PRO	B	340	12.999	-29.525	-37.409	1.00	35.06	BBBB
	ATOM	5146	CA	PRO	B	340	10.733	-29.730	-36.600	1.00	34.94	BBBB
	ATOM	5147	CB	PRO	B	340	10.994	-28.349	-37.194	1.00	35.58	BBBB
	ATOM	5148	CG	PRO	B	340	12.052	-28.642	-38.205	1.00	36.27	BBBB
	ATOM	5149	C	PRO	B	340	9.551	-30.409	-37.284	1.00	34.07	BBBB
10	ATOM	5150	O	PRO	B	340	8.410	-30.222	-36.861	1.00	34.18	BBBB
	ATOM	5151	N	ASP	B	341	9.803	-31.180	-38.334	1.00	33.42	BBBB
	ATOM	5152	CA	ASP	B	341	8.711	-31.820	-39.056	1.00	33.33	BBBB
	ATOM	5153	CB	ASP	B	341	8.802	-31.448	-40.536	1.00	35.03	BBBB
	ATOM	5154	CG	ASP	B	341	10.101	-31.886	-41.159	1.00	37.02	BBBB
15	ATOM	5155	OD1	ASP	B	341	11.125	-31.907	-40.443	1.00	37.17	BBBB
	ATOM	5156	OD2	ASP	B	341	10.102	-32.200	-42.367	1.00	40.57	BBBB
	ATOM	5157	C	ASP	B	341	8.655	-33.336	-38.899	1.00	32.11	BBBB
	ATOM	5158	O	ASP	B	341	8.377	-34.066	-39.854	1.00	30.74	BBBB
	ATOM	5159	N	ALA	B	342	8.908	-33.807	-37.683	1.00	30.63	BBBB
20	ATOM	5160	CA	ALA	B	342	8.875	-35.238	-37.411	1.00	29.09	BBBB
	ATOM	5161	CB	ALA	B	342	9.174	-35.496	-35.927	1.00	28.28	BBBB
	ATOM	5162	C	ALA	B	342	7.530	-35.844	-37.792	1.00	28.32	BBBB
	ATOM	5163	O	ALA	B	342	7.475	-36.901	-38.416	1.00	29.88	BBBB
	ATOM	5164	N	THR	B	343	6.441	-35.177	-37.427	1.00	28.28	BBBB
25	ATOM	5165	CA	THR	B	343	5.115	-35.696	-37.744	1.00	28.55	BBBB
	ATOM	5166	CB	THR	B	343	3.998	-34.765	-37.205	1.00	29.04	BBBB
	ATOM	5167	OG1	THR	B	343	4.119	-34.642	-35.782	1.00	28.04	BBBB
	ATOM	5168	CG2	THR	B	343	2.628	-35.330	-37.528	1.00	28.54	BBBB
	ATOM	5169	C	THR	B	343	4.934	-35.882	-39.254	1.00	29.50	BBBB
30	ATOM	5170	O	THR	B	343	4.533	-36.952	-39.711	1.00	28.08	BBBB
	ATOM	5171	N	GLU	B	344	5.234	-34.843	-40.030	1.00	30.76	BBBB
	ATOM	5172	CA	GLU	B	344	5.085	-34.933	-41.480	1.00	32.00	BBBB
	ATOM	5173	CB	GLU	B	344	5.414	-33.589	-42.142	1.00	34.02	BBBB
	ATOM	5174	CG	GLU	B	344	4.412	-32.483	-41.814	1.00	38.27	BBBB
35	ATOM	5175	CD	GLU	B	344	4.807	-31.661	-40.594	1.00	40.96	BBBB
	ATOM	5176	OE1	GLU	B	344	5.252	-32.252	-39.582	1.00	41.33	BBBB
	ATOM	5177	OE2	GLU	B	344	4.665	-30.419	-40.649	1.00	42.30	BBBB
	ATOM	5178	C	GLU	B	344	5.970	-36.032	-42.056	1.00	31.14	BBBB
	ATOM	5179	O	GLU	B	344	5.534	-36.805	-42.909	1.00	32.33	BBBB
40	ATOM	5180	N	ARG	B	345	7.209	-36.106	-41.587	1.00	30.66	BBBB
	ATOM	5181	CA	ARG	B	345	8.138	-37.123	-42.067	1.00	31.44	BBBB
	ATOM	5182	CB	ARG	B	345	9.494	-36.986	-41.376	1.00	33.54	BBBB
	ATOM	5183	CG	ARG	B	345	10.293	-35.772	-41.793	1.00	37.73	BBBB
	ATOM	5184	CD	ARG	B	345	11.716	-35.880	-41.284	1.00	40.70	BBBB
45	ATOM	5185	NE	ARG	B	345	12.580	-34.864	-41.873	1.00	44.36	BBBB

	ATOM	5186	CZ	ARG	B	345	13.901	-34.841	-41.739	1.00	45.65	BBBB
	ATOM	5187	NH1	ARG	B	345	14.514	-35.782	-41.031	1.00	46.05	BBBB
	ATOM	5188	NH2	ARG	B	345	14.608	-33.881	-42.322	1.00	47.38	BBBB
	ATOM	5189	C	ARG	B	345	7.626	-38.545	-41.854	1.00	30.89	BBBB
5	ATOM	5190	O	ARG	B	345	7.724	-39.387	-42.746	1.00	29.98	BBBB
	ATOM	5191	N	VAL	B	346	7.086	-38.818	-40.670	1.00	29.72	BBBB
	ATOM	5192	CA	VAL	B	346	6.578	-40.151	-40.384	1.00	28.61	BBBB
	ATOM	5193	CB	VAL	B	346	6.197	-40.298	-38.885	1.00	27.90	BBBB
	ATOM	5194	CG1	VAL	B	346	5.612	-41.680	-38.625	1.00	27.30	BBBB
10	ATOM	5195	CG2	VAL	B	346	7.419	-40.060	-38.024	1.00	27.32	BBBB
	ATOM	5196	C	VAL	B	346	5.361	-40.435	-41.252	1.00	28.33	BBBB
	ATOM	5197	O	VAL	B	346	5.248	-41.511	-41.847	1.00	28.30	BBBB
	ATOM	5198	N	ALA	B	347	4.457	-39.465	-41.335	1.00	28.76	BBBB
	ATOM	5199	CA	ALA	B	347	3.249	-39.617	-42.137	1.00	28.96	BBBB
15	ATOM	5200	CB	ALA	B	347	2.363	-38.387	-41.994	1.00	28.49	BBBB
	ATOM	5201	C	ALA	B	347	3.596	-39.844	-43.606	1.00	30.26	BBBB
	ATOM	5202	O	ALA	B	347	2.948	-40.641	-44.279	1.00	30.12	BBBB
	ATOM	5203	N	ASN	B	348	4.613	-39.142	-44.098	1.00	32.77	BBBB
	ATOM	5204	CA	ASN	B	348	5.035	-39.286	-45.493	1.00	34.56	BBBB
20	ATOM	5205	CB	ASN	B	348	6.045	-38.195	-45.868	1.00	35.68	BBBB
	ATOM	5206	CG	ASN	B	348	5.384	-36.846	-46.123	1.00	37.21	BBBB
	ATOM	5207	OD1	ASN	B	348	4.157	-36.719	-46.081	1.00	38.48	BBBB
	ATOM	5208	ND2	ASN	B	348	6.199	-35.831	-46.393	1.00	38.38	BBBB
	ATOM	5209	C	ASN	B	348	5.633	-40.668	-45.765	1.00	34.90	BBBB
25	ATOM	5210	O	ASN	B	348	5.433	-41.233	-46.841	1.00	34.59	BBBB
	ATOM	5211	N	GLU	B	349	6.366	-41.212	-44.794	1.00	35.20	BBBB
	ATOM	5212	CA	GLU	B	349	6.954	-42.540	-44.956	1.00	34.86	BBBB
	ATOM	5213	CB	GLU	B	349	8.004	-42.814	-43.879	1.00	34.59	BBBB
	ATOM	5214	CG	GLU	B	349	9.404	-42.385	-44.259	1.00	38.16	BBBB
30	ATOM	5215	CD	GLU	B	349	9.865	-42.992	-45.579	1.00	38.74	BBBB
	ATOM	5216	OE1	GLU	B	349	9.806	-44.232	-45.735	1.00	40.12	BBBB
	ATOM	5217	OE2	GLU	B	349	10.292	-42.225	-46.461	1.00	39.64	BBBB
	ATOM	5218	C	GLU	B	349	5.872	-43.607	-44.895	1.00	33.96	BBBB
	ATOM	5219	O	GLU	B	349	5.942	-44.621	-45.591	1.00	33.99	BBBB
35	ATOM	5220	N	VAL	B	350	4.875	-43.377	-44.051	1.00	33.91	BBBB
	ATOM	5221	CA	VAL	B	350	3.767	-44.306	-43.919	1.00	33.79	BBBB
	ATOM	5222	CB	VAL	B	350	2.848	-43.907	-42.744	1.00	33.70	BBBB
	ATOM	5223	CG1	VAL	B	350	1.554	-44.695	-42.798	1.00	32.22	BBBB
	ATOM	5224	CG2	VAL	B	350	3.568	-44.154	-41.425	1.00	32.24	BBBB
40	ATOM	5225	C	VAL	B	350	2.969	-44.274	-45.217	1.00	34.78	BBBB
	ATOM	5226	O	VAL	B	350	2.411	-45.285	-45.645	1.00	34.85	BBBB
	ATOM	5227	N	SER	B	351	2.925	-43.102	-45.844	1.00	35.34	BBBB
	ATOM	5228	CA	SER	B	351	2.196	-42.946	-47.095	1.00	36.67	BBBB
	ATOM	5229	CB	SER	B	351	2.024	-41.462	-47.425	1.00	37.32	BBBB
45	ATOM	5230	OG	SER	B	351	1.241	-41.292	-48.590	1.00	37.74	BBBB

	ATOM	5231	C	SER B 351	2.958	-43.639	-48.222	1.00	37.35	BBBB
	ATOM	5232	O	SER B 351	2.365	-44.309	-49.064	1.00	36.85	BBBB
	ATOM	5233	N	ARG B 352	4.277	-43.482	-48.223	1.00	37.89	BBBB
	ATOM	5234	CA	ARG B 352	5.114	-44.088	-49.251	1.00	40.03	BBBB
5	ATOM	5235	CB	ARG B 352	6.557	-43.600	-49.114	1.00	41.58	BBBB
	ATOM	5236	CG	ARG B 352	7.470	-44.069	-50.232	1.00	44.46	BBBB
	ATOM	5237	CD	ARG B 352	8.906	-44.157	-49.759	1.00	47.36	BBBB
	ATOM	5238	NE	ARG B 352	9.097	-45.271	-48.832	1.00	49.57	BBBB
	ATOM	5239	CZ	ARG B 352	10.234	-45.524	-48.191	1.00	50.54	BBBB
10	ATOM	5240	NH1	ARG B 352	11.287	-44.738	-48.372	1.00	50.88	BBBB
	ATOM	5241	NH2	ARG B 352	10.321	-46.566	-47.373	1.00	50.24	BBBB
	ATOM	5242	C	ARG B 352	5.098	-45.613	-49.176	1.00	40.60	BBBB
	ATOM	5243	O	ARG B 352	5.101	-46.292	-50.204	1.00	39.84	BBBB
	ATOM	5244	N	VAL B 353	5.096	-46.143	-47.955	1.00	41.33	BBBB
15	ATOM	5245	CA	VAL B 353	5.089	-47.587	-47.737	1.00	42.78	BBBB
	ATOM	5246	CB	VAL B 353	5.446	-47.927	-46.271	1.00	42.54	BBBB
	ATOM	5247	CG1	VAL B 353	5.279	-49.420	-46.014	1.00	42.05	BBBB
	ATOM	5248	CG2	VAL B 353	6.879	-47.509	-45.987	1.00	41.86	BBBB
	ATOM	5249	C	VAL B 353	3.742	-48.206	-48.095	1.00	43.85	BBBB
20	ATOM	5250	O	VAL B 353	3.679	-49.343	-48.556	1.00	44.43	BBBB
	ATOM	5251	N	ALA B 354	2.664	-47.465	-47.871	1.00	45.85	BBBB
	ATOM	5252	CA	ALA B 354	1.336	-47.957	-48.212	1.00	47.24	BBBB
	ATOM	5253	CB	ALA B 354	0.264	-47.043	-47.628	1.00	46.79	BBBB
	ATOM	5254	C	ALA B 354	1.250	-47.971	-49.737	1.00	48.54	BBBB
25	ATOM	5255	O	ALA B 354	0.531	-48.780	-50.324	1.00	48.48	BBBB
	ATOM	5256	N	ARG B 355	1.998	-47.068	-50.366	1.00	50.49	BBBB
	ATOM	5257	CA	ARG B 355	2.035	-46.964	-51.824	1.00	52.71	BBBB
	ATOM	5258	CB	ARG B 355	2.658	-45.633	-52.264	1.00	53.58	BBBB
	ATOM	5259	CG	ARG B 355	1.998	-44.372	-51.730	1.00	55.08	BBBB
30	ATOM	5260	CD	ARG B 355	0.716	-44.014	-52.461	1.00	56.64	BBBB
	ATOM	5261	NE	ARG B 355	0.112	-42.802	-51.907	1.00	57.43	BBBB
	ATOM	5262	CZ	ARG B 355	-1.054	-42.296	-52.299	1.00	58.24	BBBB
	ATOM	5263	NH1	ARG B 355	-1.758	-42.896	-53.252	1.00	58.53	BBBB
	ATOM	5264	NH2	ARG B 355	-1.519	-41.186	-51.738	1.00	58.87	BBBB
35	ATOM	5265	C	ARG B 355	2.899	-48.099	-52.366	1.00	53.41	BBBB
	ATOM	5266	O	ARG B 355	2.966	-48.319	-53.575	1.00	53.50	BBBB
	ATOM	5267	N	ALA B 356	3.569	-48.805	-51.456	1.00	54.15	BBBB
	ATOM	5268	CA	ALA B 356	4.453	-49.913	-51.809	1.00	54.93	BBBB
	ATOM	5269	CB	ALA B 356	3.669	-51.004	-52.546	1.00	54.86	BBBB
40	ATOM	5270	C	ALA B 356	5.611	-49.417	-52.671	1.00	55.63	BBBB
	ATOM	5271	O	ALA B 356	6.193	-50.178	-53.442	1.00	55.95	BBBB
	ATOM	5272	N	LEU B 357	5.942	-48.136	-52.526	1.00	56.45	BBBB
	ATOM	5273	CA	LEU B 357	7.023	-47.522	-53.289	1.00	57.81	BBBB
	ATOM	5274	CB	LEU B 357	6.871	-45.997	-53.290	1.00	58.04	BBBB
45	ATOM	5275	CG	LEU B 357	5.595	-45.422	-53.915	1.00	58.29	BBBB

	ATOM	5276	CD1	LEU	B	357	5.624	-43.903	-53.820	1.00	58.36	BBBB
	ATOM	5277	CD2	LEU	B	357	5.485	-45.859	-55.370	1.00	58.62	BBBB
	ATOM	5278	C	LEU	B	357	8.391	-47.895	-52.729	1.00	58.46	BBBB
	ATOM	5279	OT1	LEU	B	357	9.244	-48.359	-53.514	1.00	58.97	BBBB
5	ATOM	5280	OT2	LEU	B	357	8.601	-47.710	-51.512	1.00	58.97	BBBB
	ATOM	5281	OH2	WAT	W	1	-20.568	11.549	41.653	1.00	24.11	WATR
	ATOM	5282	OH2	WAT	W	4	-7.219	-67.275	-41.843	1.00	35.35	WATR
	ATOM	5283	OH2	WAT	W	5	20.119	-17.520	-22.473	1.00	21.13	WATR
	ATOM	5284	OH2	WAT	W	6	18.858	-19.701	-23.468	1.00	18.31	WATR
10	ATOM	5285	OH2	WAT	W	7	2.329	-28.724	-15.978	1.00	27.32	WATR
	ATOM	5286	OH2	WAT	W	8	9.484	-48.435	-27.938	1.00	23.67	WATR
	ATOM	5287	OH2	WAT	W	9	7.645	-57.693	-27.177	1.00	21.03	WATR
	ATOM	5288	OH2	WAT	W	10	-1.542	-8.422	1.824	1.00	29.71	WATR
	ATOM	5289	OH2	WAT	W	11	5.875	-50.793	-32.396	1.00	20.21	WATR
15	ATOM	5290	OH2	WAT	W	12	27.592	-18.174	-27.779	1.00	22.52	WATR
	ATOM	5291	OH2	WAT	W	13	7.842	-13.432	-21.178	1.00	25.85	WATR
	ATOM	5292	OH2	WAT	W	14	4.845	-57.924	-27.444	1.00	24.35	WATR
	ATOM	5293	OH2	WAT	W	15	0.473	-58.751	-17.746	1.00	35.49	WATR
	ATOM	5294	OH2	WAT	W	16	7.998	-52.522	-25.785	1.00	22.34	WATR
20	ATOM	5295	OH2	WAT	W	17	-8.656	11.300	18.872	1.00	23.81	WATR
	ATOM	5296	OH2	WAT	W	18	8.711	-45.913	-29.121	1.00	21.55	WATR
	ATOM	5297	OH2	WAT	W	19	2.957	-68.158	-38.242	1.00	29.43	WATR
	ATOM	5298	OH2	WAT	W	20	16.486	-11.742	-16.567	1.00	22.13	WATR
	ATOM	5299	OH2	WAT	W	21	-6.251	17.702	28.534	1.00	24.24	WATR
25	ATOM	5300	OH2	WAT	W	22	12.670	-47.636	-24.808	1.00	25.87	WATR
	ATOM	5301	OH2	WAT	W	23	6.513	-15.597	-22.517	1.00	26.31	WATR
	ATOM	5302	OH2	WAT	W	24	7.536	-66.906	-21.753	1.00	21.48	WATR
	ATOM	5303	OH2	WAT	W	25	-29.060	13.621	26.406	1.00	21.08	WATR
	ATOM	5304	OH2	WAT	W	26	-5.240	10.154	13.527	1.00	29.62	WATR
30	ATOM	5305	OH2	WAT	W	27	29.942	-20.139	-19.237	1.00	20.38	WATR
	ATOM	5306	OH2	WAT	W	28	18.996	-28.763	-24.427	1.00	20.28	WATR
	ATOM	5307	OH2	WAT	W	29	8.755	-51.080	-27.990	1.00	20.66	WATR
	ATOM	5308	OH2	WAT	W	30	4.215	-64.684	-43.328	1.00	39.67	WATR
	ATOM	5309	OH2	WAT	W	31	14.708	-11.936	-1.749	1.00	24.57	WATR
35	ATOM	5310	OH2	WAT	W	32	28.140	-13.870	-21.266	1.00	18.93	WATR
	ATOM	5311	OH2	WAT	W	33	4.057	-1.221	9.809	1.00	32.30	WATR
	ATOM	5312	OH2	WAT	W	34	4.784	-56.759	-43.904	1.00	25.99	WATR
	ATOM	5313	OH2	WAT	W	35	-22.733	10.283	33.238	1.00	24.60	WATR
	ATOM	5314	OH2	WAT	W	36	0.540	14.225	10.932	1.00	26.89	WATR
40	ATOM	5315	OH2	WAT	W	37	-7.560	11.931	12.593	1.00	27.76	WATR
	ATOM	5316	OH2	WAT	W	38	-7.966	17.043	30.555	1.00	20.04	WATR
	ATOM	5317	OH2	WAT	W	39	6.716	-55.314	-42.959	1.00	25.72	WATR
	ATOM	5318	OH2	WAT	W	40	6.833	-32.402	-3.845	1.00	32.49	WATR
	ATOM	5319	OH2	WAT	W	41	30.445	-20.104	-25.459	1.00	27.97	WATR
45	ATOM	5320	OH2	WAT	W	42	1.475	-15.304	-22.128	1.00	30.57	WATR

5	ATOM	5321	OH2	WAT	W	43	15.703	-42.835	-31.237	1.00	26.74	WATR
	ATOM	5322	OH2	WAT	W	44	7.131	-6.595	-18.003	1.00	29.47	WATR
	ATOM	5323	OH2	WAT	W	45	30.256	-23.202	-11.163	1.00	33.81	WATR
	ATOM	5324	OH2	WAT	W	46	-6.107	-66.004	-38.690	1.00	30.45	WATR
	ATOM	5325	OH2	WAT	W	47	17.631	-17.241	-5.864	1.00	28.69	WATR
10	ATOM	5326	OH2	WAT	W	48	13.436	-59.821	-27.855	1.00	28.71	WATR
	ATOM	5327	OH2	WAT	W	49	11.395	-15.293	2.925	1.00	29.36	WATR
	ATOM	5328	OH2	WAT	W	50	19.218	-21.377	-34.248	1.00	31.41	WATR
	ATOM	5329	OH2	WAT	W	51	11.973	-11.890	-15.788	1.00	35.59	WATR
	ATOM	5330	OH2	WAT	W	52	9.140	-8.260	-23.371	1.00	40.29	WATR
15	ATOM	5331	OH2	WAT	W	53	-19.061	14.438	38.966	1.00	38.01	WATR
	ATOM	5332	OH2	WAT	W	54	-3.895	-70.510	-28.249	1.00	25.56	WATR
	ATOM	5333	OH2	WAT	W	55	20.909	-23.456	-34.213	1.00	26.74	WATR
	ATOM	5334	OH2	WAT	W	56	-8.505	11.136	10.323	1.00	30.97	WATR
	ATOM	5335	OH2	WAT	W	57	22.022	-15.529	-23.223	1.00	26.74	WATR
20	ATOM	5336	OH2	WAT	W	58	13.860	-49.304	-42.490	1.00	27.91	WATR
	ATOM	5337	OH2	WAT	W	59	-9.455	-6.552	-9.720	1.00	41.70	WATR
	ATOM	5338	OH2	WAT	W	60	13.798	-49.732	-23.016	1.00	41.60	WATR
	ATOM	5339	OH2	WAT	W	61	15.881	-60.461	-31.910	1.00	48.66	WATR
	ATOM	5340	OH2	WAT	W	62	-9.797	12.718	13.997	1.00	29.14	WATR
25	ATOM	5341	OH2	WAT	W	63	16.793	0.356	-6.115	1.00	26.17	WATR
	ATOM	5342	OH2	WAT	W	64	3.173	18.778	20.793	1.00	31.13	WATR
	ATOM	5343	OH2	WAT	W	65	13.433	-11.079	0.672	1.00	27.40	WATR
	ATOM	5344	OH2	WAT	W	66	3.118	-0.813	0.729	1.00	24.68	WATR
	ATOM	5345	OH2	WAT	W	67	-22.179	3.583	26.978	1.00	32.28	WATR
30	ATOM	5346	OH2	WAT	W	68	24.433	-30.481	-1.783	1.00	41.91	WATR
	ATOM	5347	OH2	WAT	W	69	4.384	-66.131	-41.203	1.00	34.75	WATR
	ATOM	5348	OH2	WAT	W	70	20.398	-7.386	-4.280	1.00	30.85	WATR
	ATOM	5349	OH2	WAT	W	71	-2.444	-70.752	-22.067	1.00	25.46	WATR
	ATOM	5350	OH2	WAT	W	72	-3.963	-4.914	-5.711	1.00	29.67	WATR
35	ATOM	5351	OH2	WAT	W	73	17.663	-11.040	-34.488	1.00	30.24	WATR
	ATOM	5352	OH2	WAT	W	74	21.404	-42.041	-26.621	1.00	31.41	WATR
	ATOM	5353	OH2	WAT	W	75	-1.110	-15.319	-1.089	1.00	31.51	WATR
	ATOM	5354	OH2	WAT	W	76	0.688	19.730	22.519	1.00	26.71	WATR
	ATOM	5355	OH2	WAT	W	77	12.113	-69.335	-26.593	1.00	27.11	WATR
40	ATOM	5356	OH2	WAT	W	78	11.725	-25.065	-33.817	1.00	43.79	WATR
	ATOM	5357	OH2	WAT	W	79	-25.519	9.450	22.092	1.00	28.18	WATR
	ATOM	5358	OH2	WAT	W	80	-14.673	6.584	16.023	1.00	31.37	WATR
	ATOM	5359	OH2	WAT	W	81	-2.250	-0.253	-1.741	1.00	29.99	WATR
	ATOM	5360	OH2	WAT	W	82	-7.300	12.943	8.415	1.00	32.39	WATR
45	ATOM	5361	OH2	WAT	W	83	1.712	-13.629	-13.904	1.00	34.08	WATR
	ATOM	5362	OH2	WAT	W	84	4.709	-17.478	-6.557	1.00	29.67	WATR
	ATOM	5363	OH2	WAT	W	85	10.070	-57.496	-44.450	1.00	48.39	WATR
	ATOM	5364	OH2	WAT	W	86	8.040	-30.281	-10.117	1.00	28.59	WATR
	ATOM	5365	OH2	WAT	W	87	-1.967	-32.372	-38.643	1.00	31.55	WATR

5	ATOM	5366	OH2	WAT	W	88	-3.178	-64.576	-25.506	1.00	33.66	WATR
	ATOM	5367	OH2	WAT	W	89	15.762	-9.860	-10.400	1.00	34.29	WATR
	ATOM	5368	OH2	WAT	W	90	5.654	-30.990	-27.758	1.00	35.84	WATR
	ATOM	5369	OH2	WAT	W	91	14.959	-46.096	-42.270	1.00	35.21	WATR
	ATOM	5370	OH2	WAT	W	92	10.137	-13.308	-9.753	1.00	32.65	WATR
10	ATOM	5371	OH2	WAT	W	93	-4.480	6.624	6.614	1.00	27.37	WATR
	ATOM	5372	OH2	WAT	W	94	-14.574	22.522	18.870	1.00	49.48	WATR
	ATOM	5373	OH2	WAT	W	95	-11.031	-42.768	-39.637	1.00	37.63	WATR
	ATOM	5374	OH2	WAT	W	96	9.906	-35.479	-19.203	1.00	29.59	WATR
	ATOM	5375	OH2	WAT	W	97	-0.990	-0.781	36.951	1.00	37.27	WATR
15	ATOM	5376	OH2	WAT	W	98	-11.422	9.059	11.252	1.00	30.43	WATR
	ATOM	5377	OH2	WAT	W	99	8.118	-36.710	-22.371	1.00	34.85	WATR
	ATOM	5378	OH2	WAT	W	100	12.414	-67.326	-22.791	1.00	31.24	WATR
	ATOM	5379	OH2	WAT	W	101	28.541	-24.603	-31.049	1.00	40.14	WATR
	ATOM	5380	OH2	WAT	W	102	16.276	-10.934	-3.673	1.00	33.80	WATR
20	ATOM	5381	OH2	WAT	W	103	30.979	-13.264	-22.953	1.00	24.73	WATR
	ATOM	5382	OH2	WAT	W	104	12.759	-31.636	-31.838	1.00	26.40	WATR
	ATOM	5383	OH2	WAT	W	105	23.507	-29.661	-32.187	1.00	29.62	WATR
	ATOM	5384	OH2	WAT	W	106	21.292	-13.141	-24.874	1.00	37.83	WATR
	ATOM	5385	OH2	WAT	W	107	10.171	-32.960	-15.580	1.00	26.59	WATR
25	ATOM	5386	OH2	WAT	W	108	-2.207	2.376	2.034	1.00	27.55	WATR
	ATOM	5387	OH2	WAT	W	109	-6.984	22.588	16.082	1.00	39.01	WATR
	ATOM	5388	OH2	WAT	W	110	14.308	-11.038	-15.406	1.00	26.48	WATR
	ATOM	5389	OH2	WAT	W	111	10.612	9.749	24.161	1.00	40.18	WATR
	ATOM	5390	OH2	WAT	W	112	2.406	-15.823	-10.196	1.00	27.61	WATR
30	ATOM	5391	OH2	WAT	W	113	6.310	-68.984	-20.661	1.00	40.25	WATR
	ATOM	5392	OH2	WAT	W	114	14.379	-10.930	-8.565	1.00	35.86	WATR
	ATOM	5393	OH2	WAT	W	115	24.183	-35.475	-30.338	1.00	35.17	WATR
	ATOM	5394	OH2	WAT	W	116	21.897	-31.717	-1.243	1.00	47.61	WATR
	ATOM	5395	OH2	WAT	W	117	24.065	-17.545	-13.707	1.00	32.24	WATR
35	ATOM	5396	OH2	WAT	W	118	16.772	-51.926	-25.940	1.00	38.66	WATR
	ATOM	5397	OH2	WAT	W	119	-5.862	6.629	4.446	1.00	39.57	WATR
	ATOM	5398	OH2	WAT	W	120	14.133	-57.303	-28.159	1.00	30.19	WATR
	ATOM	5399	OH2	WAT	W	121	-16.538	-6.724	21.638	1.00	40.50	WATR
	ATOM	5400	OH2	WAT	W	122	19.669	-18.487	-33.216	1.00	38.38	WATR
40	ATOM	5401	OH2	WAT	W	123	15.481	1.078	-4.048	1.00	32.28	WATR
	ATOM	5402	OH2	WAT	W	124	20.395	-13.033	-2.072	1.00	49.69	WATR
	ATOM	5403	OH2	WAT	W	125	15.526	-1.437	-15.842	1.00	36.06	WATR
	ATOM	5404	OH2	WAT	W	126	7.297	-29.419	-1.509	1.00	34.75	WATR
	ATOM	5405	OH2	WAT	W	127	9.994	-12.069	-21.013	1.00	32.21	WATR
45	ATOM	5406	OH2	WAT	W	128	17.433	-42.825	-16.713	1.00	31.02	WATR
	ATOM	5407	OH2	WAT	W	129	-15.855	20.882	21.019	1.00	44.11	WATR
	ATOM	5408	OH2	WAT	W	130	-6.351	-7.687	-14.067	1.00	35.04	WATR
	ATOM	5409	OH2	WAT	W	131	7.954	-17.872	-1.475	1.00	28.45	WATR
	ATOM	5410	OH2	WAT	W	132	13.526	-34.593	-31.844	1.00	31.12	WATR

	ATOM	5411	OH2	WAT	W	133	9.992	-41.228	-23.098	1.00	26.45	WATR
	ATOM	5412	OH2	WAT	W	134	8.434	18.132	16.019	1.00	32.97	WATR
	ATOM	5413	OH2	WAT	W	135	-1.208	-33.658	-36.216	1.00	38.33	WATR
	ATOM	5414	OH2	WAT	W	136	-14.502	9.100	12.433	1.00	43.21	WATR
5	ATOM	5415	OH2	WAT	W	137	14.394	-43.675	-17.325	1.00	32.32	WATR
	ATOM	5416	OH2	WAT	W	138	-4.809	-30.333	-46.416	1.00	42.65	WATR
	ATOM	5417	OH2	WAT	W	139	18.861	-35.072	-35.671	1.00	43.56	WATR
	ATOM	5418	OH2	WAT	W	140	-10.162	-60.139	-32.862	1.00	35.41	WATR
	ATOM	5419	OH2	WAT	W	141	6.740	-32.411	-35.303	1.00	38.57	WATR
10	ATOM	5420	OH2	WAT	W	142	-12.257	-60.854	-39.307	1.00	32.90	WATR
	ATOM	5421	OH2	WAT	W	143	18.910	-40.984	-13.084	1.00	43.43	WATR
	ATOM	5422	OH2	WAT	W	144	18.857	-49.375	-28.645	1.00	31.34	WATR
	ATOM	5423	OH2	WAT	W	145	0.235	-17.424	-16.608	1.00	38.85	WATR
	ATOM	5424	OH2	WAT	W	146	14.236	-11.252	-24.086	1.00	27.79	WATR
15	ATOM	5425	OH2	WAT	W	147	31.513	-22.336	-22.128	1.00	43.18	WATR
	ATOM	5426	OH2	WAT	W	148	-5.314	-70.396	-26.090	1.00	43.91	WATR
	ATOM	5427	OH2	WAT	W	149	-7.717	-64.969	-36.808	1.00	26.30	WATR
	ATOM	5428	OH2	WAT	W	150	22.584	-12.594	-4.179	1.00	46.91	WATR
	ATOM	5429	OH2	WAT	W	151	-12.388	9.493	36.619	1.00	32.82	WATR
20	ATOM	5430	OH2	WAT	W	152	-14.517	16.479	37.760	1.00	39.52	WATR
	ATOM	5431	OH2	WAT	W	153	-10.095	-34.647	-29.068	1.00	41.08	WATR
	ATOM	5432	OH2	WAT	W	154	-5.233	-4.134	31.160	1.00	35.31	WATR
	ATOM	5433	OH2	WAT	W	155	-6.322	11.278	-1.883	1.00	35.75	WATR
	ATOM	5434	OH2	WAT	W	156	10.262	-9.572	-16.736	1.00	42.40	WATR
25	ATOM	5435	OH2	WAT	W	157	22.929	-10.414	-23.566	1.00	36.66	WATR
	ATOM	5436	OH2	WAT	W	158	-15.987	3.994	16.559	1.00	37.22	WATR
	ATOM	5437	OH2	WAT	W	159	13.385	-44.923	-46.826	1.00	41.55	WATR
	ATOM	5438	OH2	WAT	W	160	26.508	-13.616	-18.049	1.00	25.93	WATR
	ATOM	5439	OH2	WAT	W	161	4.671	-66.907	-17.861	1.00	31.54	WATR
30	ATOM	5440	OH2	WAT	W	162	-12.589	12.262	11.825	1.00	32.71	WATR
	ATOM	5441	OH2	WAT	W	163	13.899	-62.269	-25.144	1.00	30.71	WATR
	ATOM	5442	OH2	WAT	W	164	-31.053	15.663	19.272	1.00	30.19	WATR
	ATOM	5443	OH2	WAT	W	165	9.797	-47.899	-25.140	1.00	26.79	WATR
	ATOM	5444	OH2	WAT	W	166	0.877	-51.774	-25.619	1.00	30.02	WATR
35	ATOM	5445	OH2	WAT	W	167	-17.088	16.246	37.180	1.00	25.63	WATR
	ATOM	5446	OH2	WAT	W	168	0.855	-52.086	-22.078	1.00	40.99	WATR
	ATOM	5447	OH2	WAT	W	169	-14.873	18.295	21.203	1.00	40.28	WATR
	ATOM	5448	OH2	WAT	W	170	11.913	-62.134	-35.641	1.00	41.33	WATR
	ATOM	5449	OH2	WAT	W	171	25.783	-23.984	-33.162	1.00	44.03	WATR
40	ATOM	5450	OH2	WAT	W	172	7.169	-50.047	-23.737	1.00	47.85	WATR
	ATOM	5451	OH2	WAT	W	173	20.074	-42.845	-14.939	1.00	32.87	WATR
	ATOM	5452	OH2	WAT	W	174	8.765	5.909	9.193	1.00	34.30	WATR
	ATOM	5453	OH2	WAT	W	175	-4.953	-64.494	-45.351	1.00	47.11	WATR
	ATOM	5454	OH2	WAT	W	176	11.889	-61.263	-22.531	1.00	36.63	WATR
45	ATOM	5455	OH2	WAT	W	177	2.149	-49.169	-24.836	1.00	39.21	WATR

	ATOM	5456	OH2	WAT	W	178	-14.051	6.399	13.353	1.00	39.89	WATR
	ATOM	5457	OH2	WAT	W	179	8.488	-46.760	-23.118	1.00	45.24	WATR
	ATOM	5458	OH2	WAT	W	180	-1.152	-23.348	-11.975	1.00	30.36	WATR
	ATOM	5459	OH2	WAT	W	181	-7.002	3.531	7.051	1.00	44.50	WATR
5	ATOM	5460	OH2	WAT	W	182	-12.320	-54.772	-29.990	1.00	38.61	WATR
	ATOM	5461	OH2	WAT	W	183	6.790	-54.559	-47.733	1.00	44.05	WATR
	ATOM	5462	OH2	WAT	W	184	26.305	-38.240	-19.177	1.00	39.53	WATR
	ATOM	5463	OH2	WAT	W	185	20.402	-58.179	-34.391	1.00	46.11	WATR
	ATOM	5464	OH2	WAT	W	186	8.061	-31.341	-19.653	1.00	41.37	WATR
10	ATOM	5465	OH2	WAT	W	187	-7.549	-15.619	-5.482	1.00	40.60	WATR
	ATOM	5466	OH2	WAT	W	188	-31.099	11.941	25.471	1.00	38.80	WATR
	ATOM	5467	OH2	WAT	W	189	28.566	-25.441	-15.103	1.00	34.75	WATR
	ATOM	5468	OH2	WAT	W	190	-5.613	-40.109	-50.158	1.00	49.21	WATR
	ATOM	5469	OH2	WAT	W	191	17.024	-13.428	1.709	1.00	39.93	WATR
15	ATOM	5470	OH2	WAT	W	192	-22.114	10.176	37.673	1.00	32.53	WATR
	ATOM	5471	OH2	WAT	W	193	10.204	-29.330	-20.066	1.00	27.24	WATR
	ATOM	5472	OH2	WAT	W	194	27.893	-25.793	-21.862	1.00	38.97	WATR
	ATOM	5473	OH2	WAT	W	195	-5.582	17.681	32.898	1.00	43.64	WATR
	ATOM	5474	OH2	WAT	W	196	23.004	-45.224	-27.870	1.00	43.04	WATR
20	ATOM	5475	OH2	WAT	W	197	5.189	-58.857	-25.016	1.00	28.15	WATR
	ATOM	5476	OH2	WAT	W	198	-7.740	-56.165	-24.052	1.00	35.98	WATR
	ATOM	5477	OH2	WAT	W	199	-8.156	24.723	26.733	1.00	45.54	WATR
	ATOM	5478	OH2	WAT	W	200	23.286	-32.333	-33.400	1.00	38.12	WATR
	ATOM	5479	OH2	WAT	W	201	30.646	-14.180	-20.528	1.00	31.01	WATR
25	ATOM	5480	OH2	WAT	W	202	-8.238	-4.609	29.299	1.00	39.76	WATR
	ATOM	5481	OH2	WAT	W	203	19.370	0.814	-7.532	1.00	35.83	WATR
	ATOM	5482	OH2	WAT	W	204	0.885	-27.619	-1.442	1.00	47.04	WATR
	ATOM	5483	OH2	WAT	W	205	16.084	-56.649	-26.382	1.00	45.97	WATR
	ATOM	5484	OH2	WAT	W	206	-0.698	-19.360	-9.869	1.00	37.53	WATR
30	ATOM	5485	OH2	WAT	W	207	0.682	-14.985	-15.794	1.00	33.35	WATR
	ATOM	5486	OH2	WAT	W	208	1.646	17.427	31.991	1.00	40.39	WATR
	ATOM	5487	OH2	WAT	W	209	-21.611	1.533	20.359	1.00	31.04	WATR
	ATOM	5488	OH2	WAT	W	210	-5.143	-55.137	-45.825	1.00	30.17	WATR
	ATOM	5489	OH2	WAT	W	211	-9.645	13.045	37.660	1.00	42.93	WATR
35	ATOM	5490	OH2	WAT	W	212	22.096	-11.242	-30.224	1.00	48.12	WATR
	ATOM	5491	OH2	WAT	W	213	-5.759	2.610	-15.984	1.00	41.67	WATR
	ATOM	5492	OH2	WAT	W	214	-4.323	7.731	-7.331	1.00	37.92	WATR
	ATOM	5493	OH2	WAT	W	215	-5.450	7.197	10.632	1.00	33.99	WATR
	ATOM	5494	OH2	WAT	W	216	2.330	-32.635	-34.500	1.00	38.85	WATR
40	ATOM	5495	OH2	WAT	W	217	-26.827	16.219	13.451	1.00	38.12	WATR
	ATOM	5496	OH2	WAT	W	218	10.887	-51.427	-23.191	1.00	39.81	WATR
	ATOM	5497	OH2	WAT	W	219	-9.020	19.746	-3.698	1.00	46.58	WATR
	ATOM	5498	OH2	WAT	W	220	9.054	6.622	-0.709	1.00	34.14	WATR
	ATOM	5499	OH2	WAT	W	221	4.173	-7.985	-23.786	1.00	32.75	WATR
45	ATOM	5500	OH2	WAT	W	222	0.983	16.806	3.910	1.00	40.83	WATR

	ATOM	5501	OH2	WAT	W	223	2.222	-16.848	-6.783	1.00	33.50	WATR
	ATOM	5502	OH2	WAT	W	224	13.627	1.072	-15.114	1.00	37.51	WATR
	ATOM	5503	OH2	WAT	W	225	12.533	-14.212	-9.007	1.00	38.40	WATR
	ATOM	5504	OH2	WAT	W	226	1.404	-7.852	5.396	1.00	38.55	WATR
5	ATOM	5505	OH2	WAT	W	227	31.159	-24.354	-31.143	1.00	37.67	WATR
	ATOM	5506	OH2	WAT	W	228	-13.047	-60.728	-42.282	1.00	42.18	WATR
	ATOM	5507	OH2	WAT	W	229	8.956	-37.681	-16.765	1.00	41.45	WATR
	ATOM	5508	OH2	WAT	W	230	28.749	-13.637	-16.860	1.00	42.34	WATR
	ATOM	5509	OH2	WAT	W	231	-4.461	19.451	8.684	1.00	36.17	WATR
10	ATOM	5510	OH2	WAT	W	232	-9.785	-66.504	-35.701	1.00	44.07	WATR
	ATOM	5511	OH2	WAT	W	233	10.673	-41.619	-20.678	1.00	36.58	WATR
	ATOM	5512	OH2	WAT	W	234	-15.694	1.684	32.613	1.00	44.04	WATR
	ATOM	5513	OH2	WAT	W	235	3.345	1.229	9.738	1.00	35.70	WATR
	ATOM	5514	OH2	WAT	W	236	-6.256	-68.913	-30.401	1.00	36.72	WATR
15	ATOM	5515	OH2	WAT	W	237	28.344	-21.326	-30.399	1.00	36.45	WATR
	ATOM	5516	OH2	WAT	W	238	2.876	-34.368	-17.344	1.00	42.48	WATR
	ATOM	5517	OH2	WAT	W	239	15.355	-11.202	2.371	1.00	38.84	WATR
	ATOM	5518	OH2	WAT	W	240	27.066	-22.336	-6.437	1.00	37.37	WATR
	ATOM	5519	OH2	WAT	W	241	2.222	18.464	26.994	1.00	35.75	WATR
20	ATOM	5520	OH2	WAT	W	242	15.052	-9.829	-31.019	1.00	44.31	WATR
	ATOM	5521	OH2	WAT	W	243	10.351	-67.649	-21.184	1.00	35.79	WATR
	ATOM	5522	OH2	WAT	W	244	-13.173	14.269	38.605	1.00	41.50	WATR
	ATOM	5523	OH2	WAT	W	245	-7.569	9.658	0.793	1.00	37.62	WATR
	ATOM	5524	OH2	WAT	W	246	-2.167	-47.395	-19.605	1.00	45.90	WATR
25	ATOM	5525	OH2	WAT	W	247	7.166	2.400	15.830	1.00	42.90	WATR
	ATOM	5526	OH2	WAT	W	248	-11.231	-10.901	-10.057	1.00	45.28	WATR
	ATOM	5527	OH2	WAT	W	249	5.684	-16.094	-26.796	1.00	44.76	WATR
	ATOM	5528	OH2	WAT	W	250	-4.745	3.667	-18.932	1.00	46.20	WATR
	ATOM	5529	OH2	WAT	W	251	-0.505	-22.136	-9.079	1.00	42.89	WATR
30	ATOM	5530	OH2	WAT	W	252	16.668	-37.987	-7.767	1.00	35.76	WATR
	ATOM	5531	OH2	WAT	W	253	2.454	-18.256	-26.130	1.00	43.33	WATR
	ATOM	5532	OH2	WAT	W	254	-8.367	-39.960	-21.638	1.00	43.07	WATR
	ATOM	5533	OH2	WAT	W	255	15.642	7.805	9.633	1.00	47.78	WATR
	ATOM	5534	OH2	WAT	W	256	13.660	-24.331	1.932	1.00	42.50	WATR
35	ATOM	5535	OH2	WAT	W	257	11.567	-6.104	-23.359	1.00	37.10	WATR
	ATOM	5536	OH2	WAT	W	258	18.941	-16.698	0.528	1.00	40.97	WATR
	ATOM	5537	OH2	WAT	W	259	-11.441	-63.514	-39.126	1.00	43.17	WATR
	ATOM	5538	OH2	WAT	W	260	28.664	-39.605	-22.853	1.00	42.65	WATR
	ATOM	5539	OH2	WAT	W	261	6.795	-6.961	31.114	1.00	38.28	WATR
40	ATOM	5540	OH2	WAT	W	262	7.077	-14.349	-24.858	1.00	41.00	WATR
	ATOM	5541	OH2	WAT	W	263	-2.259	-48.991	-29.099	1.00	34.96	WATR
	ATOM	5542	OH2	WAT	W	264	21.812	-44.128	-35.641	1.00	44.51	WATR
	ATOM	5543	OH2	WAT	W	265	-27.570	4.389	13.296	1.00	48.63	WATR
	ATOM	5544	OH2	WAT	W	266	13.573	-27.185	0.220	1.00	43.56	WATR
45	ATOM	5545	OH2	WAT	W	267	16.549	8.451	-13.582	1.00	44.84	WATR

	ATOM	5546	OH2	WAT	W	268	-9.142	9.107	36.872	1.00	37.66	WATR
	ATOM	5547	OH2	WAT	W	269	5.648	-11.797	-24.893	1.00	45.79	WATR
	ATOM	5548	OH2	WAT	W	270	3.619	-14.850	-23.652	1.00	34.09	WATR
	ATOM	5549	OH2	WAT	W	271	-8.129	-11.098	-16.064	1.00	39.37	WATR
5	ATOM	5550	OH2	WAT	W	272	-17.342	8.563	9.979	1.00	46.38	WATR
	ATOM	5551	OH2	WAT	W	273	8.798	-36.348	-46.119	1.00	37.71	WATR
	ATOM	5552	OH2	WAT	W	274	9.190	-10.509	-35.865	1.00	45.80	WATR
	ATOM	5553	OH2	WAT	W	275	13.545	-13.441	3.898	1.00	42.83	WATR
	ATOM	5554	OH2	WAT	W	276	-7.844	0.944	-2.560	1.00	46.27	WATR
10	ATOM	5555	OH2	WAT	W	277	0.478	-47.721	-55.170	1.00	46.25	WATR
	ATOM	5556	OH2	WAT	W	278	24.658	-18.359	-11.005	1.00	36.33	WATR
	ATOM	5557	OH2	WAT	W	279	-4.675	21.561	12.155	1.00	37.17	WATR
	ATOM	5558	OH2	WAT	W	280	0.382	20.486	4.930	1.00	41.40	WATR
	ATOM	5559	OH2	WAT	W	281	5.919	18.010	25.033	1.00	41.72	WATR
15	ATOM	5560	OH2	WAT	W	282	-2.987	-63.751	-22.983	1.00	43.76	WATR
	ATOM	5561	OH2	WAT	W	283	8.990	-33.134	-17.898	1.00	40.17	WATR
	ATOM	5562	OH2	WAT	W	284	0.155	-61.872	-48.384	1.00	49.87	WATR
	ATOM	5563	OH2	WAT	W	285	-10.443	-56.965	-24.681	1.00	48.02	WATR
	ATOM	5564	OH2	WAT	W	286	18.915	-33.048	-3.930	1.00	37.81	WATR
20	ATOM	5565	OH2	WAT	W	287	-16.181	11.706	12.277	1.00	41.77	WATR
	ATOM	5566	OH2	WAT	W	288	7.197	7.180	10.953	1.00	46.19	WATR
	ATOM	5567	OH2	WAT	W	289	31.934	-26.155	-26.053	1.00	38.77	WATR
	ATOM	5568	OH2	WAT	W	290	-15.232	-0.248	11.315	1.00	40.14	WATR
	ATOM	5569	OH2	WAT	W	291	9.450	-27.963	-1.396	1.00	41.29	WATR
25	ATOM	5570	OH2	WAT	W	292	-1.800	13.139	-9.983	1.00	41.60	WATR
	ATOM	5571	OH2	WAT	W	293	-7.766	5.988	9.798	1.00	40.11	WATR
	ATOM	5572	OH2	WAT	W	294	7.973	4.338	14.321	1.00	39.97	WATR
	ATOM	5573	OH2	WAT	W	295	23.449	-40.563	-27.347	1.00	40.59	WATR
	ATOM	5574	OH2	WAT	W	296	-3.537	-28.260	-15.925	1.00	42.10	WATR
30	ATOM	5575	OH2	WAT	W	297	28.052	-32.620	-12.168	1.00	48.03	WATR
	ATOM	5576	OH2	WAT	W	298	20.655	-43.315	-28.829	1.00	40.17	WATR
	ATOM	5577	S	S04	S	1	1.273	-70.953	-23.009	1.00	22.99	S04
	ATOM	5578	01	S04	S	1	1.720	-71.882	-24.053	1.00	21.18	S04
	ATOM	5579	02	S04	S	1	0.908	-69.659	-23.626	1.00	22.47	S04
35	ATOM	5580	03	S04	S	1	2.337	-70.752	-22.018	1.00	23.88	S04
	ATOM	5581	04	S04	S	1	0.088	-71.522	-22.328	1.00	22.50	S04
	TER											
	END											

TABLE 2 ATOMIC COORDINATES OF E. COLI MURG C-ALPHA
BACKBONE ATOMS

5	ATOM	2649	CA	LYS	B	7	-6.512	-45.403	-47.519	1.00	45.28	BBBB
	ATOM	2651	CA	ARG	B	8	-6.682	-47.303	-44.240	1.00	38.63	BBBB
	ATOM	2662	CA	LEU	B	9	-4.094	-47.039	-41.477	1.00	30.88	BBBB
	ATOM	2670	CA	MET	B	10	-4.048	-49.055	-38.275	1.00	26.66	BBBB
10	ATOM	2678	CA	VAL	B	11	-1.982	-47.605	-35.449	1.00	23.16	BBBB
	ATOM	2685	CA	MET	B	12	-0.523	-49.707	-32.613	1.00	24.54	BBBB
	ATOM	2693	CA	ALA	B	13	0.508	-47.410	-29.752	1.00	29.43	BBBB
	ATOM	2698	CA	GLY	B	14	-0.513	-47.804	-26.120	1.00	33.82	BBBB
	ATOM	2702	CA	GLY	B	15	-0.700	-45.047	-23.536	1.00	36.08	BBBB
15	ATOM	2706	CA	THR	B	16	1.920	-46.787	-21.421	1.00	38.51	BBBB
	ATOM	2713	CA	GLY	B	17	5.367	-45.567	-22.392	1.00	36.57	BBBB
	ATOM	2717	CA	GLY	B	18	3.631	-42.529	-23.872	1.00	33.48	BBBB
	ATOM	2721	CA	HIS	B	19	3.548	-43.865	-27.435	1.00	28.22	BBBB
	ATOM	2731	CA	VAL	B	20	-0.098	-42.894	-27.965	1.00	27.77	BBBB
20	ATOM	2738	CA	PHE	B	21	0.517	-39.136	-28.160	1.00	29.00	BBBB
	ATOM	2750	CA	PRO	B	22	2.986	-39.252	-31.086	1.00	26.12	BBBB
	ATOM	2756	CA	GLY	B	23	0.787	-41.864	-32.752	1.00	25.07	BBBB
	ATOM	2760	CA	LEU	B	24	-2.201	-39.551	-32.401	1.00	25.32	BBBB
	ATOM	2768	CA	ALA	B	25	-0.197	-36.754	-34.013	1.00	25.94	BBBB
25	ATOM	2773	CA	VAL	B	26	0.466	-38.955	-37.056	1.00	25.70	BBBB
	ATOM	2780	CA	ALA	B	27	-3.116	-40.222	-37.199	1.00	26.15	BBBB
	ATOM	2785	CA	HIS	B	28	-4.574	-36.702	-37.190	1.00	29.32	BBBB
	ATOM	2795	CA	HIS	B	29	-2.070	-35.623	-39.806	1.00	32.38	BBBB
	ATOM	2805	CA	LEU	B	30	-3.136	-38.417	-42.162	1.00	32.00	BBBB
30	ATOM	2813	CA	MET	B	31	-6.849	-38.064	-41.424	1.00	34.91	BBBB
	ATOM	2821	CA	ALA	B	32	-6.510	-34.511	-42.722	1.00	37.55	BBBB
	ATOM	2826	CA	GLN	B	33	-5.182	-36.070	-45.938	1.00	38.24	BBBB
	ATOM	2835	CA	GLY	B	34	-8.305	-38.169	-46.353	1.00	35.75	BBBB
	ATOM	2839	CA	TRP	B	35	-7.016	-41.246	-44.508	1.00	34.58	BBBB
35	ATOM	2853	CA	GLN	B	36	-9.175	-43.535	-42.402	1.00	35.40	BBBB
	ATOM	2862	CA	VAL	B	37	-7.417	-44.516	-39.184	1.00	34.16	BBBB
	ATOM	2869	CA	ARG	B	38	-8.219	-47.286	-36.730	1.00	31.56	BBBB
	ATOM	2880	CA	TRP	B	39	-6.456	-48.070	-33.471	1.00	27.41	BBBB
	ATOM	2894	CA	LEU	B	40	-5.200	-51.364	-32.026	1.00	24.71	BBBB
40	ATOM	2902	CA	GLY	B	41	-4.691	-51.450	-28.257	1.00	23.47	BBBB
	ATOM	2906	CA	THR	B	42	-5.787	-53.141	-25.027	1.00	29.84	BBBB
	ATOM	2913	CA	ALA	B	43	-9.000	-52.595	-23.047	1.00	38.81	BBBB
	ATOM	2918	CA	ASP	B	44	-7.455	-51.942	-19.632	1.00	44.47	BBBB
	ATOM	2926	CA	ARG	B	45	-4.887	-49.367	-20.763	1.00	40.44	BBBB
45	ATOM	2937	CA	MET	B	46	-4.881	-45.581	-21.249	1.00	36.33	BBBB

5	ATOM	2945	CA	GLU	B	47	-5.458	-45.655	-25.029	1.00	31.79	BBBB
	ATOM	2954	CA	ALA	B	48	-8.821	-47.344	-24.414	1.00	32.58	BBBB
	ATOM	2959	CA	ASP	B	49	-10.143	-44.065	-23.009	1.00	35.60	BBBB
	ATOM	2967	CA	LEU	B	50	-8.026	-41.484	-24.840	1.00	33.49	BBBB
	ATOM	2975	CA	VAL	B	51	-8.299	-42.641	-28.449	1.00	32.68	BBBB
10	ATOM	2983	CA	PRO	B	52	-12.111	-42.601	-28.453	1.00	34.43	BBBB
	ATOM	2989	CA	LYS	B	53	-11.998	-39.054	-27.064	1.00	36.73	BBBB
	ATOM	2998	CA	HIS	B	54	-10.116	-38.212	-30.259	1.00	34.62	BBBB
	ATOM	3008	CA	GLY	B	55	-12.938	-39.481	-32.447	1.00	35.34	BBBB
	ATOM	3012	CA	ILE	B	56	-10.909	-42.517	-33.514	1.00	33.81	BBBB
15	ATOM	3020	CA	GLU	B	57	-12.228	-46.083	-33.467	1.00	34.16	BBBB
	ATOM	3029	CA	ILE	B	58	-10.217	-48.658	-31.553	1.00	31.38	BBBB
	ATOM	3037	CA	ASP	B	59	-10.039	-52.442	-31.720	1.00	31.09	BBBB
	ATOM	3045	CA	PHE	B	60	-8.809	-54.410	-28.713	1.00	30.32	BBBB
	ATOM	3056	CA	ILE	B	61	-6.832	-57.616	-28.269	1.00	28.55	BBBB
20	ATOM	3064	CA	ARG	B	62	-5.709	-59.416	-25.133	1.00	30.76	BBBB
	ATOM	3075	CA	ILE	B	63	-2.036	-59.770	-24.231	1.00	31.38	BBBB
	ATOM	3083	CA	SER	B	64	-2.356	-60.520	-20.505	1.00	37.51	BBBB
	ATOM	3089	CA	GLY	B	65	0.679	-62.355	-19.199	1.00	37.13	BBBB
	ATOM	3093	CA	LEU	B	66	2.591	-61.413	-22.355	1.00	33.17	BBBB
25	ATOM	3101	CA	ARG	B	67	3.671	-57.928	-21.277	1.00	30.90	BBBB
	ATOM	3112	CA	GLY	B	68	7.380	-57.427	-20.685	1.00	26.79	BBBB
	ATOM	3116	CA	LYS	B	69	8.238	-60.463	-22.796	1.00	23.93	BBBB
	ATOM	3125	CA	GLY	B	70	10.755	-60.229	-25.636	1.00	22.26	BBBB
	ATOM	3129	CA	ILE	B	71	10.357	-62.386	-28.762	1.00	23.55	BBBB
30	ATOM	3137	CA	LYS	B	72	12.038	-65.491	-27.343	1.00	24.92	BBBB
	ATOM	3146	CA	ALA	B	73	9.839	-65.306	-24.233	1.00	21.18	BBBB
	ATOM	3151	CA	LEU	B	74	6.745	-64.762	-26.387	1.00	19.36	BBBB
	ATOM	3159	CA	ILE	B	75	7.434	-67.768	-28.601	1.00	21.18	BBBB
	ATOM	3167	CA	ALA	B	76	7.996	-69.726	-25.374	1.00	21.72	BBBB
35	ATOM	3172	CA	ALA	B	77	4.289	-69.121	-24.655	1.00	21.07	BBBB
	ATOM	3178	CA	PRO	B	78	2.772	-70.846	-27.771	1.00	20.95	BBBB
	ATOM	3184	CA	LEU	B	79	-0.896	-70.728	-26.783	1.00	21.32	BBBB
	ATOM	3192	CA	ARG	B	80	-0.980	-67.115	-25.637	1.00	21.30	BBBB
	ATOM	3203	CA	ILE	B	81	1.113	-65.621	-28.421	1.00	19.47	BBBB
40	ATOM	3211	CA	PHE	B	82	-0.875	-67.582	-31.038	1.00	19.15	BBBB
	ATOM	3222	CA	ASN	B	83	-4.150	-66.332	-29.577	1.00	20.90	BBBB
	ATOM	3230	CA	ALA	B	84	-3.177	-62.647	-29.484	1.00	19.30	BBBB
	ATOM	3235	CA	TRP	B	85	-1.820	-63.111	-33.032	1.00	20.56	BBBB
	ATOM	3249	CA	ARG	B	86	-5.140	-64.660	-34.166	1.00	23.28	BBBB
45	ATOM	3260	CA	GLN	B	87	-7.101	-61.802	-32.567	1.00	24.07	BBBB
	ATOM	3269	CA	ALA	B	88	-4.996	-59.183	-34.355	1.00	23.78	BBBB
	ATOM	3274	CA	ARG	B	89	-5.285	-61.111	-37.636	1.00	24.94	BBBB
	ATOM	3285	CA	ALA	B	90	-9.088	-61.151	-37.383	1.00	26.16	BBBB
	ATOM	3290	CA	ILE	B	91	-9.108	-57.400	-36.733	1.00	26.97	BBBB

	ATOM	3298	CA	MET	B	92	-6.872	-56.693	-39.717	1.00	29.03	BBBB
	ATOM	3306	CA	LYS	B	93	-8.735	-59.038	-42.050	1.00	33.20	BBBB
	ATOM	3315	CA	ALA	B	94	-11.943	-57.157	-41.183	1.00	33.62	BBBB
	ATOM	3320	CA	TYR	B	95	-10.504	-53.620	-41.224	1.00	33.83	BBBB
5	ATOM	3332	CA	LYS	B	96	-8.104	-54.327	-44.122	1.00	33.85	BBBB
	ATOM	3342	CA	PRO	B	97	-5.490	-51.623	-43.419	1.00	31.82	BBBB
	ATOM	3348	CA	ASP	B	98	-3.049	-50.685	-46.188	1.00	29.78	BBBB
	ATOM	3356	CA	VAL	B	99	-0.296	-50.214	-43.660	1.00	26.75	BBBB
	ATOM	3363	CA	VAL	B	100	0.227	-50.613	-39.936	1.00	23.59	BBBB
10	ATOM	3370	CA	LEU	B	101	2.214	-48.199	-37.797	1.00	21.59	BBBB
	ATOM	3378	CA	GLY	B	102	3.796	-49.357	-34.549	1.00	19.23	BBBB
	ATOM	3382	CA	MET	B	103	4.892	-46.597	-32.191	1.00	18.93	BBBB
	ATOM	3390	CA	GLY	B	104	6.275	-49.080	-29.686	1.00	21.89	BBBB
	ATOM	3394	CA	GLY	B	105	4.593	-50.905	-26.827	1.00	23.54	BBBB
15	ATOM	3398	CA	TYR	B	106	3.818	-54.554	-26.159	1.00	22.37	BBBB
	ATOM	3410	CA	VAL	B	107	0.557	-54.694	-28.099	1.00	18.06	BBBB
	ATOM	3417	CA	SER	B	108	2.488	-53.892	-31.290	1.00	19.67	BBBB
	ATOM	3423	CA	GLY	B	109	4.251	-57.256	-31.023	1.00	20.03	BBBB
	ATOM	3428	CA	PRO	B	110	1.251	-59.478	-31.855	1.00	18.99	BBBB
20	ATOM	3434	CA	GLY	B	111	-0.160	-56.702	-34.025	1.00	19.60	BBBB
	ATOM	3438	CA	GLY	B	112	3.014	-56.417	-36.074	1.00	19.97	BBBB
	ATOM	3442	CA	LEU	B	113	3.265	-60.184	-36.429	1.00	19.49	BBBB
	ATOM	3450	CA	ALA	B	114	-0.334	-60.292	-37.661	1.00	18.70	BBBB
	ATOM	3455	CA	ALA	B	115	0.167	-57.516	-40.229	1.00	21.84	BBBB
25	ATOM	3460	CA	TRP	B	116	3.365	-59.126	-41.478	1.00	23.22	BBBB
	ATOM	3474	CA	SER	B	117	1.735	-62.573	-41.873	1.00	22.61	BBBB
	ATOM	3480	CA	LEU	B	118	-1.069	-60.957	-43.882	1.00	25.70	BBBB
	ATOM	3488	CA	GLY	B	119	1.354	-59.174	-46.192	1.00	27.80	BBBB
	ATOM	3492	CA	ILE	B	120	0.568	-55.744	-44.731	1.00	24.85	BBBB
30	ATOM	3501	CA	PRO	B	121	3.625	-53.477	-44.591	1.00	22.63	BBBB
	ATOM	3507	CA	VAL	B	122	4.743	-52.594	-41.083	1.00	22.03	BBBB
	ATOM	3514	CA	VAL	B	123	6.200	-49.184	-40.310	1.00	20.82	BBBB
	ATOM	3521	CA	LEU	B	124	7.749	-48.485	-36.915	1.00	22.10	BBBB
	ATOM	3529	CA	HIS	B	125	8.814	-45.413	-34.981	1.00	21.42	BBBB
35	ATOM	3539	CA	GLU	B	126	10.947	-45.452	-31.817	1.00	22.15	BBBB
	ATOM	3548	CA	GLN	B	127	10.682	-42.270	-29.735	1.00	22.81	BBBB
	ATOM	3557	CA	ASN	B	128	13.406	-43.097	-27.216	1.00	22.96	BBBB
	ATOM	3565	CA	GLY	B	129	17.203	-43.019	-27.294	1.00	25.36	BBBB
	ATOM	3569	CA	ILE	B	130	17.160	-46.716	-26.488	1.00	28.00	BBBB
40	ATOM	3577	CA	ALA	B	131	14.978	-49.139	-28.461	1.00	25.88	BBBB
	ATOM	3582	CA	GLY	B	132	12.007	-50.532	-26.568	1.00	24.05	BBBB
	ATOM	3586	CA	LEU	B	133	11.903	-54.293	-26.020	1.00	24.54	BBBB
	ATOM	3594	CA	THR	B	134	9.202	-54.860	-28.639	1.00	21.22	BBBB
	ATOM	3601	CA	ASN	B	135	10.407	-52.419	-31.324	1.00	20.50	BBBB
45	ATOM	3609	CA	LYS	B	136	13.886	-53.949	-31.144	1.00	22.79	BBBB

5	ATOM	3618	CA	TRP	B	137	12.753	-57.345	-32.424	1.00	22.06	BBBB
	ATOM	3632	CA	LEU	B	138	9.744	-56.188	-34.431	1.00	23.15	BBBB
	ATOM	3640	CA	ALA	B	139	12.128	-54.092	-36.542	1.00	25.29	BBBB
	ATOM	3645	CA	LYS	B	140	13.279	-57.337	-38.182	1.00	28.05	BBBB
	ATOM	3654	CA	ILE	B	141	9.963	-57.818	-40.016	1.00	26.09	BBBB
10	ATOM	3662	CA	ALA	B	142	9.331	-54.107	-40.498	1.00	25.03	BBBB
	ATOM	3667	CA	THR	B	143	9.262	-52.595	-43.984	1.00	26.10	BBBB
	ATOM	3674	CA	LYS	B	144	10.436	-49.238	-42.618	1.00	24.73	BBBB
	ATOM	3683	CA	VAL	B	145	11.947	-48.311	-39.252	1.00	23.62	BBBB
	ATOM	3690	CA	MET	B	146	12.338	-44.736	-37.993	1.00	23.15	BBBB
15	ATOM	3698	CA	GLN	B	147	13.762	-43.418	-34.712	1.00	25.05	BBBB
	ATOM	3707	CA	ALA	B	148	13.559	-40.032	-33.009	1.00	26.88	BBBB
	ATOM	3712	CA	PHE	B	149	17.239	-39.820	-32.098	1.00	29.39	BBBB
	ATOM	3724	CA	PRO	B	150	20.310	-41.541	-33.535	1.00	31.87	BBBB
	ATOM	3730	CA	GLY	B	151	21.629	-44.537	-31.595	1.00	32.62	BBBB
20	ATOM	3734	CA	ALA	B	152	18.447	-46.476	-30.753	1.00	32.71	BBBB
	ATOM	3739	CA	PHE	B	153	18.925	-48.506	-33.937	1.00	34.83	BBBB
	ATOM	3751	CA	PRO	B	154	22.158	-48.751	-35.993	1.00	38.97	BBBB
	ATOM	3757	CA	ASN	B	155	20.765	-47.568	-39.346	1.00	41.08	BBBB
	ATOM	3765	CA	ALA	B	156	17.170	-46.407	-38.843	1.00	37.55	BBBB
25	ATOM	3770	CA	GLU	B	157	16.367	-43.044	-40.460	1.00	34.40	BBBB
	ATOM	3779	CA	VAL	B	158	16.337	-40.344	-37.764	1.00	31.16	BBBB
	ATOM	3786	CA	VAL	B	159	13.155	-38.265	-37.889	1.00	28.10	BBBB
	ATOM	3793	CA	GLY	B	160	12.724	-36.921	-34.355	1.00	26.93	BBBB
	ATOM	3797	CA	ASN	B	161	9.456	-36.807	-32.375	1.00	25.27	BBBB
30	ATOM	3806	CA	PRO	B	162	6.315	-34.747	-33.004	1.00	26.14	BBBB
	ATOM	3812	CA	VAL	B	163	6.456	-31.379	-31.216	1.00	27.75	BBBB
	ATOM	3819	CA	ARG	B	164	3.667	-28.953	-30.246	1.00	32.36	BBBB
	ATOM	3830	CA	THR	B	165	3.038	-26.307	-32.924	1.00	31.74	BBBB
	ATOM	3837	CA	ASP	B	166	3.252	-23.404	-30.466	1.00	30.64	BBBB
35	ATOM	3845	CA	VAL	B	167	6.746	-24.503	-29.440	1.00	25.91	BBBB
	ATOM	3852	CA	LEU	B	168	7.780	-25.002	-33.075	1.00	28.46	BBBB
	ATOM	3860	CA	ALA	B	169	6.580	-21.455	-33.756	1.00	31.43	BBBB
	ATOM	3865	CA	LEU	B	170	9.002	-19.905	-31.268	1.00	29.60	BBBB
	ATOM	3874	CA	PRO	B	171	11.611	-17.457	-32.642	1.00	30.11	BBBB
40	ATOM	3880	CA	LEU	B	172	15.157	-18.780	-33.062	1.00	28.33	BBBB
	ATOM	3889	CA	PRO	B	173	17.450	-18.550	-29.977	1.00	25.25	BBBB
	ATOM	3895	CA	GLN	B	174	19.526	-15.527	-31.049	1.00	25.46	BBBB
	ATOM	3904	CA	GLN	B	175	16.365	-13.525	-31.718	1.00	28.47	BBBB
	ATOM	3913	CA	ARG	B	176	14.611	-14.635	-28.525	1.00	29.01	BBBB
45	ATOM	3924	CA	LEU	B	177	17.673	-13.970	-26.331	1.00	29.90	BBBB
	ATOM	3932	CA	ALA	B	178	18.766	-10.776	-28.131	1.00	30.78	BBBB
	ATOM	3937	CA	GLY	B	179	19.846	-7.993	-25.784	1.00	30.10	BBBB
	ATOM	3941	CA	ARG	B	180	18.676	-9.965	-22.787	1.00	28.97	BBBB
	ATOM	3952	CA	GLU	B	181	20.545	-9.027	-19.621	1.00	31.79	BBBB

5	ATOM	3961	CA	GLY	B	182	19.871	-9.586	-15.943	1.00	27.75	BBBB
	ATOM	3966	CA	PRO	B	183	19.450	-12.832	-13.913	1.00	22.93	BBBB
	ATOM	3972	CA	VAL	B	184	19.524	-16.146	-15.729	1.00	18.01	BBBB
	ATOM	3979	CA	ARG	B	185	15.873	-17.216	-16.011	1.00	17.62	BBBB
	ATOM	3990	CA	VAL	B	186	15.508	-20.771	-14.741	1.00	16.47	BBBB
10	ATOM	3997	CA	LEU	B	187	12.361	-22.710	-15.604	1.00	16.75	BBBB
	ATOM	4005	CA	VAL	B	188	11.774	-25.775	-13.381	1.00	18.41	BBBB
	ATOM	4012	CA	VAL	B	189	9.298	-28.234	-14.948	1.00	22.11	BBBB
	ATOM	4019	CA	GLY	B	190	7.914	-31.188	-12.994	1.00	27.28	BBBB
	ATOM	4023	CA	GLY	B	191	4.935	-32.163	-15.115	1.00	31.94	BBBB
15	ATOM	4027	CA	SER	B	192	1.313	-32.665	-14.064	1.00	35.91	BBBB
	ATOM	4033	CA	GLN	B	193	2.292	-34.763	-11.033	1.00	38.53	BBBB
	ATOM	4042	CA	GLY	B	194	5.398	-32.711	-10.350	1.00	35.02	BBBB
	ATOM	4046	CA	ALA	B	195	8.977	-33.819	-9.709	1.00	33.12	BBBB
	ATOM	4051	CA	ARG	B	196	9.538	-34.512	-6.010	1.00	32.63	BBBB
20	ATOM	4062	CA	ILE	B	197	13.329	-34.168	-6.164	1.00	28.10	BBBB
	ATOM	4070	CA	LEU	B	198	13.069	-30.833	-8.003	1.00	26.58	BBBB
	ATOM	4078	CA	ASN	B	199	10.497	-29.447	-5.563	1.00	27.07	BBBB
	ATOM	4086	CA	GLN	B	200	12.955	-30.326	-2.794	1.00	30.10	BBBB
	ATOM	4095	CA	THR	B	201	16.215	-29.345	-4.474	1.00	27.34	BBBB
25	ATOM	4102	CA	MET	B	202	15.567	-26.048	-6.268	1.00	23.68	BBBB
	ATOM	4111	CA	PRO	B	203	14.608	-23.963	-3.220	1.00	23.84	BBBB
	ATOM	4117	CA	GLN	B	204	18.033	-24.708	-1.684	1.00	26.34	BBBB
	ATOM	4126	CA	VAL	B	205	19.672	-24.033	-5.043	1.00	24.44	BBBB
	ATOM	4133	CA	ALA	B	206	17.980	-20.610	-5.013	1.00	22.84	BBBB
30	ATOM	4138	CA	ALA	B	207	19.442	-19.857	-1.576	1.00	26.65	BBBB
	ATOM	4143	CA	LYS	B	208	22.915	-20.595	-2.919	1.00	28.31	BBBB
	ATOM	4152	CA	LEU	B	209	22.577	-18.640	-6.171	1.00	25.68	BBBB
	ATOM	4160	CA	GLY	B	210	20.675	-15.628	-4.804	1.00	26.56	BBBB
	ATOM	4164	CA	ASP	B	211	20.370	-12.647	-7.190	1.00	28.28	BBBB
35	ATOM	4172	CA	SER	B	212	22.098	-14.474	-10.067	1.00	25.73	BBBB
	ATOM	4178	CA	VAL	B	213	18.925	-16.308	-11.116	1.00	20.76	BBBB
	ATOM	4185	CA	THR	B	214	15.204	-15.726	-11.337	1.00	19.60	BBBB
	ATOM	4192	CA	ILE	B	215	13.076	-18.850	-11.169	1.00	18.75	BBBB
	ATOM	4200	CA	TRP	B	216	9.661	-19.973	-12.378	1.00	19.34	BBBB
40	ATOM	4214	CA	HIS	B	217	9.015	-23.303	-10.680	1.00	21.06	BBBB
	ATOM	4224	CA	GLN	B	218	6.149	-25.594	-11.735	1.00	24.30	BBBB
	ATOM	4233	CA	SER	B	219	5.463	-27.800	-8.684	1.00	26.73	BBBB
	ATOM	4239	CA	GLY	B	220	2.855	-30.242	-9.961	1.00	30.53	BBBB
	ATOM	4243	CA	LYS	B	221	-0.657	-30.914	-8.628	1.00	35.12	BBBB
45	ATOM	4252	CA	GLY	B	222	-1.195	-29.899	-5.011	1.00	35.34	BBBB
	ATOM	4256	CA	SER	B	223	2.451	-28.934	-4.418	1.00	33.98	BBBB
	ATOM	4262	CA	GLN	B	224	2.187	-25.208	-5.186	1.00	33.71	BBBB
	ATOM	4271	CA	GLN	B	225	1.823	-24.239	-1.519	1.00	32.32	BBBB
	ATOM	4280	CA	SER	B	226	4.701	-26.309	-0.122	1.00	28.30	BBBB

5	ATOM	4286	CA	VAL	B	227	7.214	-25.247	-2.791	1.00	24.28	BBBB
	ATOM	4293	CA	GLU	B	228	6.178	-21.592	-2.387	1.00	27.23	BBBB
	ATOM	4302	CA	GLN	B	229	6.853	-22.046	1.329	1.00	28.38	BBBB
	ATOM	4311	CA	ALA	B	230	10.185	-23.754	0.682	1.00	26.18	BBBB
	ATOM	4316	CA	TYR	B	231	11.371	-20.766	-1.366	1.00	25.47	BBBB
10	ATOM	4328	CA	ALA	B	232	10.342	-18.322	1.368	1.00	27.51	BBBB
	ATOM	4333	CA	GLU	B	233	12.145	-20.441	3.966	1.00	30.87	BBBB
	ATOM	4342	CA	ALA	B	234	15.215	-20.417	1.714	1.00	28.48	BBBB
	ATOM	4347	CA	GLY	B	235	15.033	-16.627	1.815	1.00	26.23	BBBB
	ATOM	4351	CA	GLN	B	236	14.121	-16.198	-1.870	1.00	25.53	BBBB
15	ATOM	4361	CA	PRO	B	237	10.336	-15.587	-1.720	1.00	24.65	BBBB
	ATOM	4367	CA	GLN	B	238	10.277	-13.558	-4.945	1.00	24.29	BBBB
	ATOM	4376	CA	HIS	B	239	10.526	-16.608	-7.201	1.00	22.08	BBBB
	ATOM	4386	CA	LYS	B	240	7.375	-17.589	-9.105	1.00	23.26	BBBB
	ATOM	4395	CA	VAL	B	241	5.740	-20.911	-8.277	1.00	23.78	BBBB
20	ATOM	4402	CA	THR	B	242	2.758	-22.301	-10.177	1.00	25.93	BBBB
	ATOM	4409	CA	GLU	B	243	0.999	-25.651	-9.837	1.00	27.03	BBBB
	ATOM	4418	CA	PHE	B	244	0.964	-26.068	-13.620	1.00	26.54	BBBB
	ATOM	4429	CA	ILE	B	245	1.932	-24.242	-16.802	1.00	28.48	BBBB
	ATOM	4437	CA	ASP	B	246	-0.754	-24.396	-19.457	1.00	36.00	BBBB
25	ATOM	4445	CA	ASP	B	247	1.245	-22.392	-21.999	1.00	30.74	BBBB
	ATOM	4453	CA	MET	B	248	4.625	-24.136	-22.138	1.00	28.41	BBBB
	ATOM	4461	CA	ALA	B	249	5.512	-22.216	-25.290	1.00	24.67	BBBB
	ATOM	4466	CA	ALA	B	250	5.188	-18.933	-23.390	1.00	21.78	BBBB
	ATOM	4471	CA	ALA	B	251	7.301	-20.259	-20.501	1.00	20.85	BBBB
30	ATOM	4476	CA	TYR	B	252	9.972	-21.616	-22.886	1.00	22.78	BBBB
	ATOM	4488	CA	ALA	B	253	10.131	-18.224	-24.636	1.00	23.54	BBBB
	ATOM	4493	CA	TRP	B	254	10.829	-16.534	-21.303	1.00	19.76	BBBB
	ATOM	4507	CA	ALA	B	255	13.399	-19.025	-20.003	1.00	19.51	BBBB
	ATOM	4512	CA	ASP	B	256	17.176	-19.026	-20.434	1.00	17.58	BBBB
35	ATOM	4520	CA	VAL	B	257	17.535	-22.603	-19.194	1.00	18.53	BBBB
	ATOM	4527	CA	VAL	B	258	15.208	-25.456	-18.234	1.00	19.32	BBBB
	ATOM	4534	CA	VAL	B	259	15.581	-27.957	-15.374	1.00	19.85	BBBB
	ATOM	4541	CA	CYS	B	260	13.454	-31.055	-15.946	1.00	22.00	BBBB
	ATOM	4547	CA	ARG	B	261	13.170	-34.800	-16.515	1.00	23.75	BBBB
40	ATOM	4558	CA	SER	B	262	13.975	-36.189	-19.948	1.00	23.18	BBBB
	ATOM	4564	CA	GLY	B	263	11.026	-38.079	-21.361	1.00	22.85	BBBB
	ATOM	4568	CA	ALA	B	264	11.482	-38.564	-25.115	1.00	24.25	BBBB
	ATOM	4573	CA	LEU	B	265	8.846	-36.037	-26.205	1.00	24.66	BBBB
	ATOM	4581	CA	THR	B	266	10.194	-33.557	-23.657	1.00	22.34	BBBB
45	ATOM	4588	CA	VAL	B	267	13.730	-33.762	-25.023	1.00	21.11	BBBB
	ATOM	4595	CA	SER	B	268	12.411	-33.191	-28.567	1.00	21.96	BBBB
	ATOM	4601	CA	GLU	B	269	10.282	-30.272	-27.378	1.00	21.95	BBBB
	ATOM	4610	CA	ILE	B	270	13.295	-28.698	-25.638	1.00	20.62	BBBB
	ATOM	4618	CA	ALA	B	271	15.440	-29.058	-28.776	1.00	22.45	BBBB

5	ATOM	4623	CA	ALA	B	272	12.719	-27.451	-30.898	1.00	22.17	BBBB
	ATOM	4628	CA	ALA	B	273	12.361	-24.596	-28.407	1.00	21.97	BBBB
	ATOM	4633	CA	GLY	B	274	16.093	-24.023	-28.709	1.00	21.07	BBBB
	ATOM	4637	CA	LEU	B	275	16.666	-24.057	-24.966	1.00	19.78	BBBB
	ATOM	4646	CA	PRO	B	276	19.651	-25.199	-22.875	1.00	16.62	BBBB
10	ATOM	4652	CA	ALA	B	277	18.638	-27.807	-20.321	1.00	15.80	BBBB
	ATOM	4657	CA	LEU	B	278	19.896	-29.429	-17.145	1.00	18.48	BBBB
	ATOM	4665	CA	PHE	B	279	18.266	-32.838	-17.392	1.00	21.59	BBBB
	ATOM	4676	CA	VAL	B	280	17.502	-34.902	-14.281	1.00	25.67	BBBB
	ATOM	4684	CA	PRO	B	281	16.698	-38.320	-15.824	1.00	29.05	BBBB
15	ATOM	4690	CA	PHE	B	282	14.246	-40.496	-13.926	1.00	37.13	BBBB
	ATOM	4701	CA	GLN	B	283	16.319	-43.395	-12.591	1.00	41.11	BBBB
	ATOM	4710	CA	HIS	B	284	15.641	-46.917	-13.843	1.00	43.69	BBBB
	ATOM	4720	CA	LYS	B	285	17.767	-49.993	-14.571	1.00	45.34	BBBB
	ATOM	4729	CA	ASP	B	286	16.949	-49.299	-18.222	1.00	43.26	BBBB
20	ATOM	4737	CA	ARG	B	287	17.951	-45.623	-17.883	1.00	36.28	BBBB
	ATOM	4748	CA	GLN	B	288	15.622	-44.804	-20.755	1.00	30.77	BBBB
	ATOM	4757	CA	GLN	B	289	15.474	-41.099	-19.904	1.00	29.46	BBBB
	ATOM	4766	CA	TYR	B	290	19.228	-40.984	-19.550	1.00	29.55	BBBB
	ATOM	4778	CA	TRP	B	291	19.542	-42.282	-23.116	1.00	28.07	BBBB
25	ATOM	4792	CA	ASN	B	292	16.902	-39.784	-24.270	1.00	26.06	BBBB
	ATOM	4800	CA	ALA	B	293	18.926	-36.822	-22.979	1.00	25.69	BBBB
	ATOM	4805	CA	LEU	B	294	22.354	-38.088	-24.032	1.00	25.90	BBBB
	ATOM	4814	CA	PRO	B	295	21.998	-36.870	-27.635	1.00	26.15	BBBB
	ATOM	4820	CA	LEU	B	296	21.521	-33.265	-26.481	1.00	25.42	BBBB
30	ATOM	4828	CA	GLU	B	297	24.354	-33.530	-23.953	1.00	28.78	BBBB
	ATOM	4837	CA	LYS	B	298	26.644	-34.947	-26.648	1.00	31.90	BBBB
	ATOM	4846	CA	ALA	B	299	25.773	-31.965	-28.847	1.00	30.38	BBBB
	ATOM	4851	CA	GLY	B	300	26.777	-29.635	-26.017	1.00	26.18	BBBB
	ATOM	4855	CA	ALA	B	301	23.214	-28.333	-25.638	1.00	22.50	BBBB
35	ATOM	4860	CA	ALA	B	302	22.516	-29.770	-22.186	1.00	21.78	BBBB
	ATOM	4865	CA	LYS	B	303	23.979	-31.340	-19.048	1.00	25.86	BBBB
	ATOM	4874	CA	ILE	B	304	22.753	-34.598	-17.550	1.00	27.17	BBBB
	ATOM	4882	CA	ILE	B	305	22.843	-35.178	-13.813	1.00	29.01	BBBB
	ATOM	4890	CA	GLU	B	306	21.664	-38.702	-13.061	1.00	34.65	BBBB
40	ATOM	4899	CA	GLN	B	307	20.377	-39.599	-9.613	1.00	40.54	BBBB
	ATOM	4909	CA	PRO	B	308	23.828	-40.891	-8.484	1.00	43.20	BBBB
	ATOM	4915	CA	GLN	B	309	25.247	-37.361	-8.787	1.00	43.46	BBBB
	ATOM	4924	CA	LEU	B	310	22.232	-35.166	-8.022	1.00	39.65	BBBB
	ATOM	4932	CA	SER	B	311	22.660	-32.714	-5.154	1.00	34.90	BBBB
45	ATOM	4938	CA	VAL	B	312	21.990	-29.074	-4.341	1.00	31.50	BBBB
	ATOM	4945	CA	ASP	B	313	25.642	-28.202	-4.957	1.00	29.61	BBBB
	ATOM	4953	CA	ALA	B	314	25.782	-30.099	-8.254	1.00	26.47	BBBB
	ATOM	4958	CA	VAL	B	315	22.755	-28.215	-9.612	1.00	25.33	BBBB
	ATOM	4965	CA	ALA	B	316	23.888	-24.872	-8.199	1.00	27.13	BBBB

	ATOM	4970	CA	ASN	B	317	27.444	-25.246	-9.518	1.00	28.52	BBBB
	ATOM	4978	CA	THR	B	318	26.174	-26.371	-12.906	1.00	27.04	BBBB
	ATOM	4985	CA	LEU	B	319	23.883	-23.370	-13.357	1.00	25.21	BBBB
	ATOM	4993	CA	ALA	B	320	26.445	-20.931	-11.957	1.00	24.59	BBBB
5	ATOM	4998	CA	GLY	B	321	28.934	-22.031	-14.591	1.00	24.34	BBBB
	ATOM	5002	CA	TRP	B	322	26.738	-21.007	-17.521	1.00	21.72	BBBB
	ATOM	5016	CA	SER	B	323	27.141	-17.404	-18.692	1.00	19.04	BBBB
	ATOM	5022	CA	ARG	B	324	24.725	-15.741	-21.112	1.00	18.09	BBBB
	ATOM	5033	CA	GLU	B	325	27.220	-16.368	-23.954	1.00	16.96	BBBB
10	ATOM	5042	CA	THR	B	326	27.460	-20.055	-23.070	1.00	16.39	BBBB
	ATOM	5049	CA	LEU	B	327	23.659	-20.305	-22.780	1.00	17.27	BBBB
	ATOM	5057	CA	LEU	B	328	23.175	-18.745	-26.222	1.00	17.39	BBBB
	ATOM	5065	CA	THR	B	329	25.567	-21.335	-27.688	1.00	21.30	BBBB
	ATOM	5072	CA	MET	B	330	23.771	-24.153	-25.870	1.00	19.91	BBBB
15	ATOM	5080	CA	ALA	B	331	20.412	-22.871	-27.098	1.00	18.49	BBBB
	ATOM	5085	CA	GLU	B	332	21.626	-22.827	-30.704	1.00	21.47	BBBB
	ATOM	5094	CA	ARG	B	333	23.040	-26.330	-30.408	1.00	23.77	BBBB
	ATOM	5105	CA	ALA	B	334	19.648	-27.420	-29.063	1.00	22.88	BBBB
	ATOM	5110	CA	ARG	B	335	17.795	-25.892	-32.002	1.00	23.54	BBBB
20	ATOM	5121	CA	ALA	B	336	20.330	-27.477	-34.372	1.00	26.85	BBBB
	ATOM	5126	CA	ALA	B	337	19.740	-30.925	-32.865	1.00	30.89	BBBB
	ATOM	5131	CA	SER	B	338	16.008	-30.432	-33.408	1.00	32.41	BBBB
	ATOM	5137	CA	ILE	B	339	13.882	-31.941	-36.187	1.00	34.35	BBBB
	ATOM	5146	CA	PRO	B	340	10.733	-29.730	-36.600	1.00	34.94	BBBB
25	ATOM	5152	CA	ASP	B	341	8.711	-31.820	-39.056	1.00	33.33	BBBB
	ATOM	5160	CA	ALA	B	342	8.875	-35.238	-37.411	1.00	29.09	BBBB
	ATOM	5165	CA	THR	B	343	5.115	-35.696	-37.744	1.00	28.55	BBBB
	ATOM	5172	CA	GLU	B	344	5.085	-34.933	-41.480	1.00	32.00	BBBB
	ATOM	5181	CA	ARG	B	345	8.138	-37.123	-42.067	1.00	31.44	BBBB
30	ATOM	5192	CA	VAL	B	346	6.578	-40.151	-40.384	1.00	28.61	BBBB
	ATOM	5199	CA	ALA	B	347	3.249	-39.617	-42.137	1.00	28.96	BBBB
	ATOM	5204	CA	ASN	B	348	5.035	-39.286	-45.493	1.00	34.56	BBBB
	ATOM	5212	CA	GLU	B	349	6.954	-42.540	-44.956	1.00	34.86	BBBB
	ATOM	5221	CA	VAL	B	350	3.767	-44.306	-43.919	1.00	33.79	BBBB
35	ATOM	5228	CA	SER	B	351	2.196	-42.946	-47.095	1.00	36.67	BBBB
	ATOM	5234	CA	ARG	B	352	5.114	-44.088	-49.251	1.00	40.03	BBBB
	ATOM	5245	CA	VAL	B	353	5.089	-47.587	-47.737	1.00	42.78	BBBB
	ATOM	5252	CA	ALA	B	354	1.336	-47.957	-48.212	1.00	47.24	BBBB
	ATOM	5257	CA	ARG	B	355	2.035	-46.964	-51.824	1.00	52.71	BBBB
40	ATOM	5268	CA	ALA	B	356	4.453	-49.913	-51.809	1.00	54.93	BBBB
	ATOM	5273	CA	LEU	B	357	7.023	-47.522	-53.289	1.00	57.81	BBBB
	END											

TABLE 3 ATOMIC COORDINATES OF E. COLI C-ALPHA BACKBONE AND CONSERVED AMINO ACID RESIDUES

5	ATOM	2649	CA	LYS	B	7	-6.512	-45.403	-47.519	1.00	45.28	BBBB
	ATOM	2651	CA	ARG	B	8	-6.682	-47.303	-44.240	1.00	38.63	BBBB
	ATOM	2662	CA	LEU	B	9	-4.094	-47.039	-41.477	1.00	30.88	BBBB
	ATOM	2670	CA	MET	B	10	-4.048	-49.055	-38.275	1.00	26.66	BBBB
10	ATOM	2678	CA	VAL	B	11	-1.982	-47.605	-35.449	1.00	23.16	BBBB
	ATOM	2685	CA	MET	B	12	-0.523	-49.707	-32.613	1.00	24.54	BBBB
	ATOM	2693	CA	ALA	B	13	0.508	-47.410	-29.752	1.00	29.43	BBBB
	ATOM	2697	N	GLY	B	14	0.150	-47.934	-27.405	1.00	32.46	BBBB
	ATOM	2698	CA	GLY	B	14	-0.513	-47.804	-26.120	1.00	33.82	BBBB
15	ATOM	2699	C	GLY	B	14	-0.107	-46.595	-25.299	1.00	34.82	BBBB
	ATOM	2700	O	GLY	B	14	0.975	-46.040	-25.479	1.00	35.47	BBBB
	ATOM	2701	N	GLY	B	15	-0.986	-46.188	-24.385	1.00	35.56	BBBB
	ATOM	2702	CA	GLY	B	15	-0.700	-45.047	-23.536	1.00	36.08	BBBB
	ATOM	2703	C	GLY	B	15	0.539	-45.254	-22.683	1.00	36.84	BBBB
20	ATOM	2704	O	GLY	B	15	1.293	-44.311	-22.426	1.00	36.03	BBBB
	ATOM	2706	CA	THR	B	16	1.920	-46.787	-21.421	1.00	38.51	BBBB
	ATOM	2713	CA	GLY	B	17	5.367	-45.567	-22.392	1.00	36.57	BBBB
	ATOM	2716	N	GLY	B	18	3.949	-43.752	-23.150	1.00	33.83	BBBB
	ATOM	2717	CA	GLY	B	18	3.631	-42.529	-23.872	1.00	33.48	BBBB
25	ATOM	2718	C	GLY	B	18	3.825	-42.593	-25.378	1.00	33.12	BBBB
	ATOM	2719	O	GLY	B	18	4.345	-41.650	-25.984	1.00	35.38	BBBB
	ATOM	2720	N	HIS	B	19	3.416	-43.699	-25.988	1.00	30.26	BBBB
	ATOM	2721	CA	HIS	B	19	3.548	-43.865	-27.435	1.00	28.22	BBBB
	ATOM	2722	CB	HIS	B	19	3.772	-45.349	-27.779	1.00	25.81	BBBB
30	ATOM	2723	CG	HIS	B	19	4.957	-45.966	-27.094	1.00	25.35	BBBB
	ATOM	2724	CD2	HIS	B	19	6.281	-45.694	-27.184	1.00	24.18	BBBB
	ATOM	2725	ND1	HIS	B	19	4.845	-47.025	-26.217	1.00	24.57	BBBB
	ATOM	2726	CE1	HIS	B	19	6.046	-47.380	-25.798	1.00	23.08	BBBB
	ATOM	2727	NE2	HIS	B	19	6.936	-46.589	-26.369	1.00	25.51	BBBB
35	ATOM	2728	C	HIS	B	19	2.280	-43.370	-28.144	1.00	27.91	BBBB
	ATOM	2729	O	HIS	B	19	2.300	-43.049	-29.337	1.00	26.91	BBBB
	ATOM	2731	CA	VAL	B	20	-0.098	-42.894	-27.965	1.00	27.77	BBBB
	ATOM	2738	CA	PHE	B	21	0.517	-39.136	-28.160	1.00	29.00	BBBB
	ATOM	2750	CA	PRO	B	22	2.986	-39.252	-31.086	1.00	26.12	BBBB
40	ATOM	2756	CA	GLY	B	23	0.787	-41.864	-32.752	1.00	25.07	BBBB
	ATOM	2760	CA	LEU	B	24	-2.201	-39.551	-32.401	1.00	25.32	BBBB
	ATOM	2768	CA	ALA	B	25	-0.197	-36.754	-34.013	1.00	25.94	BBBB
	ATOM	2773	CA	VAL	B	26	0.466	-38.955	-37.056	1.00	25.70	BBBB
	ATOM	2780	CA	ALA	B	27	-3.116	-40.222	-37.199	1.00	26.15	BBBB

5	ATOM	2785	CA	HIS	B	28	-4.574	-36.702	-37.190	1.00	29.32	BBBB
	ATOM	2795	CA	HIS	B	29	-2.070	-35.623	-39.806	1.00	32.38	BBBB
	ATOM	2805	CA	LEU	B	30	-3.136	-38.417	-42.162	1.00	32.00	BBBB
	ATOM	2813	CA	MET	B	31	-6.849	-38.064	-41.424	1.00	34.91	BBBB
	ATOM	2821	CA	ALA	B	32	-6.510	-34.511	-42.722	1.00	37.55	BBBB
10	ATOM	2826	CA	GLN	B	33	-5.182	-36.070	-45.938	1.00	38.24	BBBB
	ATOM	2835	CA	GLY	B	34	-8.305	-38.169	-46.353	1.00	35.75	BBBB
	ATOM	2839	CA	TRP	B	35	-7.016	-41.246	-44.508	1.00	34.58	BBBB
	ATOM	2853	CA	GLN	B	36	-9.175	-43.535	-42.402	1.00	35.40	BBBB
	ATOM	2862	CA	VAL	B	37	-7.417	-44.516	-39.184	1.00	34.16	BBBB
15	ATOM	2869	CA	ARG	B	38	-8.219	-47.286	-36.730	1.00	31.56	BBBB
	ATOM	2880	CA	TRP	B	39	-6.456	-48.070	-33.471	1.00	27.41	BBBB
	ATOM	2894	CA	LEU	B	40	-5.200	-51.364	-32.026	1.00	24.71	BBBB
	ATOM	2902	CA	GLY	B	41	-4.691	-51.450	-28.257	1.00	23.47	BBBB
	ATOM	2906	CA	THR	B	42	-5.787	-53.141	-25.027	1.00	29.84	BBBB
20	ATOM	2913	CA	ALA	B	43	-9.000	-52.595	-23.047	1.00	38.81	BBBB
	ATOM	2918	CA	ASP	B	44	-7.455	-51.942	-19.632	1.00	44.47	BBBB
	ATOM	2926	CA	ARG	B	45	-4.887	-49.367	-20.763	1.00	40.44	BBBB
	ATOM	2937	CA	MET	B	46	-4.881	-45.581	-21.249	1.00	36.33	BBBB
	ATOM	2945	CA	GLU	B	47	-5.458	-45.655	-25.029	1.00	31.79	BBBB
25	ATOM	2954	CA	ALA	B	48	-8.821	-47.344	-24.414	1.00	32.58	BBBB
	ATOM	2959	CA	ASP	B	49	-10.143	-44.065	-23.009	1.00	35.60	BBBB
	ATOM	2967	CA	LEU	B	50	-8.026	-41.484	-24.840	1.00	33.49	BBBB
	ATOM	2975	CA	VAL	B	51	-8.299	-42.641	-28.449	1.00	32.68	BBBB
	ATOM	2983	CA	PRO	B	52	-12.111	-42.601	-28.453	1.00	34.43	BBBB
30	ATOM	2989	CA	LYS	B	53	-11.998	-39.054	-27.064	1.00	36.73	BBBB
	ATOM	2998	CA	HIS	B	54	-10.116	-38.212	-30.259	1.00	34.62	BBBB
	ATOM	3008	CA	GLY	B	55	-12.938	-39.481	-32.447	1.00	35.34	BBBB
	ATOM	3012	CA	ILE	B	56	-10.909	-42.517	-33.514	1.00	33.81	BBBB
	ATOM	3020	CA	GLU	B	57	-12.228	-46.083	-33.467	1.00	34.16	BBBB
35	ATOM	3029	CA	ILE	B	58	-10.217	-48.658	-31.553	1.00	31.38	BBBB
	ATOM	3037	CA	ASP	B	59	-10.039	-52.442	-31.720	1.00	31.09	BBBB
	ATOM	3045	CA	PHE	B	60	-8.809	-54.410	-28.713	1.00	30.32	BBBB
	ATOM	3056	CA	ILE	B	61	-6.832	-57.616	-28.269	1.00	28.55	BBBB
	ATOM	3064	CA	ARG	B	62	-5.709	-59.416	-25.133	1.00	30.76	BBBB
40	ATOM	3075	CA	ILE	B	63	-2.036	-59.770	-24.231	1.00	31.38	BBBB
	ATOM	3083	CA	SER	B	64	-2.356	-60.520	-20.505	1.00	37.51	BBBB
	ATOM	3089	CA	GLY	B	65	0.679	-62.355	-19.199	1.00	37.13	BBBB
	ATOM	3093	CA	LEU	B	66	2.591	-61.413	-22.355	1.00	33.17	BBBB
	ATOM	3101	CA	ARG	B	67	3.671	-57.928	-21.277	1.00	30.90	BBBB
45	ATOM	3112	CA	GLY	B	68	7.380	-57.427	-20.685	1.00	26.79	BBBB
	ATOM	3116	CA	LYS	B	69	8.238	-60.463	-22.796	1.00	23.93	BBBB
	ATOM	3125	CA	GLY	B	70	10.755	-60.229	-25.636	1.00	22.26	BBBB
	ATOM	3129	CA	ILE	B	71	10.357	-62.386	-28.762	1.00	23.55	BBBB
	ATOM	3137	CA	LYS	B	72	12.038	-65.491	-27.343	1.00	24.92	BBBB

	ATOM	3146	CA	ALA	B	73	9.839	-65.306	-24.233	1.00	21.18	BBBB
	ATOM	3151	CA	LEU	B	74	6.745	-64.762	-26.387	1.00	19.36	BBBB
	ATOM	3159	CA	ILE	B	75	7.434	-67.768	-28.601	1.00	21.18	BBBB
	ATOM	3167	CA	ALA	B	76	7.996	-69.726	-25.374	1.00	21.72	BBBB
5	ATOM	3172	CA	ALA	B	77	4.289	-69.121	-24.655	1.00	21.07	BBBB
	ATOM	3178	CA	PRO	B	78	2.772	-70.846	-27.771	1.00	20.95	BBBB
	ATOM	3184	CA	LEU	B	79	-0.896	-70.728	-26.783	1.00	21.32	BBBB
	ATOM	3192	CA	ARG	B	80	-0.980	-67.115	-25.637	1.00	21.30	BBBB
	ATOM	3203	CA	ILE	B	81	1.113	-65.621	-28.421	1.00	19.47	BBBB
10	ATOM	3211	CA	PHE	B	82	-0.875	-67.582	-31.038	1.00	19.15	BBBB
	ATOM	3222	CA	ASN	B	83	-4.150	-66.332	-29.577	1.00	20.90	BBBB
	ATOM	3230	CA	ALA	B	84	-3.177	-62.647	-29.484	1.00	19.30	BBBB
	ATOM	3235	CA	TRP	B	85	-1.820	-63.111	-33.032	1.00	20.56	BBBB
	ATOM	3249	CA	ARG	B	86	-5.140	-64.660	-34.166	1.00	23.28	BBBB
15	ATOM	3260	CA	GLN	B	87	-7.101	-61.802	-32.567	1.00	24.07	BBBB
	ATOM	3269	CA	ALA	B	88	-4.996	-59.183	-34.355	1.00	23.78	BBBB
	ATOM	3274	CA	ARG	B	89	-5.285	-61.111	-37.636	1.00	24.94	BBBB
	ATOM	3285	CA	ALA	B	90	-9.088	-61.151	-37.383	1.00	26.16	BBBB
	ATOM	3290	CA	ILE	B	91	-9.108	-57.400	-36.733	1.00	26.97	BBBB
20	ATOM	3298	CA	MET	B	92	-6.872	-56.693	-39.717	1.00	29.03	BBBB
	ATOM	3306	CA	LYS	B	93	-8.735	-59.038	-42.050	1.00	33.20	BBBB
	ATOM	3315	CA	ALA	B	94	-11.943	-57.157	-41.183	1.00	33.62	BBBB
	ATOM	3320	CA	TYR	B	95	-10.504	-53.620	-41.224	1.00	33.83	BBBB
	ATOM	3332	CA	LYS	B	96	-8.104	-54.327	-44.122	1.00	33.85	BBBB
25	ATOM	3342	CA	PRO	B	97	-5.490	-51.623	-43.419	1.00	31.82	BBBB
	ATOM	3348	CA	ASP	B	98	-3.049	-50.685	-46.188	1.00	29.78	BBBB
	ATOM	3356	CA	VAL	B	99	-0.296	-50.214	-43.660	1.00	26.75	BBBB
	ATOM	3363	CA	VAL	B	100	0.227	-50.613	-39.936	1.00	23.59	BBBB
	ATOM	3370	CA	LEU	B	101	2.214	-48.199	-37.797	1.00	21.59	BBBB
30	ATOM	3378	CA	GLY	B	102	3.796	-49.357	-34.549	1.00	19.23	BBBB
	ATOM	3382	CA	MET	B	103	4.892	-46.597	-32.191	1.00	18.93	BBBB
	ATOM	3389	N	GLY	B	104	5.640	-48.450	-30.827	1.00	21.56	BBBB
	ATOM	3390	CA	GLY	B	104	6.275	-49.080	-29.686	1.00	21.89	BBBB
	ATOM	3391	C	GLY	B	104	5.192	-49.614	-28.764	1.00	23.28	BBBB
35	ATOM	3392	O	GLY	B	104	4.009	-49.353	-28.980	1.00	22.50	BBBB
	ATOM	3394	CA	GLY	B	105	4.593	-50.905	-26.827	1.00	23.54	BBBB
	ATOM	3398	CA	TYR	B	106	3.818	-54.554	-26.159	1.00	22.37	BBBB
	ATOM	3410	CA	VAL	B	107	0.557	-54.694	-28.099	1.00	18.06	BBBB
	ATOM	3417	CA	SER	B	108	2.488	-53.892	-31.290	1.00	19.67	BBBB
40	ATOM	3423	CA	GLY	B	109	4.251	-57.256	-31.023	1.00	20.03	BBBB
	ATOM	3428	CA	PRO	B	110	1.251	-59.478	-31.855	1.00	18.99	BBBB
	ATOM	3434	CA	GLY	B	111	-0.160	-56.702	-34.025	1.00	19.60	BBBB
	ATOM	3438	CA	GLY	B	112	3.014	-56.417	-36.074	1.00	19.97	BBBB
	ATOM	3442	CA	LEU	B	113	3.265	-60.184	-36.429	1.00	19.49	BBBB
45	ATOM	3450	CA	ALA	B	114	-0.334	-60.292	-37.661	1.00	18.70	BBBB

5	ATOM	3455	CA	ALA	B	115	0.167	-57.516	-40.229	1.00	21.84	BBBB
	ATOM	3460	CA	TRP	B	116	3.365	-59.126	-41.478	1.00	23.22	BBBB
	ATOM	3474	CA	SER	B	117	1.735	-62.573	-41.873	1.00	22.61	BBBB
	ATOM	3480	CA	LEU	B	118	-1.069	-60.957	-43.882	1.00	25.70	BBBB
	ATOM	3488	CA	GLY	B	119	1.354	-59.174	-46.192	1.00	27.80	BBBB
10	ATOM	3492	CA	ILE	B	120	0.568	-55.744	-44.731	1.00	24.85	BBBB
	ATOM	3501	CA	PRO	B	121	3.625	-53.477	-44.591	1.00	22.63	BBBB
	ATOM	3507	CA	VAL	B	122	4.743	-52.594	-41.083	1.00	22.03	BBBB
	ATOM	3514	CA	VAL	B	123	6.200	-49.184	-40.310	1.00	20.82	BBBB
	ATOM	3521	CA	LEU	B	124	7.749	-48.485	-36.915	1.00	22.10	BBBB
15	ATOM	3528	N	HIS	B	125	8.182	-46.638	-35.447	1.00	21.40	BBBB
	ATOM	3529	CA	HIS	B	125	8.814	-45.413	-34.981	1.00	21.42	BBBB
	ATOM	3530	CB	HIS	B	125	7.858	-44.218	-35.067	1.00	21.57	BBBB
	ATOM	3531	CG	HIS	B	125	8.432	-42.948	-34.511	1.00	23.73	BBBB
	ATOM	3532	CD2	HIS	B	125	8.300	-42.368	-33.295	1.00	22.15	BBBB
20	ATOM	3533	ND1	HIS	B	125	9.274	-42.127	-35.236	1.00	26.23	BBBB
	ATOM	3534	CE1	HIS	B	125	9.631	-41.095	-34.490	1.00	24.20	BBBB
	ATOM	3535	NE2	HIS	B	125	9.054	-41.218	-33.307	1.00	26.07	BBBB
	ATOM	3536	C	HIS	B	125	9.196	-45.642	-33.519	1.00	21.70	BBBB
	ATOM	3537	O	HIS	B	125	8.378	-46.117	-32.725	1.00	19.81	BBBB
25	ATOM	3538	N	GLU	B	126	10.444	-45.332	-33.186	1.00	21.20	BBBB
	ATOM	3539	CA	GLU	B	126	10.947	-45.452	-31.817	1.00	22.15	BBBB
	ATOM	3540	CB	GLU	B	126	12.252	-46.246	-31.790	1.00	21.99	BBBB
	ATOM	3541	CG	GLU	B	126	12.958	-46.206	-30.439	1.00	22.04	BBBB
	ATOM	3542	CD	GLU	B	126	12.119	-46.824	-29.338	1.00	21.43	BBBB
30	ATOM	3543	OE1	GLU	B	126	11.767	-48.014	-29.471	1.00	21.92	BBBB
	ATOM	3544	OE2	GLU	B	126	11.807	-46.124	-28.349	1.00	21.08	BBBB
	ATOM	3545	C	GLU	B	126	11.205	-44.027	-31.326	1.00	21.93	BBBB
	ATOM	3546	O	GLU	B	126	12.016	-43.300	-31.908	1.00	21.33	BBBB
	ATOM	3548	CA	GLN	B	127	10.682	-42.270	-29.735	1.00	22.81	BBBB
35	ATOM	3557	CA	ASN	B	128	13.406	-43.097	-27.216	1.00	22.96	BBBB
	ATOM	3565	CA	GLY	B	129	17.203	-43.019	-27.294	1.00	25.36	BBBB
	ATOM	3569	CA	ILE	B	130	17.160	-46.716	-26.488	1.00	28.00	BBBB
	ATOM	3577	CA	ALA	B	131	14.978	-49.139	-28.461	1.00	25.88	BBBB
	ATOM	3582	CA	GLY	B	132	12.007	-50.532	-26.568	1.00	24.05	BBBB
40	ATOM	3586	CA	LEU	B	133	11.903	-54.293	-26.020	1.00	24.54	BBBB
	ATOM	3594	CA	THR	B	134	9.202	-54.860	-28.639	1.00	21.22	BBBB
	ATOM	3601	CA	ASN	B	135	10.407	-52.419	-31.324	1.00	20.50	BBBB
	ATOM	3609	CA	LYS	B	136	13.886	-53.949	-31.144	1.00	22.79	BBBB
	ATOM	3618	CA	TRP	B	137	12.753	-57.345	-32.424	1.00	22.06	BBBB
45	ATOM	3632	CA	LEU	B	138	9.744	-56.188	-34.431	1.00	23.15	BBBB
	ATOM	3640	CA	ALA	B	139	12.128	-54.092	-36.542	1.00	25.29	BBBB
	ATOM	3645	CA	LYS	B	140	13.279	-57.337	-38.182	1.00	28.05	BBBB
	ATOM	3654	CA	ILE	B	141	9.963	-57.818	-40.016	1.00	26.09	BBBB
	ATOM	3662	CA	ALA	B	142	9.331	-54.107	-40.498	1.00	25.03	BBBB

5	ATOM	3667	CA	THR	B	143	9.262	-52.595	-43.984	1.00	26.10	BBBB
	ATOM	3674	CA	LYS	B	144	10.436	-49.238	-42.618	1.00	24.73	BBBB
	ATOM	3683	CA	VAL	B	145	11.947	-48.311	-39.252	1.00	23.62	BBBB
	ATOM	3690	CA	MET	B	146	12.338	-44.736	-37.993	1.00	23.15	BBBB
	ATOM	3698	CA	GLN	B	147	13.762	-43.418	-34.712	1.00	25.05	BBBB
10	ATOM	3707	CA	ALA	B	148	13.559	-40.032	-33.009	1.00	26.88	BBBB
	ATOM	3712	CA	PHE	B	149	17.239	-39.820	-32.098	1.00	29.39	BBBB
	ATOM	3724	CA	PRO	B	150	20.310	-41.541	-33.535	1.00	31.87	BBBB
	ATOM	3730	CA	GLY	B	151	21.629	-44.537	-31.595	1.00	32.62	BBBB
	ATOM	3734	CA	ALA	B	152	18.447	-46.476	-30.753	1.00	32.71	BBBB
15	ATOM	3739	CA	PHE	B	153	18.925	-48.506	-33.937	1.00	34.83	BBBB
	ATOM	3751	CA	PRO	B	154	22.158	-48.751	-35.993	1.00	38.97	BBBB
	ATOM	3757	CA	ASN	B	155	20.765	-47.568	-39.346	1.00	41.08	BBBB
	ATOM	3765	CA	ALA	B	156	17.170	-46.407	-38.843	1.00	37.55	BBBB
	ATOM	3770	CA	GLU	B	157	16.367	-43.044	-40.460	1.00	34.40	BBBB
20	ATOM	3779	CA	VAL	B	158	16.337	-40.344	-37.764	1.00	31.16	BBBB
	ATOM	3786	CA	VAL	B	159	13.155	-38.265	-37.889	1.00	28.10	BBBB
	ATOM	3793	CA	GLY	B	160	12.724	-36.921	-34.355	1.00	26.93	BBBB
	ATOM	3797	CA	ASN	B	161	9.456	-36.807	-32.375	1.00	25.27	BBBB
	ATOM	3806	CA	PRO	B	162	6.315	-34.747	-33.004	1.00	26.14	BBBB
25	ATOM	3812	CA	VAL	B	163	6.456	-31.379	-31.216	1.00	27.75	BBBB
	ATOM	3819	CA	ARG	B	164	3.667	-28.953	-30.246	1.00	32.36	BBBB
	ATOM	3830	CA	THR	B	165	3.038	-26.307	-32.924	1.00	31.74	BBBB
	ATOM	3837	CA	ASP	B	166	3.252	-23.404	-30.466	1.00	30.64	BBBB
	ATOM	3845	CA	VAL	B	167	6.746	-24.503	-29.440	1.00	25.91	BBBB
30	ATOM	3852	CA	LEU	B	168	7.780	-25.002	-33.075	1.00	28.46	BBBB
	ATOM	3860	CA	ALA	B	169	6.580	-21.455	-33.756	1.00	31.43	BBBB
	ATOM	3865	CA	LEU	B	170	9.002	-19.905	-31.268	1.00	29.60	BBBB
	ATOM	3874	CA	PRO	B	171	11.611	-17.457	-32.642	1.00	30.11	BBBB
	ATOM	3880	CA	LEU	B	172	15.157	-18.780	-33.062	1.00	28.33	BBBB
35	ATOM	3889	CA	PRO	B	173	17.450	-18.550	-29.977	1.00	25.25	BBBB
	ATOM	3895	CA	GLN	B	174	19.526	-15.527	-31.049	1.00	25.46	BBBB
	ATOM	3904	CA	GLN	B	175	16.365	-13.525	-31.718	1.00	28.47	BBBB
	ATOM	3913	CA	ARG	B	176	14.611	-14.635	-28.525	1.00	29.01	BBBB
	ATOM	3924	CA	LEU	B	177	17.673	-13.970	-26.331	1.00	29.90	BBBB
40	ATOM	3932	CA	ALA	B	178	18.766	-10.776	-28.131	1.00	30.78	BBBB
	ATOM	3937	CA	GLY	B	179	19.846	-7.993	-25.784	1.00	30.10	BBBB
	ATOM	3941	CA	ARG	B	180	18.676	-9.965	-22.787	1.00	28.97	BBBB
	ATOM	3952	CA	GLU	B	181	20.545	-9.027	-19.621	1.00	31.79	BBBB
	ATOM	3961	CA	GLY	B	182	19.871	-9.586	-15.943	1.00	27.75	BBBB
45	ATOM	3966	CA	PRO	B	183	19.450	-12.832	-13.913	1.00	22.93	BBBB
	ATOM	3972	CA	VAL	B	184	19.524	-16.146	-15.729	1.00	18.01	BBBB
	ATOM	3979	CA	ARG	B	185	15.873	-17.216	-16.011	1.00	17.62	BBBB
	ATOM	3990	CA	VAL	B	186	15.508	-20.771	-14.741	1.00	16.47	BBBB
	ATOM	3997	CA	LEU	B	187	12.361	-22.710	-15.604	1.00	16.75	BBBB

5	ATOM	4005	CA	VAL	B	188	11.774	-25.775	-13.381	1.00	18.41	BBBB
	ATOM	4012	CA	VAL	B	189	9.298	-28.234	-14.948	1.00	22.11	BBBB
	ATOM	4018	N	GLY	B	190	8.111	-29.887	-13.615	1.00	25.60	BBBB
	ATOM	4019	CA	GLY	B	190	7.914	-31.188	-12.994	1.00	27.28	BBBB
	ATOM	4020	C	GLY	B	190	6.808	-32.026	-13.604	1.00	29.67	BBBB
10	ATOM	4021	O	GLY	B	190	6.668	-33.208	-13.283	1.00	29.86	BBBB
	ATOM	4022	N	GLY	B	191	6.025	-31.430	-14.497	1.00	30.56	BBBB
	ATOM	4023	CA	GLY	B	191	4.935	-32.163	-15.115	1.00	31.94	BBBB
	ATOM	4024	C	GLY	B	191	3.676	-32.104	-14.269	1.00	33.11	BBBB
	ATOM	4025	O	GLY	B	191	3.691	-31.556	-13.165	1.00	32.14	BBBB
15	ATOM	4026	N	SER	B	192	2.587	-32.673	-14.779	1.00	34.23	BBBB
	ATOM	4027	CA	SER	B	192	1.313	-32.665	-14.064	1.00	35.91	BBBB
	ATOM	4028	CB	SER	B	192	0.283	-33.532	-14.801	1.00	36.87	BBBB
	ATOM	4029	OG	SER	B	192	0.702	-34.887	-14.877	1.00	39.58	BBBB
	ATOM	4030	C	SER	B	192	1.419	-33.128	-12.609	1.00	36.41	BBBB
20	ATOM	4031	O	SER	B	192	0.862	-32.499	-11.714	1.00	35.78	BBBB
	ATOM	4033	CA	GLN	B	193	2.292	-34.763	-11.033	1.00	38.53	BBBB
	ATOM	4041	N	GLY	B	194	4.291	-33.398	-10.986	1.00	36.47	BBBB
	ATOM	4042	CA	GLY	B	194	5.398	-32.711	-10.350	1.00	35.02	BBBB
	ATOM	4043	C	GLY	B	194	6.584	-33.630	-10.146	1.00	34.51	BBBB
25	ATOM	4044	O	GLY	B	194	6.442	-34.851	-10.191	1.00	34.26	BBBB
	ATOM	4045	N	ALA	B	195	7.761	-33.045	-9.938	1.00	33.54	BBBB
	ATOM	4046	CA	ALA	B	195	8.977	-33.819	-9.709	1.00	33.12	BBBB
	ATOM	4047	CB	ALA	B	195	10.073	-33.387	-10.679	1.00	33.17	BBBB
	ATOM	4048	C	ALA	B	195	9.423	-33.590	-8.267	1.00	32.87	BBBB
30	ATOM	4049	O	ALA	B	195	9.955	-32.533	-7.923	1.00	31.47	BBBB
	ATOM	4051	CA	ARG	B	196	9.538	-34.512	-6.010	1.00	32.63	BBBB
	ATOM	4062	CA	ILE	B	197	13.329	-34.168	-6.164	1.00	28.10	BBBB
	ATOM	4070	CA	LEU	B	198	13.069	-30.833	-8.003	1.00	26.58	BBBB
	ATOM	4078	CA	ASN	B	199	10.497	-29.447	-5.563	1.00	27.07	BBBB
35	ATOM	4086	CA	GLN	B	200	12.955	-30.326	-2.794	1.00	30.10	BBBB
	ATOM	4095	CA	THR	B	201	16.215	-29.345	-4.474	1.00	27.34	BBBB
	ATOM	4102	CA	MET	B	202	15.567	-26.048	-6.268	1.00	23.68	BBBB
	ATOM	4111	CA	PRO	B	203	14.608	-23.963	-3.220	1.00	23.84	BBBB
	ATOM	4117	CA	GLN	B	204	18.033	-24.708	-1.684	1.00	26.34	BBBB
40	ATOM	4126	CA	VAL	B	205	19.672	-24.033	-5.043	1.00	24.44	BBBB
	ATOM	4133	CA	ALA	B	206	17.980	-20.610	-5.013	1.00	22.84	BBBB
	ATOM	4138	CA	ALA	B	207	19.442	-19.857	-1.576	1.00	26.65	BBBB
	ATOM	4143	CA	LYS	B	208	22.915	-20.595	-2.919	1.00	28.31	BBBB
	ATOM	4152	CA	LEU	B	209	22.577	-18.640	-6.171	1.00	25.68	BBBB
45	ATOM	4160	CA	GLY	B	210	20.675	-15.628	-4.804	1.00	26.56	BBBB
	ATOM	4164	CA	ASP	B	211	20.370	-12.647	-7.190	1.00	28.28	BBBB
	ATOM	4172	CA	SER	B	212	22.098	-14.474	-10.067	1.00	25.73	BBBB
	ATOM	4178	CA	VAL	B	213	18.925	-16.308	-11.116	1.00	20.76	BBBB
	ATOM	4185	CA	THR	B	214	15.204	-15.726	-11.337	1.00	19.60	BBBB

5	ATOM	4192	CA	ILE	B	215	13.076	-18.850	-11.169	1.00	18.75	BBBB
	ATOM	4200	CA	TRP	B	216	9.661	-19.973	-12.378	1.00	19.34	BBBB
	ATOM	4214	CA	HIS	B	217	9.015	-23.303	-10.680	1.00	21.06	BBBB
	ATOM	4224	CA	GLN	B	218	6.149	-25.594	-11.735	1.00	24.30	BBBB
	ATOM	4233	CA	SER	B	219	5.463	-27.800	-8.684	1.00	26.73	BBBB
10	ATOM	4239	CA	GLY	B	220	2.855	-30.242	-9.961	1.00	30.53	BBBB
	ATOM	4243	CA	LYS	B	221	-0.657	-30.914	-8.628	1.00	35.12	BBBB
	ATOM	4252	CA	GLY	B	222	-1.195	-29.899	-5.011	1.00	35.34	BBBB
	ATOM	4256	CA	SER	B	223	2.451	-28.934	-4.418	1.00	33.98	BBBB
	ATOM	4262	CA	GLN	B	224	2.187	-25.208	-5.186	1.00	33.71	BBBB
15	ATOM	4271	CA	GLN	B	225	1.823	-24.239	-1.519	1.00	32.32	BBBB
	ATOM	4280	CA	SER	B	226	4.701	-26.309	-0.122	1.00	28.30	BBBB
	ATOM	4286	CA	VAL	B	227	7.214	-25.247	-2.791	1.00	24.28	BBBB
	ATOM	4293	CA	GLU	B	228	6.178	-21.592	-2.387	1.00	27.23	BBBB
	ATOM	4302	CA	GLN	B	229	6.853	-22.046	1.329	1.00	28.38	BBBB
20	ATOM	4311	CA	ALA	B	230	10.185	-23.754	0.682	1.00	26.18	BBBB
	ATOM	4316	CA	TYR	B	231	11.371	-20.766	-1.366	1.00	25.47	BBBB
	ATOM	4328	CA	ALA	B	232	10.342	-18.322	1.368	1.00	27.51	BBBB
	ATOM	4333	CA	GLU	B	233	12.145	-20.441	3.966	1.00	30.87	BBBB
	ATOM	4342	CA	ALA	B	234	15.215	-20.417	1.714	1.00	28.48	BBBB
25	ATOM	4347	CA	GLY	B	235	15.033	-16.627	1.815	1.00	26.23	BBBB
	ATOM	4351	CA	GLN	B	236	14.121	-16.198	-1.870	1.00	25.53	BBBB
	ATOM	4361	CA	PRO	B	237	10.336	-15.587	-1.720	1.00	24.65	BBBB
	ATOM	4367	CA	GLN	B	238	10.277	-13.558	-4.945	1.00	24.29	BBBB
	ATOM	4376	CA	HIS	B	239	10.526	-16.608	-7.201	1.00	22.08	BBBB
30	ATOM	4386	CA	LYS	B	240	7.375	-17.589	-9.105	1.00	23.26	BBBB
	ATOM	4395	CA	VAL	B	241	5.740	-20.911	-8.277	1.00	23.78	BBBB
	ATOM	4402	CA	THR	B	242	2.758	-22.301	-10.177	1.00	25.93	BBBB
	ATOM	4409	CA	GLU	B	243	0.999	-25.651	-9.837	1.00	27.03	BBBB
	ATOM	4418	CA	PHE	B	244	0.964	-26.068	-13.620	1.00	26.54	BBBB
35	ATOM	4429	CA	ILE	B	245	1.932	-24.242	-16.802	1.00	28.48	BBBB
	ATOM	4437	CA	ASP	B	246	-0.754	-24.396	-19.457	1.00	36.00	BBBB
	ATOM	4445	CA	ASP	B	247	1.245	-22.392	-21.999	1.00	30.74	BBBB
	ATOM	4453	CA	MET	B	248	4.625	-24.136	-22.138	1.00	28.41	BBBB
	ATOM	4461	CA	ALA	B	249	5.512	-22.216	-25.290	1.00	24.67	BBBB
40	ATOM	4466	CA	ALA	B	250	5.188	-18.933	-23.390	1.00	21.78	BBBB
	ATOM	4471	CA	ALA	B	251	7.301	-20.259	-20.501	1.00	20.85	BBBB
	ATOM	4476	CA	TYR	B	252	9.972	-21.616	-22.886	1.00	22.78	BBBB
	ATOM	4488	CA	ALA	B	253	10.131	-18.224	-24.636	1.00	23.54	BBBB
	ATOM	4493	CA	TRP	B	254	10.829	-16.534	-21.303	1.00	19.76	BBBB
45	ATOM	4507	CA	ALA	B	255	13.399	-19.025	-20.003	1.00	19.51	BBBB
	ATOM	4512	CA	ASP	B	256	17.176	-19.026	-20.434	1.00	17.58	BBBB
	ATOM	4520	CA	VAL	B	257	17.535	-22.603	-19.194	1.00	18.53	BBBB
	ATOM	4527	CA	VAL	B	258	15.208	-25.456	-18.234	1.00	19.32	BBBB
	ATOM	4534	CA	VAL	B	259	15.581	-27.957	-15.374	1.00	19.85	BBBB

	ATOM	4541	CA	CYS	B	260	13.454	-31.055	-15.946	1.00	22.00	BBBB
	ATOM	4546	N	ARG	B	261	12.937	-33.397	-16.212	1.00	22.34	BBBB
	ATOM	4547	CA	ARG	B	261	13.170	-34.800	-16.515	1.00	23.75	BBBB
	ATOM	4548	CB	ARG	B	261	11.964	-35.663	-16.104	1.00	27.16	BBBB
5	ATOM	4549	CG	ARG	B	261	11.376	-35.337	-14.738	1.00	31.82	BBBB
	ATOM	4550	CD	ARG	B	261	11.490	-36.473	-13.732	1.00	36.33	BBBB
	ATOM	4551	NE	ARG	B	261	12.865	-36.721	-13.323	1.00	38.48	BBBB
	ATOM	4552	CZ	ARG	B	261	13.218	-37.176	-12.125	1.00	37.25	BBBB
	ATOM	4553	NH1	ARG	B	261	12.295	-37.433	-11.204	1.00	38.46	BBBB
10	ATOM	4554	NH2	ARG	B	261	14.499	-37.370	-11.848	1.00	36.79	BBBB
	ATOM	4555	C	ARG	B	261	13.351	-34.871	-18.032	1.00	23.98	BBBB
	ATOM	4556	O	ARG	B	261	13.117	-33.883	-18.746	1.00	22.44	BBBB
	ATOM	4558	CA	SER	B	262	13.975	-36.189	-19.948	1.00	23.18	BBBB
	ATOM	4563	N	GLY	B	263	11.850	-37.151	-20.619	1.00	22.74	BBBB
15	ATOM	4564	CA	GLY	B	263	11.026	-38.079	-21.361	1.00	22.85	BBBB
	ATOM	4565	C	GLY	B	263	11.392	-37.793	-22.813	1.00	24.06	BBBB
	ATOM	4566	O	GLY	B	263	11.908	-36.705	-23.121	1.00	22.75	BBBB
	ATOM	4567	N	ALA	B	264	11.130	-38.739	-23.708	1.00	23.37	BBBB
	ATOM	4568	CA	ALA	B	264	11.482	-38.564	-25.115	1.00	24.25	BBBB
20	ATOM	4569	CB	ALA	B	264	11.133	-39.829	-25.894	1.00	24.58	BBBB
	ATOM	4570	C	ALA	B	264	10.843	-37.343	-25.783	1.00	24.29	BBBB
	ATOM	4571	O	ALA	B	264	11.523	-36.572	-26.470	1.00	24.33	BBBB
	ATOM	4573	CA	LEU	B	265	8.846	-36.037	-26.205	1.00	24.66	BBBB
	ATOM	4581	CA	THR	B	266	10.194	-33.557	-23.657	1.00	22.34	BBBB
25	ATOM	4588	CA	VAL	B	267	13.730	-33.762	-25.023	1.00	21.11	BBBB
	ATOM	4595	CA	SER	B	268	12.411	-33.191	-28.567	1.00	21.96	BBBB
	ATOM	4600	N	GLU	B	269	10.928	-31.563	-27.557	1.00	21.64	BBBB
	ATOM	4601	CA	GLU	B	269	10.282	-30.272	-27.378	1.00	21.95	BBBB
	ATOM	4602	CB	GLU	B	269	9.213	-30.399	-26.292	1.00	24.72	BBBB
30	ATOM	4603	CG	GLU	B	269	8.480	-29.128	-25.940	1.00	27.67	BBBB
	ATOM	4604	CD	GLU	B	269	7.385	-29.380	-24.908	1.00	30.05	BBBB
	ATOM	4605	OE1	GLU	B	269	6.325	-29.915	-25.287	1.00	31.50	BBBB
	ATOM	4606	OE2	GLU	B	269	7.591	-29.057	-23.719	1.00	29.84	BBBB
	ATOM	4607	C	GLU	B	269	11.321	-29.214	-26.999	1.00	21.68	BBBB
35	ATOM	4608	O	GLU	B	269	11.301	-28.095	-27.518	1.00	18.12	BBBB
	ATOM	4610	CA	ILE	B	270	13.295	-28.698	-25.638	1.00	20.62	BBBB
	ATOM	4618	CA	ALA	B	271	15.440	-29.058	-28.776	1.00	22.45	BBBB
	ATOM	4623	CA	ALA	B	272	12.719	-27.451	-30.898	1.00	22.17	BBBB
	ATOM	4628	CA	ALA	B	273	12.361	-24.596	-28.407	1.00	21.97	BBBB
40	ATOM	4633	CA	GLY	B	274	16.093	-24.023	-28.709	1.00	21.07	BBBB
	ATOM	4637	CA	LEU	B	275	16.666	-24.057	-24.966	1.00	19.78	BBBB
	ATOM	4646	CA	PRO	B	276	19.651	-25.199	-22.875	1.00	16.62	BBBB
	ATOM	4652	CA	ALA	B	277	18.638	-27.807	-20.321	1.00	15.80	BBBB
	ATOM	4657	CA	LEU	B	278	19.896	-29.429	-17.145	1.00	18.48	BBBB
45	ATOM	4665	CA	PHE	B	279	18.266	-32.838	-17.392	1.00	21.59	BBBB

5	ATOM	4676	CA	VAL	B	280	17.502	-34.902	-14.281	1.00	25.67	BBBB
	ATOM	4682	N	PRO	B	281	17.324	-37.080	-15.370	1.00	27.08	BBBB
	ATOM	4683	CD	PRO	B	281	18.750	-37.057	-15.726	1.00	27.31	BBBB
	ATOM	4684	CA	PRO	B	281	16.698	-38.320	-15.824	1.00	29.05	BBBB
	ATOM	4685	CB	PRO	B	281	17.851	-39.071	-16.492	1.00	29.44	BBBB
	ATOM	4686	CG	PRO	B	281	18.791	-37.992	-16.895	1.00	29.67	BBBB
	ATOM	4687	C	PRO	B	281	16.092	-39.121	-14.684	1.00	31.51	BBBB
	ATOM	4688	O	PRO	B	281	16.675	-39.223	-13.603	1.00	32.26	BBBB
10	ATOM	4690	CA	PHE	B	282	14.246	-40.496	-13.926	1.00	37.13	BBBB
	ATOM	4701	CA	GLN	B	283	16.319	-43.395	-12.591	1.00	41.11	BBBB
	ATOM	4710	CA	HIS	B	284	15.641	-46.917	-13.843	1.00	43.69	BBBB
	ATOM	4720	CA	LYS	B	285	17.767	-49.993	-14.571	1.00	45.34	BBBB
	ATOM	4729	CA	ASP	B	286	16.949	-49.299	-18.222	1.00	43.26	BBBB
15	ATOM	4737	CA	ARG	B	287	17.951	-45.623	-17.883	1.00	36.28	BBBB
	ATOM	4748	CA	GLN	B	288	15.622	-44.804	-20.755	1.00	30.77	BBBB
	ATOM	4756	N	GLN	B	289	15.378	-42.554	-19.857	1.00	29.38	BBBB
	ATOM	4757	CA	GLN	B	289	15.474	-41.099	-19.904	1.00	29.46	BBBB
	ATOM	4758	CB	GLN	B	289	14.772	-40.472	-18.700	1.00	29.25	BBBB
20	ATOM	4759	CG	GLN	B	289	13.265	-40.416	-18.883	1.00	29.32	BBBB
	ATOM	4760	CD	GLN	B	289	12.575	-39.585	-17.826	1.00	29.84	BBBB
	ATOM	4761	OE1	GLN	B	289	13.191	-38.728	-17.188	1.00	29.52	BBBB
	ATOM	4762	NE2	GLN	B	289	11.281	-39.821	-17.647	1.00	28.95	BBBB
	ATOM	4763	C	GLN	B	289	16.906	-40.613	-20.005	1.00	29.36	BBBB
25	ATOM	4764	O	GLN	B	289	17.173	-39.557	-20.585	1.00	29.12	BBBB
	ATOM	4766	CA	TYR	B	290	19.228	-40.984	-19.550	1.00	29.55	BBBB
	ATOM	4778	CA	TRP	B	291	19.542	-42.282	-23.116	1.00	28.07	BBBB
	ATOM	4791	N	ASN	B	292	17.658	-40.779	-23.508	1.00	25.52	BBBB
	ATOM	4792	CA	ASN	B	292	16.902	-39.784	-24.270	1.00	26.06	BBBB
30	ATOM	4793	CB	ASN	B	292	15.484	-39.599	-23.709	1.00	24.78	BBBB
	ATOM	4794	CG	ASN	B	292	14.590	-40.811	-23.928	1.00	24.46	BBBB
	ATOM	4795	OD1	ASN	B	292	14.842	-41.641	-24.798	1.00	25.33	BBBB
	ATOM	4796	ND2	ASN	B	292	13.523	-40.900	-23.146	1.00	23.83	BBBB
	ATOM	4797	C	ASN	B	292	17.605	-38.427	-24.258	1.00	25.99	BBBB
35	ATOM	4798	O	ASN	B	292	17.566	-37.687	-25.244	1.00	26.18	BBBB
	ATOM	4799	N	ALA	B	293	18.242	-38.105	-23.139	1.00	25.66	BBBB
	ATOM	4800	CA	ALA	B	293	18.926	-36.822	-22.979	1.00	25.69	BBBB
	ATOM	4801	CB	ALA	B	293	18.940	-36.422	-21.506	1.00	24.17	BBBB
	ATOM	4802	C	ALA	B	293	20.346	-36.800	-23.521	1.00	25.67	BBBB
40	ATOM	4803	O	ALA	B	293	20.855	-35.743	-23.902	1.00	25.52	BBBB
	ATOM	4805	CA	LEU	B	294	22.354	-38.088	-24.032	1.00	25.90	BBBB
	ATOM	4814	CA	PRO	B	295	21.998	-36.870	-27.635	1.00	26.15	BBBB
	ATOM	4820	CA	LEU	B	296	21.521	-33.265	-26.481	1.00	25.42	BBBB
	ATOM	4828	CA	GLU	B	297	24.354	-33.530	-23.953	1.00	28.78	BBBB
45	ATOM	4837	CA	LYS	B	298	26.644	-34.947	-26.648	1.00	31.90	BBBB
	ATOM	4846	CA	ALA	B	299	25.773	-31.965	-28.847	1.00	30.38	BBBB

5	ATOM	4851	CA	GLY B 300	26.777	-29.635	-26.017	1.00	26.18	BBBB
	ATOM	4855	CA	ALA B 301	23.214	-28.333	-25.638	1.00	22.50	BBBB
	ATOM	4860	CA	ALA B 302	22.516	-29.770	-22.186	1.00	21.78	BBBB
	ATOM	4865	CA	LYS B 303	23.979	-31.340	-19.048	1.00	25.86	BBBB
	ATOM	4874	CA	ILE B 304	22.753	-34.598	-17.550	1.00	27.17	BBBB
10	ATOM	4882	CA	ILE B 305	22.843	-35.178	-13.813	1.00	29.01	BBBB
	ATOM	4890	CA	GLU B 306	21.664	-38.702	-13.061	1.00	34.65	BBBB
	ATOM	4899	CA	GLN B 307	20.377	-39.599	-9.613	1.00	40.54	BBBB
	ATOM	4909	CA	PRO B 308	23.828	-40.891	-8.484	1.00	43.20	BBBB
	ATOM	4915	CA	GLN B 309	25.247	-37.361	-8.787	1.00	43.46	BBBB
15	ATOM	4924	CA	LEU B 310	22.232	-35.166	-8.022	1.00	39.65	BBBB
	ATOM	4932	CA	SER B 311	22.660	-32.714	-5.154	1.00	34.90	BBBB
	ATOM	4938	CA	VAL B 312	21.990	-29.074	-4.341	1.00	31.50	BBBB
	ATOM	4945	CA	ASP B 313	25.642	-28.202	-4.957	1.00	29.61	BBBB
	ATOM	4953	CA	ALA B 314	25.782	-30.099	-8.254	1.00	26.47	BBBB
20	ATOM	4958	CA	VAL B 315	22.755	-28.215	-9.612	1.00	25.33	BBBB
	ATOM	4965	CA	ALA B 316	23.888	-24.872	-8.199	1.00	27.13	BBBB
	ATOM	4970	CA	ASN B 317	27.444	-25.246	-9.518	1.00	28.52	BBBB
	ATOM	4978	CA	THR B 318	26.174	-26.371	-12.906	1.00	27.04	BBBB
	ATOM	4985	CA	LEU B 319	23.883	-23.370	-13.357	1.00	25.21	BBBB
25	ATOM	4993	CA	ALA B 320	26.445	-20.931	-11.957	1.00	24.59	BBBB
	ATOM	4998	CA	GLY B 321	28.934	-22.031	-14.591	1.00	24.34	BBBB
	ATOM	5002	CA	TRP B 322	26.738	-21.007	-17.521	1.00	21.72	BBBB
	ATOM	5016	CA	SER B 323	27.141	-17.404	-18.692	1.00	19.04	BBBB
	ATOM	5022	CA	ARG B 324	24.725	-15.741	-21.112	1.00	18.09	BBBB
30	ATOM	5033	CA	GLU B 325	27.220	-16.368	-23.954	1.00	16.96	BBBB
	ATOM	5042	CA	THR B 326	27.460	-20.055	-23.070	1.00	16.39	BBBB
	ATOM	5049	CA	LEU B 327	23.659	-20.305	-22.780	1.00	17.27	BBBB
	ATOM	5057	CA	LEU B 328	23.175	-18.745	-26.222	1.00	17.39	BBBB
	ATOM	5065	CA	THR B 329	25.567	-21.335	-27.688	1.00	21.30	BBBB
35	ATOM	5072	CA	MET B 330	23.771	-24.153	-25.870	1.00	19.91	BBBB
	ATOM	5080	CA	ALA B 331	20.412	-22.871	-27.098	1.00	18.49	BBBB
	ATOM	5085	CA	GLU B 332	21.626	-22.827	-30.704	1.00	21.47	BBBB
	ATOM	5094	CA	ARG B 333	23.040	-26.330	-30.408	1.00	23.77	BBBB
	ATOM	5105	CA	ALA B 334	19.648	-27.420	-29.063	1.00	22.88	BBBB
40	ATOM	5110	CA	ARG B 335	17.795	-25.892	-32.002	1.00	23.54	BBBB
	ATOM	5121	CA	ALA B 336	20.330	-27.477	-34.372	1.00	26.85	BBBB
	ATOM	5126	CA	ALA B 337	19.740	-30.925	-32.865	1.00	30.89	BBBB
	ATOM	5131	CA	SER B 338	16.008	-30.432	-33.408	1.00	32.41	BBBB
	ATOM	5137	CA	ILE B 339	13.882	-31.941	-36.187	1.00	34.35	BBBB
45	ATOM	5146	CA	PRO B 340	10.733	-29.730	-36.600	1.00	34.94	BBBB
	ATOM	5152	CA	ASP B 341	8.711	-31.820	-39.056	1.00	33.33	BBBB
	ATOM	5160	CA	ALA B 342	8.875	-35.238	-37.411	1.00	29.09	BBBB
	ATOM	5165	CA	THR B 343	5.115	-35.696	-37.744	1.00	28.55	BBBB
	ATOM	5172	CA	GLU B 344	5.085	-34.933	-41.480	1.00	32.00	BBBB

	ATOM	5181	CA	ARG B 345	8.138	-37.123	-42.067	1.00	31.44	BBBB
	ATOM	5192	CA	VAL B 346	6.578	-40.151	-40.384	1.00	28.61	BBBB
	ATOM	5199	CA	ALA B 347	3.249	-39.617	-42.137	1.00	28.96	BBBB
	ATOM	5204	CA	ASN B 348	5.035	-39.286	-45.493	1.00	34.56	BBBB
5	ATOM	5212	CA	GLU B 349	6.954	-42.540	-44.956	1.00	34.86	BBBB
	ATOM	5221	CA	VAL B 350	3.767	-44.306	-43.919	1.00	33.79	BBBB
	ATOM	5228	CA	SER B 351	2.196	-42.946	-47.095	1.00	36.67	BBBB
	ATOM	5234	CA	ARG B 352	5.114	-44.088	-49.251	1.00	40.03	BBBB
	ATOM	5245	CA	VAL B 353	5.089	-47.587	-47.737	1.00	42.78	BBBB
10	ATOM	5252	CA	ALA B 354	1.336	-47.957	-48.212	1.00	47.24	BBBB
	ATOM	5257	CA	ARG B 355	2.035	-46.964	-51.824	1.00	52.71	BBBB
	ATOM	5268	CA	ALA B 356	4.453	-49.913	-51.809	1.00	54.93	BBBB
	ATOM	5273	CA	LEU B 357	7.023	-47.522	-53.289	1.00	57.81	BBBB
	END									

15

TABLE 4 ATOMIC COORDINATES OF THE
DONOR NUCLEOTIDE BINDING SITE

REMARK 4 1MUR COMPLIES WITH FORMAT V. 2.0, 11-MAY-2000										
5	ATOM	1	N	LEU B 187	13.695	-22.128	-15.588	1.00	15.92	N
	ATOM	2	CA	LEU B 187	12.361	-22.710	-15.604	1.00	16.75	C
	ATOM	3	C	LEU B 187	12.450	-24.146	-15.085	1.00	16.85	C
	ATOM	4	O	LEU B 187	13.115	-24.982	-15.688	1.00	17.18	O
	ATOM	5	CB	LEU B 187	11.813	-22.701	-17.035	1.00	16.85	C
10	ATOM	6	CG	LEU B 187	10.445	-23.340	-17.276	1.00	18.63	C
	ATOM	7	CD1	LEU B 187	9.368	-22.478	-16.625	1.00	19.42	C
	ATOM	8	CD2	LEU B 187	10.198	-23.449	-18.783	1.00	19.11	C
	ATOM	9	N	VAL B 188	11.788	-24.426	-13.964	1.00	18.20	N
	ATOM	10	CA	VAL B 188	11.774	-25.775	-13.381	1.00	18.41	C
15	ATOM	11	C	VAL B 188	10.434	-26.440	-13.739	1.00	19.88	C
	ATOM	12	O	VAL B 188	9.371	-25.967	-13.336	1.00	20.39	O
	ATOM	13	CB	VAL B 188	11.902	-25.714	-11.842	1.00	18.98	C
	ATOM	14	CG1	VAL B 188	12.088	-27.126	-11.270	1.00	18.50	C
	ATOM	15	CG2	VAL B 188	13.061	-24.818	-11.449	1.00	18.83	C
20	ATOM	16	N	VAL B 189	10.493	-27.532	-14.496	1.00	21.55	N
	ATOM	17	CA	VAL B 189	9.298	-28.234	-14.948	1.00	22.11	C
	ATOM	18	C	VAL B 189	9.191	-29.639	-14.351	1.00	23.90	C
	ATOM	19	O	VAL B 189	10.067	-30.478	-14.559	1.00	23.61	O
	ATOM	20	CB	VAL B 189	9.299	-28.342	-16.488	1.00	22.50	C
25	ATOM	21	CG1	VAL B 189	8.009	-29.013	-16.981	1.00	22.70	C
	ATOM	22	CG2	VAL B 189	9.470	-26.943	-17.101	1.00	21.26	C
	ATOM	23	N	GLY B 190	8.111	-29.887	-13.615	1.00	25.60	N
	ATOM	24	CA	GLY B 190	7.914	-31.188	-12.994	1.00	27.28	C
	ATOM	25	C	GLY B 190	6.808	-32.026	-13.604	1.00	29.67	C
30	ATOM	26	O	GLY B 190	6.668	-33.208	-13.283	1.00	29.86	O
	ATOM	27	N	GLY B 191	6.025	-31.430	-14.497	1.00	30.56	N
	ATOM	28	CA	GLY B 191	4.935	-32.163	-15.115	1.00	31.94	C
	ATOM	29	C	GLY B 191	3.676	-32.104	-14.269	1.00	33.11	C
	ATOM	30	O	GLY B 191	3.691	-31.556	-13.165	1.00	32.14	O
35	ATOM	31	N	ALA B 195	7.761	-33.045	-9.938	1.00	33.54	N
	ATOM	32	CA	ALA B 195	8.977	-33.819	-9.709	1.00	33.12	C
	ATOM	33	C	ALA B 195	9.423	-33.590	-8.267	1.00	32.87	C
	ATOM	34	O	ALA B 195	9.955	-32.533	-7.923	1.00	31.47	O
	ATOM	35	CB	ALA B 195	10.073	-33.387	-10.679	1.00	33.17	C
40	ATOM	36	N	LEU B 198	12.897	-32.223	-7.590	1.00	27.07	N
	ATOM	37	CA	LEU B 198	13.069	-30.833	-8.003	1.00	26.58	C
	ATOM	38	C	LEU B 198	12.388	-29.893	-7.006	1.00	26.41	C
	ATOM	39	O	LEU B 198	12.930	-28.835	-6.667	1.00	26.35	O
	ATOM	40	CB	LEU B 198	12.504	-30.616	-9.412	1.00	25.88	C
45	ATOM	41	CG	LEU B 198	13.196	-31.408	-10.524	1.00	25.40	C

	ATOM	42	CD1	LEU	B	198	12.625	-31.007	-11.874	1.00	26.54	C
	ATOM	43	CD2	LEU	B	198	14.692	-31.146	-10.493	1.00	25.94	C
	ATOM	44	N	TYR	B	252	8.723	-21.314	-22.184	1.00	21.27	N
	ATOM	45	CA	TYR	B	252	9.972	-21.616	-22.886	1.00	22.78	C
5	ATOM	46	C	TYR	B	252	10.566	-20.354	-23.516	1.00	23.57	C
	ATOM	47	O	TYR	B	252	11.784	-20.180	-23.550	1.00	23.91	O
	ATOM	48	CB	TYR	B	252	9.726	-22.661	-23.980	1.00	21.62	C
	ATOM	49	CG	TYR	B	252	9.662	-24.100	-23.505	1.00	23.34	C
	ATOM	50	CD1	TYR	B	252	9.003	-25.065	-24.261	1.00	22.88	C
10	ATOM	51	CD2	TYR	B	252	10.288	-24.505	-22.319	1.00	22.30	C
	ATOM	52	CE1	TYR	B	252	8.961	-26.392	-23.861	1.00	24.81	C
	ATOM	53	CE2	TYR	B	252	10.253	-25.838	-21.912	1.00	23.56	C
	ATOM	54	CZ	TYR	B	252	9.590	-26.772	-22.687	1.00	24.26	C
	ATOM	55	OH	TYR	B	252	9.554	-28.088	-22.305	1.00	25.57	O
15	ATOM	56	N	VAL	B	258	16.263	-24.643	-18.818	1.00	18.74	N
	ATOM	57	CA	VAL	B	258	15.208	-25.456	-18.234	1.00	19.32	C
	ATOM	58	C	VAL	B	258	15.799	-26.585	-17.389	1.00	19.70	C
	ATOM	59	O	VAL	B	258	16.808	-27.175	-17.758	1.00	18.96	O
	ATOM	60	CB	VAL	B	258	14.328	-26.100	-19.337	1.00	19.89	C
20	ATOM	61	CG1	VAL	B	258	13.101	-26.754	-18.714	1.00	19.81	C
	ATOM	62	CG2	VAL	B	258	13.907	-25.041	-20.364	1.00	21.59	C
	ATOM	63	N	VAL	B	259	15.167	-26.861	-16.253	1.00	20.24	N
	ATOM	64	CA	VAL	B	259	15.581	-27.957	-15.374	1.00	19.85	C
	ATOM	65	C	VAL	B	259	14.382	-28.890	-15.371	1.00	20.02	C
25	ATOM	66	O	VAL	B	259	13.301	-28.500	-14.942	1.00	21.88	O
	ATOM	67	CB	VAL	B	259	15.850	-27.483	-13.936	1.00	20.08	C
	ATOM	68	CG1	VAL	B	259	16.222	-28.689	-13.059	1.00	20.22	C
	ATOM	69	CG2	VAL	B	259	16.966	-26.453	-13.930	1.00	17.86	C
	ATOM	70	N	CYS	B	260	14.562	-30.111	-15.867	1.00	21.70	N
30	ATOM	71	CA	CYS	B	260	13.454	-31.055	-15.946	1.00	22.00	C
	ATOM	72	C	CYS	B	260	13.903	-32.478	-16.242	1.00	21.86	C
	ATOM	73	O	CYS	B	260	15.087	-32.730	-16.496	1.00	21.34	O
	ATOM	74	CB	CYS	B	260	12.494	-30.618	-17.057	1.00	22.77	C
	ATOM	75	SG	CYS	B	260	13.297	-30.506	-18.711	1.00	22.15	S
35	ATOM	76	N	ARG	B	261	12.937	-33.397	-16.212	1.00	22.34	N
	ATOM	77	CA	ARG	B	261	13.170	-34.800	-16.515	1.00	23.75	C
	ATOM	78	C	ARG	B	261	13.351	-34.871	-18.032	1.00	23.98	C
	ATOM	79	O	ARG	B	261	13.117	-33.883	-18.746	1.00	22.44	O
	ATOM	80	CB	ARG	B	261	11.964	-35.663	-16.104	1.00	27.16	C
40	ATOM	81	CG	ARG	B	261	11.376	-35.337	-14.738	1.00	31.82	C
	ATOM	82	CD	ARG	B	261	11.490	-36.473	-13.732	1.00	36.33	C
	ATOM	83	NE	ARG	B	261	12.865	-36.721	-13.323	1.00	38.48	N
	ATOM	84	CZ	ARG	B	261	13.218	-37.176	-12.125	1.00	37.25	C
	ATOM	85	NH1	ARG	B	261	12.295	-37.433	-11.204	1.00	38.46	N
45	ATOM	86	NH2	ARG	B	261	14.499	-37.370	-11.848	1.00	36.79	N

5	ATOM	87	N	SER B 262	13.740	-36.038	-18.527	1.00	22.00	N
	ATOM	88	CA	SER B 262	13.975	-36.189	-19.948	1.00	23.18	C
	ATOM	89	C	SER B 262	13.173	-37.263	-20.676	1.00	22.90	C
	ATOM	90	O	SER B 262	13.738	-38.179	-21.274	1.00	23.25	O
	ATOM	91	CB	SER B 262	15.481	-36.377	-20.203	1.00	24.45	C
10	ATOM	92	OG	SER B 262	16.043	-37.326	-19.311	1.00	25.79	O
	ATOM	93	N	GLY B 263	11.850	-37.151	-20.619	1.00	22.74	N
	ATOM	94	CA	GLY B 263	11.026	-38.079	-21.361	1.00	22.85	C
	ATOM	95	C	GLY B 263	11.392	-37.793	-22.813	1.00	24.06	C
	ATOM	96	O	GLY B 263	11.908	-36.705	-23.121	1.00	22.75	O
15	ATOM	97	N	ALA B 264	11.130	-38.739	-23.708	1.00	23.37	N
	ATOM	98	CA	ALA B 264	11.482	-38.564	-25.115	1.00	24.25	C
	ATOM	99	C	ALA B 264	10.843	-37.343	-25.783	1.00	24.29	C
	ATOM	100	O	ALA B 264	11.523	-36.572	-26.470	1.00	24.33	O
	ATOM	101	CB	ALA B 264	11.133	-39.829	-25.894	1.00	24.58	C
20	ATOM	102	N	LEU B 265	9.541	-37.167	-25.596	1.00	24.44	N
	ATOM	103	CA	LEU B 265	8.846	-36.037	-26.205	1.00	24.66	C
	ATOM	104	C	LEU B 265	9.331	-34.717	-25.613	1.00	24.47	C
	ATOM	105	O	LEU B 265	9.374	-33.693	-26.301	1.00	23.85	O
	ATOM	106	CB	LEU B 265	7.332	-36.183	-26.011	1.00	25.33	C
25	ATOM	107	CG	LEU B 265	6.760	-37.544	-26.426	1.00	27.97	C
	ATOM	108	CD1	LEU B 265	5.242	-37.541	-26.258	1.00	28.21	C
	ATOM	109	CD2	LEU B 265	7.146	-37.856	-27.878	1.00	27.40	C
	ATOM	110	N	THR B 266	9.702	-34.747	-24.338	1.00	22.12	N
	ATOM	111	CA	THR B 266	10.194	-33.557	-23.657	1.00	22.34	C
30	ATOM	112	C	THR B 266	11.535	-33.117	-24.226	1.00	21.15	C
	ATOM	113	O	THR B 266	11.761	-31.926	-24.442	1.00	20.35	O
	ATOM	114	CB	THR B 266	10.348	-33.803	-22.140	1.00	22.35	C
	ATOM	115	OG1	THR B 266	9.061	-34.087	-21.583	1.00	24.46	O
	ATOM	116	CG2	THR B 266	10.945	-32.573	-21.444	1.00	24.00	C
35	ATOM	117	N	VAL B 267	12.427	-34.075	-24.461	1.00	20.46	N
	ATOM	118	CA	VAL B 267	13.730	-33.762	-25.023	1.00	21.11	C
	ATOM	119	C	VAL B 267	13.548	-33.138	-26.416	1.00	21.34	C
	ATOM	120	O	VAL B 267	14.188	-32.135	-26.747	1.00	19.99	O
	ATOM	121	CB	VAL B 267	14.614	-35.039	-25.114	1.00	21.54	C
40	ATOM	122	CG1	VAL B 267	15.903	-34.740	-25.865	1.00	20.72	C
	ATOM	123	CG2	VAL B 267	14.938	-35.541	-23.708	1.00	20.45	C
	ATOM	124	N	SER B 268	12.663	-33.717	-27.222	1.00	21.61	N
	ATOM	125	CA	SER B 268	12.411	-33.191	-28.567	1.00	21.96	C
	ATOM	126	C	SER B 268	11.817	-31.790	-28.519	1.00	21.81	C
45	ATOM	127	O	SER B 268	12.158	-30.933	-29.336	1.00	22.60	O
	ATOM	128	CB	SER B 268	11.474	-34.121	-29.344	1.00	21.57	C
	ATOM	129	OG	SER B 268	12.141	-35.316	-29.721	1.00	24.06	O
	ATOM	130	N	GLU B 269	10.928	-31.563	-27.557	1.00	21.64	N
	ATOM	131	CA	GLU B 269	10.282	-30.272	-27.378	1.00	21.95	C

5	ATOM	132	C	GLU	B	269	11.321	-29.214	-26.999	1.00	21.68	C
	ATOM	133	O	GLU	B	269	11.301	-28.095	-27.518	1.00	18.12	O
	ATOM	134	CB	GLU	B	269	9.213	-30.399	-26.292	1.00	24.72	C
	ATOM	135	CG	GLU	B	269	8.480	-29.128	-25.940	1.00	27.67	C
	ATOM	136	CD	GLU	B	269	7.385	-29.380	-24.908	1.00	30.05	C
10	ATOM	137	OE1	GLU	B	269	6.325	-29.915	-25.287	1.00	31.50	O
	ATOM	138	OE2	GLU	B	269	7.591	-29.057	-23.719	1.00	29.84	O
	ATOM	139	N	ILE	B	270	12.224	-29.581	-26.092	1.00	19.43	N
	ATOM	140	CA	ILE	B	270	13.295	-28.698	-25.638	1.00	20.62	C
	ATOM	141	C	ILE	B	270	14.214	-28.314	-26.806	1.00	20.58	C
15	ATOM	142	O	ILE	B	270	14.595	-27.151	-26.954	1.00	20.50	O
	ATOM	143	CB	ILE	B	270	14.157	-29.391	-24.533	1.00	20.30	C
	ATOM	144	CG1	ILE	B	270	13.337	-29.574	-23.254	1.00	21.32	C
	ATOM	145	CG2	ILE	B	270	15.415	-28.595	-24.266	1.00	19.17	C
	ATOM	146	CD1	ILE	B	270	12.926	-28.291	-22.583	1.00	23.40	C
20	ATOM	147	N	ALA	B	277	19.316	-27.110	-21.396	1.00	17.01	N
	ATOM	148	CA	ALA	B	277	18.638	-27.807	-20.321	1.00	15.80	C
	ATOM	149	C	ALA	B	277	19.591	-28.526	-19.382	1.00	17.37	C
	ATOM	150	O	ALA	B	277	20.710	-28.891	-19.755	1.00	17.09	O
	ATOM	151	CB	ALA	B	277	17.641	-28.805	-20.895	1.00	17.01	C
25	ATOM	152	N	LEU	B	278	19.147	-28.673	-18.138	1.00	17.14	N
	ATOM	153	CA	LEU	B	278	19.896	-29.429	-17.145	1.00	18.48	C
	ATOM	154	C	LEU	B	278	18.884	-30.535	-16.898	1.00	19.62	C
	ATOM	155	O	LEU	B	278	17.870	-30.330	-16.218	1.00	20.77	O
	ATOM	156	CB	LEU	B	278	20.140	-28.619	-15.869	1.00	19.19	C
30	ATOM	157	CG	LEU	B	278	21.084	-29.308	-14.868	1.00	20.85	C
	ATOM	158	CD1	LEU	B	278	21.283	-28.411	-13.668	1.00	21.11	C
	ATOM	159	CD2	LEU	B	278	20.497	-30.647	-14.433	1.00	19.16	C
	ATOM	160	N	PHE	B	279	19.149	-31.691	-17.495	1.00	19.50	N
	ATOM	161	CA	PHE	B	279	18.266	-32.838	-17.392	1.00	21.59	C
35	ATOM	162	C	PHE	B	279	18.525	-33.709	-16.167	1.00	22.86	C
	ATOM	163	O	PHE	B	279	19.671	-34.065	-15.871	1.00	23.32	O
	ATOM	164	CB	PHE	B	279	18.385	-33.700	-18.651	1.00	21.07	C
	ATOM	165	CG	PHE	B	279	17.740	-33.099	-19.876	1.00	19.35	C
	ATOM	166	CD1	PHE	B	279	18.481	-32.898	-21.035	1.00	19.42	C
40	ATOM	167	CD2	PHE	B	279	16.379	-32.794	-19.888	1.00	18.16	C
	ATOM	168	CE1	PHE	B	279	17.874	-32.405	-22.203	1.00	19.06	C
	ATOM	169	CE2	PHE	B	279	15.759	-32.298	-21.052	1.00	17.65	C
	ATOM	170	CZ	PHE	B	279	16.515	-32.108	-22.208	1.00	15.61	C
	ATOM	171	N	VAL	B	280	17.445	-34.037	-15.461	1.00	23.88	N
45	ATOM	172	CA	VAL	B	280	17.502	-34.902	-14.281	1.00	25.67	C
	ATOM	173	C	VAL	B	280	16.690	-36.136	-14.658	1.00	25.65	C
	ATOM	174	O	VAL	B	280	15.509	-36.239	-14.346	1.00	24.57	O
	ATOM	175	CB	VAL	B	280	16.883	-34.223	-13.048	1.00	26.89	C
	ATOM	176	CG1	VAL	B	280	16.954	-35.159	-11.847	1.00	28.12	C

	ATOM	177	CG2	VAL	B	280	17.631	-32.929	-12.742	1.00	27.70	C
	ATOM	178	N	PRO	B	281	17.324	-37.080	-15.370	1.00	27.08	N
	ATOM	179	CA	PRO	B	281	16.698	-38.320	-15.824	1.00	29.05	C
	ATOM	180	C	PRO	B	281	16.092	-39.121	-14.684	1.00	31.51	C
5	ATOM	181	O	PRO	B	281	16.675	-39.223	-13.603	1.00	32.26	O
	ATOM	182	CB	PRO	B	281	17.851	-39.071	-16.492	1.00	29.44	C
	ATOM	183	CG	PRO	B	281	18.791	-37.992	-16.895	1.00	29.67	C
	ATOM	184	CD	PRO	B	281	18.750	-37.057	-15.726	1.00	27.31	C
	ATOM	185	N	PHE	B	282	14.908	-39.668	-14.923	1.00	33.83	N
10	ATOM	186	CA	PHE	B	282	14.246	-40.496	-13.926	1.00	37.13	C
	ATOM	187	C	PHE	B	282	15.078	-41.776	-13.880	1.00	38.09	C
	ATOM	188	O	PHE	B	282	15.357	-42.373	-14.921	1.00	38.33	O
	ATOM	189	CB	PHE	B	282	12.818	-40.808	-14.372	1.00	38.38	C
	ATOM	190	CG	PHE	B	282	12.032	-41.606	-13.377	1.00	40.57	C
15	ATOM	191	CD1	PHE	B	282	11.720	-41.074	-12.130	1.00	41.80	C
	ATOM	192	CD2	PHE	B	282	11.590	-42.886	-13.689	1.00	41.65	C
	ATOM	193	CE1	PHE	B	282	10.975	-41.806	-11.209	1.00	42.03	C
	ATOM	194	CE2	PHE	B	282	10.843	-43.628	-12.773	1.00	42.49	C
	ATOM	195	CZ	PHE	B	282	10.536	-43.085	-11.532	1.00	41.74	C
20	ATOM	196	N	GLN	B	288	16.212	-45.321	-19.533	1.00	30.94	N
	ATOM	197	CA	GLN	B	288	15.622	-44.804	-20.755	1.00	30.77	C
	ATOM	198	C	GLN	B	288	15.783	-43.291	-20.885	1.00	29.70	C
	ATOM	199	O	GLN	B	288	16.268	-42.801	-21.902	1.00	29.79	O
	ATOM	200	CB	GLN	B	288	14.143	-45.158	-20.810	1.00	30.59	C
25	ATOM	201	CG	GLN	B	288	13.473	-44.772	-22.109	1.00	29.73	C
	ATOM	202	CD	GLN	B	288	11.981	-44.971	-22.044	1.00	28.04	C
	ATOM	203	OE1	GLN	B	288	11.294	-44.295	-21.279	1.00	29.59	O
	ATOM	204	NE2	GLN	B	288	11.468	-45.905	-22.838	1.00	26.98	N
	ATOM	205	N	GLN	B	289	15.378	-42.554	-19.857	1.00	29.38	N
30	ATOM	206	CA	GLN	B	289	15.474	-41.099	-19.904	1.00	29.46	C
	ATOM	207	C	GLN	B	289	16.906	-40.613	-20.005	1.00	29.36	C
	ATOM	208	O	GLN	B	289	17.173	-39.557	-20.585	1.00	29.12	O
	ATOM	209	CB	GLN	B	289	14.772	-40.472	-18.700	1.00	29.25	C
	ATOM	210	CG	GLN	B	289	13.265	-40.416	-18.883	1.00	29.32	C
35	ATOM	211	CD	GLN	B	289	12.575	-39.585	-17.826	1.00	29.84	C
	ATOM	212	OE1	GLN	B	289	13.191	-38.728	-17.188	1.00	29.52	O
	ATOM	213	NE2	GLN	B	289	11.281	-39.821	-17.647	1.00	28.95	N
	ATOM	214	N	TYR	B	290	17.835	-41.374	-19.442	1.00	28.95	N
	ATOM	215	CA	TYR	B	290	19.228	-40.984	-19.550	1.00	29.55	C
40	ATOM	216	C	TYR	B	290	19.593	-41.042	-21.032	1.00	28.80	C
	ATOM	217	O	TYR	B	290	20.192	-40.113	-21.567	1.00	29.22	O
	ATOM	218	CB	TYR	B	290	20.136	-41.934	-18.768	1.00	31.40	C
	ATOM	219	CG	TYR	B	290	21.587	-41.780	-19.148	1.00	33.37	C
	ATOM	220	CD1	TYR	B	290	22.332	-40.682	-18.717	1.00	34.57	C
45	ATOM	221	CD2	TYR	B	290	22.192	-42.684	-20.017	1.00	34.90	C

5	ATOM	222	CE1	TYR	B	290	23.644	-40.490	-19.148	1.00	35.97	C
	ATOM	223	CE2	TYR	B	290	23.497	-42.500	-20.453	1.00	36.03	C
	ATOM	224	CZ	TYR	B	290	24.214	-41.402	-20.019	1.00	36.29	C
	ATOM	225	OH	TYR	B	290	25.499	-41.215	-20.475	1.00	39.44	O
	ATOM	226	N	ASN	B	292	17.658	-40.779	-23.508	1.00	25.52	N
10	ATOM	227	CA	ASN	B	292	16.902	-39.784	-24.270	1.00	26.06	C
	ATOM	228	C	ASN	B	292	17.605	-38.427	-24.258	1.00	25.99	C
	ATOM	229	O	ASN	B	292	17.566	-37.687	-25.244	1.00	26.18	O
	ATOM	230	CB	ASN	B	292	15.484	-39.599	-23.709	1.00	24.78	C
	ATOM	231	CG	ASN	B	292	14.590	-40.811	-23.928	1.00	24.46	C
15	ATOM	232	OD1	ASN	B	292	14.842	-41.641	-24.798	1.00	25.33	O
	ATOM	233	ND2	ASN	B	292	13.523	-40.900	-23.146	1.00	23.83	N
	ATOM	234	N	ALA	B	293	18.242	-38.105	-23.139	1.00	25.66	N
	ATOM	235	CA	ALA	B	293	18.926	-36.822	-22.979	1.00	25.69	C
	ATOM	236	C	ALA	B	293	20.346	-36.800	-23.521	1.00	25.67	C
20	ATOM	237	O	ALA	B	293	20.855	-35.743	-23.902	1.00	25.52	O
	ATOM	238	CB	ALA	B	293	18.940	-36.422	-21.506	1.00	24.17	C
	ATOM	239	N	LEU	B	296	21.375	-34.703	-26.688	1.00	25.66	N
	ATOM	240	CA	LEU	B	296	21.521	-33.265	-26.481	1.00	25.42	C
	ATOM	241	C	LEU	B	296	22.784	-32.935	-25.688	1.00	26.07	C
25	ATOM	242	O	LEU	B	296	23.435	-31.917	-25.944	1.00	25.26	O
	ATOM	243	CB	LEU	B	296	20.283	-32.685	-25.779	1.00	24.45	C
	ATOM	244	CG	LEU	B	296	19.066	-32.458	-26.679	1.00	25.59	C
	ATOM	245	CD1	LEU	B	296	17.968	-31.718	-25.911	1.00	23.56	C
	ATOM	246	CD2	LEU	B	296	19.496	-31.630	-27.893	1.00	25.87	C
30	ATOM	247	N	ALA	B	302	23.066	-29.504	-23.507	1.00	20.94	N
	ATOM	248	CA	ALA	B	302	22.516	-29.770	-22.186	1.00	21.78	C
	ATOM	249	C	ALA	B	302	23.503	-30.507	-21.288	1.00	22.69	C
	ATOM	250	O	ALA	B	302	24.561	-30.948	-21.739	1.00	22.25	O
	ATOM	251	CB	ALA	B	302	21.243	-30.595	-22.327	1.00	20.10	C
35	ATOM	252	N	LYS	B	303	23.156	-30.613	-20.009	1.00	24.62	N
	ATOM	253	CA	LYS	B	303	23.979	-31.340	-19.048	1.00	25.86	C
	ATOM	254	C	LYS	B	303	23.083	-32.319	-18.302	1.00	26.41	C
	ATOM	255	O	LYS	B	303	22.015	-31.948	-17.802	1.00	25.76	O
	ATOM	256	CB	LYS	B	303	24.632	-30.401	-18.036	1.00	27.85	C
40	ATOM	257	CG	LYS	B	303	25.466	-31.146	-16.986	1.00	29.37	C
	ATOM	258	CD	LYS	B	303	26.150	-30.186	-16.025	1.00	32.41	C
	ATOM	259	CE	LYS	B	303	27.083	-30.912	-15.056	1.00	33.22	C
	ATOM	260	NZ	LYS	B	303	27.827	-29.952	-14.181	1.00	33.62	N
	ATOM	261	N	ILE	B	304	23.520	-33.570	-18.234	1.00	25.65	N
45	ATOM	262	CA	ILE	B	304	22.753	-34.598	-17.550	1.00	27.17	C
	ATOM	263	C	ILE	B	304	23.308	-34.855	-16.160	1.00	27.00	C
	ATOM	264	O	ILE	B	304	24.511	-35.012	-15.986	1.00	27.46	O
	ATOM	265	CB	ILE	B	304	22.786	-35.946	-18.316	1.00	27.06	C
	ATOM	266	CG1	ILE	B	304	22.242	-35.769	-19.733	1.00	27.61	C

	ATOM	267	CG2	ILE B 304	21.977	-36.996	-17.555	1.00	28.49	C
	ATOM	268	CD1	ILE B 304	22.380	-37.009	-20.599	1.00	27.05	C
	ATOM	269	N	ILE B 305	22.428	-34.869	-15.168	1.00	27.22	N
	ATOM	270	CA	ILE B 305	22.843	-35.178	-13.813	1.00	29.01	C
5	ATOM	271	C	ILE B 305	21.934	-36.302	-13.351	1.00	29.64	C
	ATOM	272	O	ILE B 305	20.806	-36.067	-12.932	1.00	29.25	O
	ATOM	273	CB	ILE B 305	22.713	-33.977	-12.858	1.00	28.91	C
	ATOM	274	CG1	ILE B 305	23.660	-32.855	-13.299	1.00	29.51	C
	ATOM	275	CG2	ILE B 305	23.063	-34.416	-11.432	1.00	30.98	C
10	ATOM	276	CD1	ILE B 305	23.674	-31.653	-12.367	1.00	29.43	C
	TER									

TABLE 5 ATOMIC COORDINATES OF ACCEPTOR BINDING SITE

REMARK 4 1MUR COMPLIES WITH FORMAT V. 2.0, 11-MAY-2000										
15	ATOM	1	N	MET B 12	-0.734	-48.902	-33.817	1.00	23.68	N
	ATOM	2	CA	MET B 12	-0.523	-49.707	-32.613	1.00	24.54	C
	ATOM	3	C	MET B 12	0.361	-48.840	-31.720	1.00	25.31	C
	ATOM	4	O	MET B 12	1.546	-48.645	-32.006	1.00	23.88	O
	ATOM	5	CB	MET B 12	0.192	-51.019	-32.971	1.00	24.28	C
20	ATOM	6	CG	MET B 12	-0.402	-51.726	-34.188	1.00	25.19	C
	ATOM	7	SD	MET B 12	0.399	-53.284	-34.669	1.00	26.54	S
	ATOM	8	CE	MET B 12	1.990	-52.691	-35.289	1.00	22.99	C
	ATOM	9	N	ALA B 13	-0.224	-48.292	-30.657	1.00	27.08	N
	ATOM	10	CA	ALA B 13	0.508	-47.410	-29.752	1.00	29.43	C
25	ATOM	11	C	ALA B 13	-0.239	-47.192	-28.436	1.00	31.80	C
	ATOM	12	O	ALA B 13	-1.143	-46.350	-28.352	1.00	32.16	O
	ATOM	13	CB	ALA B 13	0.747	-46.074	-30.429	1.00	28.82	C
	ATOM	14	N	GLY B 14	0.150	-47.934	-27.405	1.00	32.46	N
	ATOM	15	CA	GLY B 14	-0.513	-47.804	-26.120	1.00	33.82	C
30	ATOM	16	C	GLY B 14	-0.107	-46.595	-25.299	1.00	34.82	C
	ATOM	17	O	GLY B 14	0.975	-46.040	-25.479	1.00	35.47	O
	ATOM	18	N	GLY B 15	-0.986	-46.188	-24.385	1.00	35.56	N
	ATOM	19	CA	GLY B 15	-0.700	-45.047	-23.536	1.00	36.08	C
	ATOM	20	C	GLY B 15	0.539	-45.254	-22.683	1.00	36.84	C
35	ATOM	21	O	GLY B 15	1.293	-44.311	-22.426	1.00	36.03	O
	ATOM	22	N	THR B 16	0.755	-46.488	-22.240	1.00	36.65	N
	ATOM	23	CA	THR B 16	1.920	-46.787	-21.421	1.00	38.51	C
	ATOM	24	C	THR B 16	3.158	-46.497	-22.264	1.00	38.35	C
	ATOM	25	O	THR B 16	3.191	-46.798	-23.460	1.00	39.90	O
40	ATOM	26	CB	THR B 16	1.926	-48.258	-20.974	1.00	38.51	C
	ATOM	27	OG1	THR B 16	0.686	-48.558	-20.321	1.00	38.39	O
	ATOM	28	CG2	THR B 16	3.075	-48.518	-20.005	1.00	39.11	C
	ATOM	29	N	GLY B 17	4.168	-45.897	-21.649	1.00	37.68	N
	ATOM	30	CA	GLY B 17	5.367	-45.567	-22.392	1.00	36.57	C

5	ATOM	31	C	GLY	B	17	5.161	-44.303	-23.211	1.00	35.56	C
	ATOM	32	O	GLY	B	17	6.079	-43.843	-23.890	1.00	35.03	O
	ATOM	33	N	GLY	B	18	3.949	-43.752	-23.150	1.00	33.83	N
	ATOM	34	CA	GLY	B	18	3.631	-42.529	-23.872	1.00	33.48	C
	ATOM	35	C	GLY	B	18	3.825	-42.593	-25.378	1.00	33.12	C
10	ATOM	36	O	GLY	B	18	4.345	-41.650	-25.984	1.00	35.38	O
	ATOM	37	N	HIS	B	19	3.416	-43.699	-25.988	1.00	30.26	N
	ATOM	38	CA	HIS	B	19	3.548	-43.865	-27.435	1.00	28.22	C
	ATOM	39	C	HIS	B	19	2.280	-43.370	-28.144	1.00	27.91	C
	ATOM	40	O	HIS	B	19	2.300	-43.049	-29.337	1.00	26.91	O
15	ATOM	41	CB	HIS	B	19	3.772	-45.349	-27.779	1.00	25.81	C
	ATOM	42	CG	HIS	B	19	4.957	-45.966	-27.094	1.00	25.35	C
	ATOM	43	ND1	HIS	B	19	4.845	-47.025	-26.217	1.00	24.57	N
	ATOM	44	CD2	HIS	B	19	6.281	-45.694	-27.184	1.00	24.18	C
	ATOM	45	CE1	HIS	B	19	6.046	-47.380	-25.798	1.00	23.08	C
20	ATOM	46	NE2	HIS	B	19	6.936	-46.589	-26.369	1.00	25.51	N
	ATOM	47	N	VAL	B	20	1.180	-43.310	-27.402	1.00	27.65	N
	ATOM	48	CA	VAL	B	20	-0.098	-42.894	-27.965	1.00	27.77	C
	ATOM	49	C	VAL	B	20	-0.140	-41.452	-28.470	1.00	27.57	C
	ATOM	50	O	VAL	B	20	-0.771	-41.172	-29.486	1.00	27.12	O
25	ATOM	51	CB	VAL	B	20	-1.248	-43.080	-26.942	1.00	28.57	C
	ATOM	52	CG1	VAL	B	20	-1.082	-42.114	-25.787	1.00	30.03	C
	ATOM	53	CG2	VAL	B	20	-2.602	-42.873	-27.631	1.00	26.82	C
	ATOM	54	N	LEU	B	40	-5.323	-50.004	-32.549	1.00	25.21	N
	ATOM	55	CA	LEU	B	40	-5.200	-51.364	-32.026	1.00	24.71	C
30	ATOM	56	C	LEU	B	40	-4.535	-51.235	-30.655	1.00	23.33	C
	ATOM	57	O	LEU	B	40	-3.387	-50.824	-30.563	1.00	23.43	O
	ATOM	58	CB	LEU	B	40	-4.326	-52.221	-32.952	1.00	25.21	C
	ATOM	59	CG	LEU	B	40	-4.416	-53.754	-32.868	1.00	26.95	C
	ATOM	60	CD1	LEU	B	40	-3.037	-54.334	-32.571	1.00	27.63	C
35	ATOM	61	CD2	LEU	B	40	-5.421	-54.179	-31.817	1.00	26.69	C
	ATOM	62	N	GLU	B	47	-4.976	-45.941	-23.678	1.00	32.85	N
	ATOM	63	CA	GLU	B	47	-5.458	-45.655	-25.029	1.00	31.79	C
	ATOM	64	C	GLU	B	47	-6.938	-46.017	-25.191	1.00	31.81	C
	ATOM	65	O	GLU	B	47	-7.626	-45.476	-26.055	1.00	31.31	O
40	ATOM	66	CB	GLU	B	47	-4.624	-46.402	-26.080	1.00	30.62	C
	ATOM	67	CG	GLU	B	47	-4.755	-47.922	-26.051	1.00	29.85	C
	ATOM	68	CD	GLU	B	47	-3.793	-48.597	-25.082	1.00	29.78	C
	ATOM	69	OE1	GLU	B	47	-3.188	-47.895	-24.247	1.00	28.76	O
	ATOM	70	OE2	GLU	B	47	-3.649	-49.840	-25.156	1.00	29.01	O
45	ATOM	71	N	ILE	B	63	-3.428	-59.342	-24.313	1.00	30.07	N
	ATOM	72	CA	ILE	B	63	-2.036	-59.770	-24.231	1.00	31.38	C
	ATOM	73	C	ILE	B	63	-1.623	-59.981	-22.775	1.00	33.08	C
	ATOM	74	O	ILE	B	63	-0.444	-59.872	-22.430	1.00	33.21	O
	ATOM	75	CB	ILE	B	63	-1.081	-58.745	-24.883	1.00	30.06	C

5	ATOM	76	CG1	ILE	B	63	-1.143	-57.411	-24.137	1.00	29.94	C
	ATOM	77	CG2	ILE	B	63	-1.442	-58.567	-26.353	1.00	30.41	C
	ATOM	78	CD1	ILE	B	63	-0.128	-56.384	-24.632	1.00	29.62	C
	ATOM	79	N	ARG	B	67	2.953	-59.185	-21.440	1.00	31.54	N
	ATOM	80	CA	ARG	B	67	3.671	-57.928	-21.277	1.00	30.90	C
10	ATOM	81	C	ARG	B	67	5.071	-58.142	-20.713	1.00	29.99	C
	ATOM	82	O	ARG	B	67	5.294	-59.034	-19.889	1.00	28.67	O
	ATOM	83	CB	ARG	B	67	2.888	-56.984	-20.363	1.00	32.28	C
	ATOM	84	CG	ARG	B	67	1.540	-56.576	-20.913	1.00	34.65	C
	ATOM	85	CD	ARG	B	67	0.926	-55.440	-20.097	1.00	36.69	C
15	ATOM	86	NE	ARG	B	67	-0.259	-54.889	-20.748	1.00	38.28	N
	ATOM	87	CZ	ARG	B	67	-1.425	-55.519	-20.853	1.00	39.05	C
	ATOM	88	NH1	ARG	B	67	-1.583	-56.734	-20.341	1.00	39.61	N
	ATOM	89	NH2	ARG	B	67	-2.434	-54.935	-21.487	1.00	39.52	N
	ATOM	90	N	GLY	B	68	6.014	-57.321	-21.165	1.00	27.75	N
20	ATOM	91	CA	GLY	B	68	7.380	-57.427	-20.685	1.00	26.79	C
	ATOM	92	C	GLY	B	68	8.166	-58.579	-21.280	1.00	25.41	C
	ATOM	93	O	GLY	B	68	9.326	-58.779	-20.943	1.00	26.04	O
	ATOM	94	N	GLY	B	102	3.556	-48.986	-35.936	1.00	20.96	N
	ATOM	95	CA	GLY	B	102	3.796	-49.357	-34.549	1.00	19.23	C
25	ATOM	96	C	GLY	B	102	4.655	-48.282	-33.918	1.00	18.45	C
	ATOM	97	O	GLY	B	102	5.765	-48.016	-34.381	1.00	18.70	O
	ATOM	98	N	MET	B	103	4.155	-47.660	-32.857	1.00	18.01	N
	ATOM	99	CA	MET	B	103	4.892	-46.597	-32.191	1.00	18.93	C
	ATOM	100	C	MET	B	103	5.612	-47.128	-30.957	1.00	18.98	C
30	ATOM	101	O	MET	B	103	6.134	-46.357	-30.158	1.00	17.96	O
	ATOM	102	CB	MET	B	103	3.928	-45.477	-31.781	1.00	20.02	C
	ATOM	103	CG	MET	B	103	3.121	-44.888	-32.944	1.00	21.61	C
	ATOM	104	SD	MET	B	103	4.212	-44.135	-34.157	1.00	23.45	S
	ATOM	105	CE	MET	B	103	4.718	-42.680	-33.271	1.00	21.40	C
35	ATOM	106	N	GLY	B	104	5.640	-48.450	-30.827	1.00	21.56	N
	ATOM	107	CA	GLY	B	104	6.275	-49.080	-29.686	1.00	21.89	C
	ATOM	108	C	GLY	B	104	5.192	-49.614	-28.764	1.00	23.28	C
	ATOM	109	O	GLY	B	104	4.009	-49.353	-28.980	1.00	22.50	O
	ATOM	110	N	GLY	B	105	5.583	-50.364	-27.741	1.00	23.01	N
40	ATOM	111	CA	GLY	B	105	4.593	-50.905	-26.827	1.00	23.54	C
	ATOM	112	C	GLY	B	105	4.358	-52.380	-27.078	1.00	23.17	C
	ATOM	113	O	GLY	B	105	4.449	-52.844	-28.214	1.00	22.69	O
	ATOM	114	N	TYR	B	106	4.018	-53.118	-26.026	1.00	22.87	N
	ATOM	115	CA	TYR	B	106	3.818	-54.554	-26.159	1.00	22.37	C
45	ATOM	116	C	TYR	B	106	2.719	-55.018	-27.100	1.00	20.52	C
	ATOM	117	O	TYR	B	106	2.867	-56.052	-27.746	1.00	20.50	O
	ATOM	118	CB	TYR	B	106	3.632	-55.181	-24.774	1.00	25.08	C
	ATOM	119	CG	TYR	B	106	4.864	-55.008	-23.929	1.00	28.19	C
	ATOM	120	CD1	TYR	B	106	4.869	-54.153	-22.830	1.00	31.96	C

5	ATOM	121	CD2	TYR	B	106	6.058	-55.631	-24.282	1.00	31.27	C
	ATOM	122	CE1	TYR	B	106	6.043	-53.915	-22.108	1.00	33.13	C
	ATOM	123	CE2	TYR	B	106	7.234	-55.400	-23.569	1.00	32.27	C
	ATOM	124	CZ	TYR	B	106	7.219	-54.541	-22.487	1.00	33.19	C
	ATOM	125	OH	TYR	B	106	8.388	-54.291	-21.802	1.00	35.95	O
10	ATOM	126	N	VAL	B	107	1.628	-54.270	-27.205	1.00	19.06	N
	ATOM	127	CA	VAL	B	107	0.557	-54.694	-28.099	1.00	18.06	C
	ATOM	128	C	VAL	B	107	1.015	-54.743	-29.559	1.00	17.45	C
	ATOM	129	O	VAL	B	107	0.502	-55.536	-30.346	1.00	16.99	O
	ATOM	130	CB	VAL	B	107	-0.690	-53.774	-27.978	1.00	20.95	C
15	ATOM	131	CG1	VAL	B	107	-0.407	-52.407	-28.589	1.00	21.39	C
	ATOM	132	CG2	VAL	B	107	-1.879	-54.433	-28.658	1.00	21.30	C
	ATOM	133	N	SER	B	108	1.991	-53.916	-29.918	1.00	17.96	N
	ATOM	134	CA	SER	B	108	2.488	-53.892	-31.290	1.00	19.67	C
	ATOM	135	C	SER	B	108	3.197	-55.187	-31.694	1.00	20.38	C
20	ATOM	136	O	SER	B	108	3.385	-55.449	-32.884	1.00	21.25	O
	ATOM	137	CB	SER	B	108	3.424	-52.691	-31.508	1.00	19.56	C
	ATOM	138	OG	SER	B	108	4.666	-52.824	-30.837	1.00	19.63	O
	ATOM	139	N	GLY	B	109	3.595	-55.995	-30.710	1.00	19.59	N
	ATOM	140	CA	GLY	B	109	4.251	-57.256	-31.023	1.00	20.03	C
25	ATOM	141	C	GLY	B	109	3.311	-58.170	-31.792	1.00	19.61	C
	ATOM	142	O	GLY	B	109	3.579	-58.517	-32.940	1.00	19.24	O
	ATOM	143	N	PRO	B	110	2.206	-58.606	-31.173	1.00	19.20	N
	ATOM	144	CA	PRO	B	110	1.251	-59.478	-31.855	1.00	18.99	C
	ATOM	145	C	PRO	B	110	0.651	-58.761	-33.075	1.00	19.22	C
30	ATOM	146	O	PRO	B	110	0.406	-59.371	-34.116	1.00	17.13	O
	ATOM	147	CB	PRO	B	110	0.198	-59.737	-30.778	1.00	20.41	C
	ATOM	148	CG	PRO	B	110	0.998	-59.720	-29.515	1.00	19.81	C
	ATOM	149	CD	PRO	B	110	1.914	-58.528	-29.729	1.00	19.94	C
	ATOM	150	N	HIS	B	125	8.182	-46.638	-35.447	1.00	21.40	N
35	ATOM	151	CA	HIS	B	125	8.814	-45.413	-34.981	1.00	21.42	C
	ATOM	152	C	HIS	B	125	9.196	-45.642	-33.519	1.00	21.70	C
	ATOM	153	O	HIS	B	125	8.378	-46.117	-32.725	1.00	19.81	O
	ATOM	154	CB	HIS	B	125	7.858	-44.218	-35.067	1.00	21.57	C
	ATOM	155	CG	HIS	B	125	8.432	-42.948	-34.511	1.00	23.73	C
40	ATOM	156	ND1	HIS	B	125	9.274	-42.127	-35.236	1.00	26.23	N
	ATOM	157	CD2	HIS	B	125	8.300	-42.368	-33.295	1.00	22.15	C
	ATOM	158	CE1	HIS	B	125	9.631	-41.095	-34.490	1.00	24.20	C
	ATOM	159	NE2	HIS	B	125	9.054	-41.218	-33.307	1.00	26.07	N
	ATOM	160	N	GLU	B	126	10.444	-45.332	-33.186	1.00	21.20	N
45	ATOM	161	CA	GLU	B	126	10.947	-45.452	-31.817	1.00	22.15	C
	ATOM	162	C	GLU	B	126	11.205	-44.027	-31.326	1.00	21.93	C
	ATOM	163	O	GLU	B	126	12.016	-43.300	-31.908	1.00	21.33	O
	ATOM	164	CB	GLU	B	126	12.252	-46.246	-31.790	1.00	21.99	C
	ATOM	165	CG	GLU	B	126	12.958	-46.206	-30.439	1.00	22.04	C

5	ATOM	166	CD	GLU	B	126	12.119	-46.824	-29.338	1.00	21.43	C
	ATOM	167	OE1	GLU	B	126	11.767	-48.014	-29.471	1.00	21.92	O
	ATOM	168	OE2	GLU	B	126	11.807	-46.124	-28.349	1.00	21.08	O
	ATOM	169	N	GLN	B	127	10.520	-43.624	-30.259	1.00	22.62	N
	ATOM	170	CA	GLN	B	127	10.682	-42.270	-29.735	1.00	22.81	C
10	ATOM	171	C	GLN	B	127	11.874	-42.087	-28.809	1.00	22.39	C
	ATOM	172	O	GLN	B	127	12.399	-40.976	-28.682	1.00	22.43	O
	ATOM	173	CB	GLN	B	127	9.414	-41.814	-28.989	1.00	23.56	C
	ATOM	174	CG	GLN	B	127	8.147	-41.783	-29.830	1.00	24.46	C
	ATOM	175	CD	GLN	B	127	7.312	-43.041	-29.687	1.00	25.85	C
15	ATOM	176	OE1	GLN	B	127	6.842	-43.366	-28.591	1.00	23.78	O
	ATOM	177	NE2	GLN	B	127	7.119	-43.758	-30.797	1.00	24.91	N
	ATOM	178	N	ASN	B	128	12.314	-43.173	-28.177	1.00	22.35	N
	ATOM	179	CA	ASN	B	128	13.406	-43.097	-27.216	1.00	22.96	C
	ATOM	180	C	ASN	B	128	14.824	-43.314	-27.742	1.00	23.87	C
20	ATOM	181	O	ASN	B	128	15.026	-43.856	-28.830	1.00	24.05	O
	ATOM	182	CB	ASN	B	128	13.136	-44.080	-26.064	1.00	22.85	C
	ATOM	183	CG	ASN	B	128	11.742	-43.919	-25.474	1.00	23.25	C
	ATOM	184	OD1	ASN	B	128	10.804	-44.632	-25.848	1.00	26.04	O
	ATOM	185	ND2	ASN	B	128	11.597	-42.975	-24.556	1.00	22.68	N
25	ATOM	186	N	GLY	B	132	12.851	-49.814	-27.506	1.00	24.52	N
	ATOM	187	CA	GLY	B	132	12.007	-50.532	-26.568	1.00	24.05	C
	ATOM	188	C	GLY	B	132	12.150	-52.019	-26.831	1.00	23.35	C
	ATOM	189	O	GLY	B	132	12.582	-52.419	-27.904	1.00	22.89	O
	ATOM	190	N	LEU	B	133	11.788	-52.846	-25.860	1.00	23.38	N
30	ATOM	191	CA	LEU	B	133	11.903	-54.293	-26.020	1.00	24.54	C
	ATOM	192	C	LEU	B	133	11.209	-54.833	-27.276	1.00	22.84	C
	ATOM	193	O	LEU	B	133	11.784	-55.619	-28.027	1.00	21.86	O
	ATOM	194	CB	LEU	B	133	11.328	-54.996	-24.786	1.00	25.48	C
	ATOM	195	CG	LEU	B	133	11.388	-56.527	-24.780	1.00	27.50	C
35	ATOM	196	CD1	LEU	B	133	12.840	-56.984	-24.866	1.00	28.69	C
	ATOM	197	CD2	LEU	B	133	10.735	-57.059	-23.509	1.00	28.04	C
	ATOM	198	N	THR	B	134	9.975	-54.401	-27.499	1.00	21.72	N
	ATOM	199	CA	THR	B	134	9.202	-54.860	-28.639	1.00	21.22	C
	ATOM	200	C	THR	B	134	9.693	-54.326	-29.986	1.00	20.62	C
40	ATOM	201	O	THR	B	134	9.843	-55.091	-30.932	1.00	20.33	O
	ATOM	202	CB	THR	B	134	7.716	-54.509	-28.449	1.00	20.99	C
	ATOM	203	OG1	THR	B	134	7.257	-55.075	-27.210	1.00	20.94	O
	ATOM	204	CG2	THR	B	134	6.872	-55.073	-29.600	1.00	20.64	C
	ATOM	205	N	ASN	B	135	9.932	-53.021	-30.075	1.00	21.24	N
45	ATOM	206	CA	ASN	B	135	10.407	-52.419	-31.324	1.00	20.50	C
	ATOM	207	C	ASN	B	135	11.724	-53.064	-31.767	1.00	20.78	C
	ATOM	208	O	ASN	B	135	11.945	-53.290	-32.953	1.00	20.41	O
	ATOM	209	CB	ASN	B	135	10.637	-50.911	-31.142	1.00	19.58	C
	ATOM	210	CG	ASN	B	135	9.457	-50.058	-31.597	1.00	19.93	C

	ATOM	211	OD1	ASN	B	135	9.454	-48.837	-31.390	1.00	21.78	O
	ATOM	212	ND2	ASN	B	135	8.467	-50.677	-32.219	1.00	17.21	N
	ATOM	213	N	LEU	B	138	10.741	-56.381	-33.386	1.00	21.61	N
	ATOM	214	CA	LEU	B	138	9.744	-56.188	-34.431	1.00	23.15	C
5	ATOM	215	C	LEU	B	138	10.384	-55.558	-35.676	1.00	23.07	C
	ATOM	216	O	LEU	B	138	9.958	-55.801	-36.809	1.00	22.68	O
	ATOM	217	CB	LEU	B	138	8.618	-55.305	-33.886	1.00	23.87	C
	ATOM	218	CG	LEU	B	138	7.312	-55.155	-34.664	1.00	26.48	C
	ATOM	219	CD1	LEU	B	138	6.672	-56.508	-34.915	1.00	25.34	C
10	ATOM	220	CD2	LEU	B	138	6.383	-54.267	-33.851	1.00	25.90	C
	TER											

TABLE 6 ATOMIC COORDINATES OF MEMBRANE ASSOCIATION SITE

REMARK	4	1MUR COMPLIES WITH FORMAT V. 2.0, 11-MAY-2000								
	ATOM	1	N	MET	B	12	-0.734	-48.902	-33.817	1.00 23.68 N
5	ATOM	2	CA	MET	B	12	-0.523	-49.707	-32.613	1.00 24.54 C
	ATOM	3	C	MET	B	12	0.361	-48.840	-31.720	1.00 25.31 C
	ATOM	4	O	MET	B	12	1.546	-48.645	-32.006	1.00 23.88 O
	ATOM	5	CB	MET	B	12	0.192	-51.019	-32.971	1.00 24.28 C
	ATOM	6	CG	MET	B	12	-0.402	-51.726	-34.188	1.00 25.19 C
10	ATOM	7	SD	MET	B	12	0.399	-53.284	-34.669	1.00 26.54 S
	ATOM	8	CE	MET	B	12	1.990	-52.691	-35.289	1.00 22.99 C
	ATOM	9	N	LEU	B	40	-5.323	-50.004	-32.549	1.00 25.21 N
	ATOM	10	CA	LEU	B	40	-5.200	-51.364	-32.026	1.00 24.71 C
	ATOM	11	C	LEU	B	40	-4.535	-51.235	-30.655	1.00 23.33 C
15	ATOM	12	O	LEU	B	40	-3.387	-50.824	-30.563	1.00 23.43 O
	ATOM	13	CB	LEU	B	40	-4.326	-52.221	-32.952	1.00 25.21 C
	ATOM	14	CG	LEU	B	40	-4.416	-53.754	-32.868	1.00 26.95 C
	ATOM	15	CD1	LEU	B	40	-3.037	-54.334	-32.571	1.00 27.63 C
	ATOM	16	CD2	LEU	B	40	-5.421	-54.179	-31.817	1.00 26.69 C
20	ATOM	17	N	ILE	B	61	-7.271	-56.229	-28.295	1.00 29.38 N
	ATOM	18	CA	ILE	B	61	-6.832	-57.616	-28.269	1.00 28.55 C
	ATOM	19	C	ILE	B	61	-6.344	-57.855	-26.848	1.00 29.13 C
	ATOM	20	O	ILE	B	61	-6.124	-56.906	-26.091	1.00 28.80 O
	ATOM	21	CB	ILE	B	61	-5.674	-57.923	-29.258	1.00 28.48 C
25	ATOM	22	CG1	ILE	B	61	-4.422	-57.126	-28.892	1.00 26.70 C
	ATOM	23	CG2	ILE	B	61	-6.123	-57.650	-30.694	1.00 27.65 C
	ATOM	24	CD1	ILE	B	61	-3.177	-57.615	-29.638	1.00 27.03 C
	ATOM	25	N	ARG	B	62	-6.186	-59.116	-26.473	1.00 29.38 N
	ATOM	26	CA	ARG	B	62	-5.709	-59.416	-25.133	1.00 30.76 C
30	ATOM	27	C	ARG	B	62	-4.274	-59.923	-25.156	1.00 29.32 C
	ATOM	28	O	ARG	B	62	-3.933	-60.809	-25.934	1.00 28.65 O
	ATOM	29	CB	ARG	B	62	-6.630	-60.447	-24.461	1.00 32.36 C
	ATOM	30	CG	ARG	B	62	-6.130	-60.955	-23.114	1.00 35.99 C
	ATOM	31	CD	ARG	B	62	-5.438	-59.859	-22.311	1.00 37.86 C
35	ATOM	32	NE	ARG	B	62	-6.297	-58.718	-22.004	1.00 40.01 N
	ATOM	33	CZ	ARG	B	62	-5.840	-57.504	-21.711	1.00 39.09 C
	ATOM	34	NH1	ARG	B	62	-4.536	-57.275	-21.690	1.00 39.24 N
	ATOM	35	NH2	ARG	B	62	-6.686	-56.518	-21.439	1.00 40.03 N
	ATOM	36	N	ILE	B	63	-3.428	-59.342	-24.313	1.00 30.07 N
40	ATOM	37	CA	ILE	B	63	-2.036	-59.770	-24.231	1.00 31.38 C
	ATOM	38	C	ILE	B	63	-1.623	-59.981	-22.775	1.00 33.08 C
	ATOM	39	O	ILE	B	63	-0.444	-59.872	-22.430	1.00 33.21 O
	ATOM	40	CB	ILE	B	63	-1.081	-58.745	-24.883	1.00 30.06 C
	ATOM	41	CG1	ILE	B	63	-1.143	-57.411	-24.137	1.00 29.94 C

	ATOM	42	CG2	ILE	B	63	-1.442	-58.567	-26.353	1.00	30.41	C
	ATOM	43	CD1	ILE	B	63	-0.128	-56.384	-24.632	1.00	29.62	C
	ATOM	44	N	SER	B	64	-2.603	-60.284	-21.927	1.00	35.38	N
	ATOM	45	CA	SER	B	64	-2.356	-60.520	-20.505	1.00	37.51	C
5	ATOM	46	C	SER	B	64	-1.326	-61.622	-20.311	1.00	37.32	C
	ATOM	47	O	SER	B	64	-1.411	-62.682	-20.933	1.00	37.86	O
	ATOM	48	CB	SER	B	64	-3.652	-60.912	-19.792	1.00	38.82	C
	ATOM	49	OG	SER	B	64	-4.558	-59.823	-19.750	1.00	42.88	O
	ATOM	50	N	GLY	B	65	-0.356	-61.370	-19.441	1.00	37.81	N
10	ATOM	51	CA	GLY	B	65	0.679	-62.355	-19.199	1.00	37.13	C
	ATOM	52	C	GLY	B	65	1.798	-62.283	-20.226	1.00	36.76	C
	ATOM	53	O	GLY	B	65	2.858	-62.889	-20.038	1.00	37.57	O
	ATOM	54	N	LEU	B	66	1.577	-61.539	-21.307	1.00	34.63	N
	ATOM	55	CA	LEU	B	66	2.591	-61.413	-22.355	1.00	33.17	C
15	ATOM	56	C	LEU	B	66	3.414	-60.133	-22.246	1.00	32.72	C
	ATOM	57	O	LEU	B	66	4.451	-60.002	-22.893	1.00	33.13	O
	ATOM	58	CB	LEU	B	66	1.936	-61.470	-23.735	1.00	32.08	C
	ATOM	59	CG	LEU	B	66	1.162	-62.747	-24.061	1.00	32.52	C
	ATOM	60	CD1	LEU	B	66	0.563	-62.626	-25.445	1.00	31.38	C
20	ATOM	61	CD2	LEU	B	66	2.093	-63.957	-23.984	1.00	31.67	C
	ATOM	62	N	ARG	B	67	2.953	-59.185	-21.440	1.00	31.54	N
	ATOM	63	CA	ARG	B	67	3.671	-57.928	-21.277	1.00	30.90	C
	ATOM	64	C	ARG	B	67	5.071	-58.142	-20.713	1.00	29.99	C
	ATOM	65	O	ARG	B	67	5.294	-59.034	-19.889	1.00	28.67	O
25	ATOM	66	CB	ARG	B	67	2.888	-56.984	-20.363	1.00	32.28	C
	ATOM	67	CG	ARG	B	67	1.540	-56.576	-20.913	1.00	34.65	C
	ATOM	68	CD	ARG	B	67	0.926	-55.440	-20.097	1.00	36.69	C
	ATOM	69	NE	ARG	B	67	-0.259	-54.889	-20.748	1.00	38.28	N
	ATOM	70	CZ	ARG	B	67	-1.425	-55.519	-20.853	1.00	39.05	C
30	ATOM	71	NH1	ARG	B	67	-1.583	-56.734	-20.341	1.00	39.61	N
	ATOM	72	NH2	ARG	B	67	-2.434	-54.935	-21.487	1.00	39.52	N
	ATOM	73	N	GLY	B	68	6.014	-57.321	-21.165	1.00	27.75	N
	ATOM	74	CA	GLY	B	68	7.380	-57.427	-20.685	1.00	26.79	C
	ATOM	75	C	GLY	B	68	8.166	-58.579	-21.280	1.00	25.41	C
35	ATOM	76	O	GLY	B	68	9.326	-58.779	-20.943	1.00	26.04	O
	ATOM	77	N	LYS	B	69	7.546	-59.342	-22.170	1.00	24.55	N
	ATOM	78	CA	LYS	B	69	8.238	-60.463	-22.796	1.00	23.93	C
	ATOM	79	C	LYS	B	69	8.825	-60.062	-24.142	1.00	23.32	C
	ATOM	80	O	LYS	B	69	8.151	-59.404	-24.944	1.00	21.96	O
40	ATOM	81	CB	LYS	B	69	7.284	-61.641	-23.033	1.00	24.12	C
	ATOM	82	CG	LYS	B	69	6.757	-62.360	-21.794	1.00	25.08	C
	ATOM	83	CD	LYS	B	69	5.887	-63.553	-22.224	1.00	25.44	C
	ATOM	84	CE	LYS	B	69	5.357	-64.358	-21.035	1.00	28.31	C
	ATOM	85	NZ	LYS	B	69	6.468	-64.877	-20.175	1.00	29.71	N
45	ATOM	86	N	GLY	B	70	10.075	-60.470	-24.374	1.00	22.48	N

	ATOM	87	CA	GLY	B	70	10.755	-60.229	-25.636	1.00	22.26	C
	ATOM	88	C	GLY	B	70	10.308	-61.337	-26.588	1.00	22.17	C
	ATOM	89	O	GLY	B	70	9.512	-62.183	-26.195	1.00	21.62	O
	ATOM	90	N	ILE	B	71	10.819	-61.373	-27.814	1.00	21.85	N
5	ATOM	91	CA	ILE	B	71	10.357	-62.386	-28.762	1.00	23.55	C
	ATOM	92	C	ILE	B	71	10.616	-63.840	-28.359	1.00	23.88	C
	ATOM	93	O	ILE	B	71	9.775	-64.707	-28.592	1.00	21.66	O
	ATOM	94	CB	ILE	B	71	10.926	-62.142	-30.181	1.00	23.52	C
	ATOM	95	CG1	ILE	B	71	10.264	-63.096	-31.182	1.00	24.18	C
10	ATOM	96	CG2	ILE	B	71	12.435	-62.375	-30.192	1.00	25.96	C
	ATOM	97	CD1	ILE	B	71	8.745	-62.981	-31.263	1.00	25.73	C
	ATOM	98	N	LYS	B	72	11.764	-64.119	-27.751	1.00	23.82	N
	ATOM	99	CA	LYS	B	72	12.038	-65.491	-27.343	1.00	24.92	C
	ATOM	100	C	LYS	B	72	11.068	-65.925	-26.245	1.00	23.73	C
15	ATOM	101	O	LYS	B	72	10.592	-67.062	-26.245	1.00	24.08	O
	ATOM	102	CB	LYS	B	72	13.491	-65.634	-26.875	1.00	26.86	C
	ATOM	103	CG	LYS	B	72	14.496	-65.590	-28.019	1.00	31.29	C
	ATOM	104	CD	LYS	B	72	15.925	-65.791	-27.518	1.00	36.00	C
	ATOM	105	CE	LYS	B	72	16.926	-65.816	-28.671	1.00	38.82	C
20	ATOM	106	NZ	LYS	B	72	18.342	-65.957	-28.192	1.00	41.21	N
	ATOM	107	N	ALA	B	73	10.765	-65.016	-25.322	1.00	21.62	N
	ATOM	108	CA	ALA	B	73	9.839	-65.306	-24.233	1.00	21.18	C
	ATOM	109	C	ALA	B	73	8.412	-65.454	-24.771	1.00	20.36	C
	ATOM	110	O	ALA	B	73	7.619	-66.250	-24.267	1.00	18.97	O
25	ATOM	111	CB	ALA	B	73	9.895	-64.196	-23.187	1.00	22.25	C
	ATOM	112	N	LEU	B	74	8.076	-64.673	-25.791	1.00	20.23	N
	ATOM	113	CA	LEU	B	74	6.745	-64.762	-26.387	1.00	19.36	C
	ATOM	114	C	LEU	B	74	6.549	-66.110	-27.069	1.00	19.37	C
	ATOM	115	O	LEU	B	74	5.539	-66.779	-26.863	1.00	20.01	O
30	ATOM	116	CB	LEU	B	74	6.540	-63.643	-27.417	1.00	18.42	C
	ATOM	117	CG	LEU	B	74	6.422	-62.208	-26.884	1.00	18.80	C
	ATOM	118	CD1	LEU	B	74	6.473	-61.197	-28.039	1.00	19.86	C
	ATOM	119	CD2	LEU	B	74	5.109	-62.071	-26.104	1.00	19.45	C
	ATOM	120	N	ILE	B	75	7.520	-66.507	-27.883	1.00	20.59	N
35	ATOM	121	CA	ILE	B	75	7.434	-67.768	-28.601	1.00	21.18	C
	ATOM	122	C	ILE	B	75	7.488	-68.942	-27.624	1.00	21.20	C
	ATOM	123	O	ILE	B	75	7.125	-70.063	-27.979	1.00	21.59	O
	ATOM	124	CB	ILE	B	75	8.571	-67.896	-29.641	1.00	22.95	C
	ATOM	125	CG1	ILE	B	75	8.598	-66.657	-30.540	1.00	26.82	C
40	ATOM	126	CG2	ILE	B	75	8.334	-69.108	-30.527	1.00	25.38	C
	ATOM	127	CD1	ILE	B	75	7.304	-66.442	-31.327	1.00	28.48	C
	ATOM	128	N	ALA	B	76	7.940	-68.680	-26.399	1.00	20.49	N
	ATOM	129	CA	ALA	B	76	7.996	-69.726	-25.374	1.00	21.72	C
	ATOM	130	C	ALA	B	76	6.624	-69.904	-24.732	1.00	21.54	C
45	ATOM	131	O	ALA	B	76	6.441	-70.778	-23.875	1.00	20.75	O

	ATOM	177	CG	PHE	B	82	-1.811	-69.548	-32.368	1.00	19.87	C
	ATOM	178	CD1	PHE	B	82	-1.180	-69.602	-33.603	1.00	20.87	C
	ATOM	179	CD2	PHE	B	82	-3.154	-69.898	-32.289	1.00	21.11	C
	ATOM	180	CE1	PHE	B	82	-1.872	-70.002	-34.753	1.00	21.20	C
5	ATOM	181	CE2	PHE	B	82	-3.857	-70.297	-33.429	1.00	22.26	C
	ATOM	182	CZ	PHE	B	82	-3.212	-70.349	-34.663	1.00	22.14	C
	ATOM	183	N	ASN	B	83	-2.832	-66.923	-29.764	1.00	19.29	N
	ATOM	184	CA	ASN	B	83	-4.150	-66.332	-29.577	1.00	20.90	C
	ATOM	185	C	ASN	B	83	-4.178	-64.821	-29.812	1.00	20.83	C
10	ATOM	186	O	ASN	B	83	-5.086	-64.316	-30.472	1.00	21.92	O
	ATOM	187	CB	ASN	B	83	-4.693	-66.641	-28.178	1.00	20.55	C
	ATOM	188	CG	ASN	B	83	-6.158	-66.244	-28.028	1.00	22.79	C
	ATOM	189	OD1	ASN	B	83	-6.505	-65.374	-27.229	1.00	25.14	O
	ATOM	190	ND2	ASN	B	83	-7.018	-66.877	-28.807	1.00	20.47	N
15	ATOM	191	N	ALA	B	84	-3.203	-64.092	-29.275	1.00	19.74	N
	ATOM	192	CA	ALA	B	84	-3.177	-62.647	-29.484	1.00	19.30	C
	ATOM	193	C	ALA	B	84	-2.967	-62.380	-30.981	1.00	19.94	C
	ATOM	194	O	ALA	B	84	-3.561	-61.459	-31.552	1.00	19.69	O
	ATOM	195	CB	ALA	B	84	-2.060	-62.008	-28.662	1.00	18.59	C
20	ATOM	196	N	TRP	B	85	-2.118	-63.197	-31.603	1.00	19.77	N
	ATOM	197	CA	TRP	B	85	-1.820	-63.111	-33.032	1.00	20.56	C
	ATOM	198	C	TRP	B	85	-3.090	-63.354	-33.865	1.00	21.76	C
	ATOM	199	O	TRP	B	85	-3.339	-62.658	-34.859	1.00	20.40	O
	ATOM	200	CB	TRP	B	85	-0.754	-64.148	-33.396	1.00	21.46	C
25	ATOM	201	CG	TRP	B	85	-0.365	-64.167	-34.856	1.00	23.00	C
	ATOM	202	CD1	TRP	B	85	0.301	-63.189	-35.548	1.00	23.17	C
	ATOM	203	CD2	TRP	B	85	-0.588	-65.232	-35.785	1.00	23.69	C
	ATOM	204	NE1	TRP	B	85	0.509	-63.585	-36.848	1.00	24.28	N
	ATOM	205	CE2	TRP	B	85	-0.024	-64.835	-37.022	1.00	24.14	C
30	ATOM	206	CE3	TRP	B	85	-1.206	-66.486	-35.693	1.00	24.79	C
	ATOM	207	CZ2	TRP	B	85	-0.060	-65.650	-38.160	1.00	24.90	C
	ATOM	208	CZ3	TRP	B	85	-1.243	-67.299	-36.827	1.00	25.45	C
	ATOM	209	CH2	TRP	B	85	-0.671	-66.875	-38.045	1.00	25.15	C
	ATOM	210	N	ARG	B	86	-3.885	-64.346	-33.467	1.00	22.03	N
35	ATOM	211	CA	ARG	B	86	-5.140	-64.660	-34.166	1.00	23.28	C
	ATOM	212	C	ARG	B	86	-6.151	-63.517	-34.007	1.00	22.98	C
	ATOM	213	O	ARG	B	86	-6.890	-63.195	-34.942	1.00	21.37	O
	ATOM	214	CB	ARG	B	86	-5.754	-65.965	-33.623	1.00	24.72	C
	ATOM	215	CG	ARG	B	86	-4.999	-67.236	-34.021	1.00	27.21	C
40	ATOM	216	CD	ARG	B	86	-5.368	-67.725	-35.418	1.00	29.60	C
	ATOM	217	NE	ARG	B	86	-6.626	-68.477	-35.422	1.00	31.45	N
	ATOM	218	CZ	ARG	B	86	-7.185	-69.004	-36.508	1.00	31.37	C
	ATOM	219	NH1	ARG	B	86	-6.607	-68.862	-37.696	1.00	32.19	N
	ATOM	220	NH2	ARG	B	86	-8.314	-69.694	-36.405	1.00	31.39	N
45	ATOM	221	N	GLN	B	87	-6.190	-62.916	-32.821	1.00	22.90	N

5	ATOM	222	CA	GLN	B	87	-7.101	-61.802	-32.567	1.00	24.07	C
	ATOM	223	C	GLN	B	87	-6.738	-60.618	-33.457	1.00	23.85	C
	ATOM	224	O	GLN	B	87	-7.613	-60.012	-34.077	1.00	24.02	O
	ATOM	225	CB	GLN	B	87	-7.046	-61.382	-31.097	1.00	24.33	C
	ATOM	226	CG	GLN	B	87	-7.873	-62.280	-30.187	1.00	27.24	C
10	ATOM	227	CD	GLN	B	87	-7.720	-61.943	-28.723	1.00	28.81	C
	ATOM	228	OE1	GLN	B	87	-8.567	-62.296	-27.908	1.00	33.25	O
	ATOM	229	NE2	GLN	B	87	-6.632	-61.275	-28.375	1.00	29.95	N
	ATOM	230	N	ALA	B	88	-5.449	-60.293	-33.521	1.00	23.39	N
	ATOM	231	CA	ALA	B	88	-4.996	-59.183	-34.355	1.00	23.78	C
15	ATOM	232	C	ALA	B	88	-5.257	-59.485	-35.831	1.00	24.73	C
	ATOM	233	O	ALA	B	88	-5.655	-58.595	-36.592	1.00	24.72	O
	ATOM	234	CB	ALA	B	88	-3.508	-58.909	-34.116	1.00	23.33	C
	ATOM	235	N	ARG	B	89	-5.038	-60.735	-36.244	1.00	24.26	N
	ATOM	236	CA	ARG	B	89	-5.285	-61.111	-37.636	1.00	24.94	C
20	ATOM	237	C	ARG	B	89	-6.752	-60.909	-38.013	1.00	25.29	C
	ATOM	238	O	ARG	B	89	-7.056	-60.420	-39.104	1.00	24.27	O
	ATOM	239	CB	ARG	B	89	-4.904	-62.575	-37.893	1.00	25.14	C
	ATOM	240	CG	ARG	B	89	-3.461	-62.774	-38.353	1.00	24.54	C
	ATOM	241	CD	ARG	B	89	-3.142	-64.253	-38.510	1.00	25.50	C
25	ATOM	242	NE	ARG	B	89	-3.809	-64.901	-39.641	1.00	24.93	N
	ATOM	243	CZ	ARG	B	89	-3.329	-64.930	-40.882	1.00	25.90	C
	ATOM	244	NH1	ARG	B	89	-2.178	-64.336	-41.170	1.00	25.98	N
	ATOM	245	NH2	ARG	B	89	-3.979	-65.596	-41.831	1.00	26.36	N
	ATOM	246	N	GLY	B	105	5.583	-50.364	-27.741	1.00	23.01	N
30	ATOM	247	CA	GLY	B	105	4.593	-50.905	-26.827	1.00	23.54	C
	ATOM	248	C	GLY	B	105	4.358	-52.380	-27.078	1.00	23.17	C
	ATOM	249	O	GLY	B	105	4.449	-52.844	-28.214	1.00	22.69	O
	ATOM	250	N	TYR	B	106	4.018	-53.118	-26.026	1.00	22.87	N
	ATOM	251	CA	TYR	B	106	3.818	-54.554	-26.159	1.00	22.37	C
35	ATOM	252	C	TYR	B	106	2.719	-55.018	-27.100	1.00	20.52	C
	ATOM	253	O	TYR	B	106	2.867	-56.052	-27.746	1.00	20.50	O
	ATOM	254	CB	TYR	B	106	3.632	-55.181	-24.774	1.00	25.08	C
	ATOM	255	CG	TYR	B	106	4.864	-55.008	-23.929	1.00	28.19	C
	ATOM	256	CD1	TYR	B	106	4.869	-54.153	-22.830	1.00	31.96	C
40	ATOM	257	CD2	TYR	B	106	6.058	-55.631	-24.282	1.00	31.27	C
	ATOM	258	CE1	TYR	B	106	6.043	-53.915	-22.108	1.00	33.13	C
	ATOM	259	CE2	TYR	B	106	7.234	-55.400	-23.569	1.00	32.27	C
	ATOM	260	CZ	TYR	B	106	7.219	-54.541	-22.487	1.00	33.19	C
	ATOM	261	OH	TYR	B	106	8.388	-54.291	-21.802	1.00	35.95	O
45	ATOM	262	N	VAL	B	107	1.628	-54.270	-27.205	1.00	19.06	N
	ATOM	263	CA	VAL	B	107	0.557	-54.694	-28.099	1.00	18.06	C
	ATOM	264	C	VAL	B	107	1.015	-54.743	-29.559	1.00	17.45	C
	ATOM	265	O	VAL	B	107	0.502	-55.536	-30.346	1.00	16.99	O
	ATOM	266	CB	VAL	B	107	-0.690	-53.774	-27.978	1.00	20.95	C

	ATOM	267	CG1	VAL	B	107	-0.407	-52.407	-28.589	1.00	21.39	C
	ATOM	268	CG2	VAL	B	107	-1.879	-54.433	-28.658	1.00	21.30	C
	ATOM	269	N	SER	B	108	1.991	-53.916	-29.918	1.00	17.96	N
	ATOM	270	CA	SER	B	108	2.488	-53.892	-31.290	1.00	19.67	C
5	ATOM	271	C	SER	B	108	3.197	-55.187	-31.694	1.00	20.38	C
	ATOM	272	O	SER	B	108	3.385	-55.449	-32.884	1.00	21.25	O
	ATOM	273	CB	SER	B	108	3.424	-52.691	-31.508	1.00	19.56	C
	ATOM	274	OG	SER	B	108	4.666	-52.824	-30.837	1.00	19.63	O
	ATOM	275	N	GLY	B	109	3.595	-55.995	-30.710	1.00	19.59	N
10	ATOM	276	CA	GLY	B	109	4.251	-57.256	-31.023	1.00	20.03	C
	ATOM	277	C	GLY	B	109	3.311	-58.170	-31.792	1.00	19.61	C
	ATOM	278	O	GLY	B	109	3.579	-58.517	-32.940	1.00	19.24	O
	ATOM	279	N	PRO	B	110	2.206	-58.606	-31.173	1.00	19.20	N
	ATOM	280	CA	PRO	B	110	1.251	-59.478	-31.855	1.00	18.99	C
15	ATOM	281	C	PRO	B	110	0.651	-58.761	-33.075	1.00	19.22	C
	ATOM	282	O	PRO	B	110	0.406	-59.371	-34.116	1.00	17.13	O
	ATOM	283	CB	PRO	B	110	0.198	-59.737	-30.778	1.00	20.41	C
	ATOM	284	CG	PRO	B	110	0.998	-59.720	-29.515	1.00	19.81	C
	ATOM	285	CD	PRO	B	110	1.914	-58.528	-29.729	1.00	19.94	C
20	ATOM	286	N	GLY	B	111	0.407	-57.462	-32.927	1.00	19.03	N
	ATOM	287	CA	GLY	B	111	-0.160	-56.702	-34.025	1.00	19.60	C
	ATOM	288	C	GLY	B	111	0.764	-56.714	-35.226	1.00	19.59	C
	ATOM	289	O	GLY	B	111	0.330	-56.979	-36.339	1.00	21.10	O
	ATOM	290	N	GLY	B	112	2.043	-56.429	-34.995	1.00	19.78	N
25	ATOM	291	CA	GLY	B	112	3.014	-56.417	-36.074	1.00	19.97	C
	ATOM	292	C	GLY	B	112	3.147	-57.783	-36.724	1.00	20.43	C
	ATOM	293	O	GLY	B	112	3.233	-57.896	-37.949	1.00	19.94	O
	ATOM	294	N	LEU	B	113	3.167	-58.828	-35.903	1.00	19.26	N
	ATOM	295	CA	LEU	B	113	3.265	-60.184	-36.429	1.00	19.49	C
30	ATOM	296	C	LEU	B	113	2.040	-60.521	-37.274	1.00	18.73	C
	ATOM	297	O	LEU	B	113	2.143	-61.252	-38.255	1.00	18.44	O
	ATOM	298	CB	LEU	B	113	3.405	-61.198	-35.289	1.00	18.38	C
	ATOM	299	CG	LEU	B	113	4.777	-61.270	-34.605	1.00	20.59	C
	ATOM	300	CD1	LEU	B	113	4.656	-62.059	-33.311	1.00	20.01	C
35	ATOM	301	CD2	LEU	B	113	5.794	-61.914	-35.538	1.00	20.23	C
	ATOM	302	N	ALA	B	114	0.875	-60.010	-36.892	1.00	18.96	N
	ATOM	303	CA	ALA	B	114	-0.334	-60.292	-37.661	1.00	18.70	C
	ATOM	304	C	ALA	B	114	-0.288	-59.578	-39.019	1.00	19.30	C
	ATOM	305	O	ALA	B	114	-0.602	-60.167	-40.052	1.00	20.62	O
40	ATOM	306	CB	ALA	B	114	-1.562	-59.855	-36.889	1.00	16.45	C
	ATOM	307	N	ALA	B	115	0.082	-58.303	-39.000	1.00	20.57	N
	ATOM	308	CA	ALA	B	115	0.167	-57.516	-40.229	1.00	21.84	C
	ATOM	309	C	ALA	B	115	1.140	-58.192	-41.189	1.00	21.58	C
	ATOM	310	O	ALA	B	115	0.815	-58.464	-42.345	1.00	22.14	O
45	ATOM	311	CB	ALA	B	115	0.636	-56.108	-39.911	1.00	19.85	C

	ATOM	312	N	TRP	B	116	2.334	-58.476	-40.688	1.00	22.12	N
	ATOM	313	CA	TRP	B	116	3.365	-59.126	-41.478	1.00	23.22	C
	ATOM	314	C	TRP	B	116	2.871	-60.434	-42.123	1.00	23.55	C
	ATOM	315	O	TRP	B	116	3.048	-60.643	-43.329	1.00	22.19	O
5	ATOM	316	CB	TRP	B	116	4.584	-59.367	-40.579	1.00	26.08	C
	ATOM	317	CG	TRP	B	116	5.699	-60.136	-41.204	1.00	27.40	C
	ATOM	318	CD1	TRP	B	116	6.473	-59.761	-42.271	1.00	28.30	C
	ATOM	319	CD2	TRP	B	116	6.168	-61.418	-40.793	1.00	28.77	C
	ATOM	320	NE1	TRP	B	116	7.401	-60.742	-42.547	1.00	29.04	N
10	ATOM	321	CE2	TRP	B	116	7.234	-61.771	-41.655	1.00	30.37	C
	ATOM	322	CE3	TRP	B	116	5.794	-62.308	-39.778	1.00	30.49	C
	ATOM	323	CZ2	TRP	B	116	7.929	-62.981	-41.529	1.00	31.08	C
	ATOM	324	CZ3	TRP	B	116	6.485	-63.510	-39.653	1.00	31.85	C
	ATOM	325	CH2	TRP	B	116	7.541	-63.834	-40.527	1.00	32.27	C
15	ATOM	326	N	SER	B	117	2.231	-61.304	-41.338	1.00	21.35	N
	ATOM	327	CA	SER	B	117	1.735	-62.573	-41.873	1.00	22.61	C
	ATOM	328	C	SER	B	117	0.665	-62.383	-42.940	1.00	23.56	C
	ATOM	329	O	SER	B	117	0.463	-63.262	-43.780	1.00	23.11	O
	ATOM	330	CB	SER	B	117	1.167	-63.462	-40.756	1.00	20.72	C
20	ATOM	331	OG	SER	B	117	0.010	-62.889	-40.169	1.00	22.72	O
	ATOM	332	N	LEU	B	133	11.788	-52.846	-25.860	1.00	23.38	N
	ATOM	333	CA	LEU	B	133	11.903	-54.293	-26.020	1.00	24.54	C
	ATOM	334	C	LEU	B	133	11.209	-54.833	-27.276	1.00	22.84	C
	ATOM	335	O	LEU	B	133	11.784	-55.619	-28.027	1.00	21.86	O
25	ATOM	336	CB	LEU	B	133	11.328	-54.996	-24.786	1.00	25.48	C
	ATOM	337	CG	LEU	B	133	11.388	-56.527	-24.780	1.00	27.50	C
	ATOM	338	CD1	LEU	B	133	12.840	-56.984	-24.866	1.00	28.69	C
	ATOM	339	CD2	LEU	B	133	10.735	-57.059	-23.509	1.00	28.04	C
	ATOM	340	N	THR	B	134	9.975	-54.401	-27.499	1.00	21.72	N
30	ATOM	341	CA	THR	B	134	9.202	-54.860	-28.639	1.00	21.22	C
	ATOM	342	C	THR	B	134	9.693	-54.326	-29.986	1.00	20.62	C
	ATOM	343	O	THR	B	134	9.843	-55.091	-30.932	1.00	20.33	O
	ATOM	344	CB	THR	B	134	7.716	-54.509	-28.449	1.00	20.99	C
	ATOM	345	OG1	THR	B	134	7.257	-55.075	-27.210	1.00	20.94	O
35	ATOM	346	CG2	THR	B	134	6.872	-55.073	-29.600	1.00	20.64	C
	ATOM	3608	N	LYS	B	136	12.595	-53.366	-30.809	1.00	21.46	N
	ATOM	3609	CA	LYS	B	136	13.886	-53.949	-31.144	1.00	22.79	C
	ATOM	3610	CB	LYS	B	136	14.713	-54.196	-29.879	1.00	24.70	C
	ATOM	3611	CG	LYS	B	136	16.183	-54.424	-30.178	1.00	27.75	C
40	ATOM	3612	CD	LYS	B	136	16.998	-54.494	-28.902	1.00	30.17	C
	ATOM	3613	CE	LYS	B	136	18.479	-54.671	-29.203	1.00	32.33	C
	ATOM	3614	NZ	LYS	B	136	19.278	-54.641	-27.944	1.00	33.37	N
	ATOM	3615	C	LYS	B	136	13.793	-55.229	-31.966	1.00	23.46	C
	ATOM	3616	O	LYS	B	136	14.561	-55.407	-32.912	1.00	23.71	O
45	ATOM	347	N	TRP	B	137	12.868	-56.127	-31.633	1.00	21.78	N

	ATOM	348	CA	TRP	B	137	12.753	-57.345	-32.424	1.00	22.06	C
	ATOM	349	C	TRP	B	137	11.768	-57.202	-33.574	1.00	21.75	C
	ATOM	350	O	TRP	B	137	11.936	-57.822	-34.623	1.00	21.76	O
	ATOM	351	CB	TRP	B	137	12.361	-58.552	-31.553	1.00	21.20	C
5	ATOM	352	CG	TRP	B	137	10.990	-58.525	-30.922	1.00	20.23	C
	ATOM	353	CD1	TRP	B	137	10.696	-58.231	-29.618	1.00	19.62	C
	ATOM	354	CD2	TRP	B	137	9.748	-58.877	-31.544	1.00	18.68	C
	ATOM	355	NE1	TRP	B	137	9.349	-58.385	-29.390	1.00	19.31	N
	ATOM	356	CE2	TRP	B	137	8.743	-58.780	-30.555	1.00	18.97	C
10	ATOM	357	CE3	TRP	B	137	9.383	-59.270	-32.840	1.00	19.75	C
	ATOM	358	CZ2	TRP	B	137	7.401	-59.058	-30.821	1.00	18.18	C
	ATOM	359	CZ3	TRP	B	137	8.046	-59.549	-33.107	1.00	18.87	C
	ATOM	360	CH2	TRP	B	137	7.072	-59.440	-32.099	1.00	18.94	C
	ATOM	361	N	LEU	B	138	10.741	-56.381	-33.386	1.00	21.61	N
15	ATOM	362	CA	LEU	B	138	9.744	-56.188	-34.431	1.00	23.15	C
	ATOM	363	C	LEU	B	138	10.384	-55.558	-35.676	1.00	23.07	C
	ATOM	364	O	LEU	B	138	9.958	-55.801	-36.809	1.00	22.68	O
	ATOM	365	CB	LEU	B	138	8.618	-55.305	-33.886	1.00	23.87	C
	ATOM	366	CG	LEU	B	138	7.312	-55.155	-34.664	1.00	26.48	C
20	ATOM	367	CD1	LEU	B	138	6.672	-56.508	-34.915	1.00	25.34	C
	ATOM	368	CD2	LEU	B	138	6.383	-54.267	-33.851	1.00	25.90	C
	ATOM	3644	N	LYS	B	140	12.801	-56.332	-37.241	1.00	27.38	N
	ATOM	3645	CA	LYS	B	140	13.279	-57.337	-38.182	1.00	28.05	C
	ATOM	3646	CB	LYS	B	140	13.893	-58.501	-37.401	1.00	29.91	C
25	ATOM	3647	CG	LYS	B	140	15.134	-58.057	-36.635	1.00	31.62	C
	ATOM	3648	CD	LYS	B	140	15.719	-59.149	-35.757	1.00	33.53	C
	ATOM	3649	CE	LYS	B	140	16.974	-58.634	-35.055	1.00	34.46	C
	ATOM	3650	NZ	LYS	B	140	17.692	-59.713	-34.320	1.00	36.17	N
	ATOM	3651	C	LYS	B	140	12.254	-57.833	-39.212	1.00	27.83	C
30	ATOM	3652	O	LYS	B	140	12.602	-58.562	-40.142	1.00	27.80	O
	ATOM	369	N	ILE	B	141	10.992	-57.445	-39.052	1.00	26.40	N
	ATOM	370	CA	ILE	B	141	9.963	-57.818	-40.016	1.00	26.09	C
	ATOM	371	C	ILE	B	141	9.316	-56.542	-40.530	1.00	25.81	C
	ATOM	372	O	ILE	B	141	8.353	-56.586	-41.305	1.00	26.10	O
35	ATOM	373	CB	ILE	B	141	8.854	-58.721	-39.405	1.00	26.39	C
	ATOM	374	CG1	ILE	B	141	8.298	-58.092	-38.127	1.00	26.45	C
	ATOM	375	CG2	ILE	B	141	9.401	-60.118	-39.145	1.00	28.33	C
	ATOM	376	CD1	ILE	B	141	7.136	-58.845	-37.549	1.00	26.95	C
	TER											

All data sets were collected at 100 K on previously flash frozen crystals. Crystals were equilibrated in a cryoprotectant buffer with 0.1 M NaMES, pH 6.5, 1.44 M (NH₄)₂SO₄ 0.4% Triton X-100, and 20% glycerol. Heavy-atom soaks were carried out in the same buffer containing one of the following heavy-atom solutions: 2 mM HgCl₂ 1 mM (NH₄)₂WS₄, mM (NH₄)₂OsBr₆. Crystals were flash-frozen in liquid nitrogen. HgCl₂ (form A derivative) and (NH₄)₂OsBr₆ derivative data were collected at an R-AXISIIIC imaging plate detector mounted on a Rigaku 200HB generator. Native, HgCl₂ (form B derivative), and (NH₄)₂WS₄ derivative diffraction data were collected at beam-line BioCARS-14B at the Advanced Photon Source, at wavelengths 1.0092 Å, 0.9900 Å and 1.2147 Å respectively. Collection of data on the H₂Cl₂ derivative was initially designed for MAD phasing; however, the mercury derivative proved to be unstable to X-rays, and after a two-hour exposure to synchrotron radiation the form A derivative metamorphosed into a different mercury derivative (form B) that was suitable for MIR phasing. All the data were reduced using DENZO and SCALEPACK (Otwinowski & Minor, 1997), and processed with CCP4 programs (CCP4, 1994).

Structure determination and refinement

The structure was solved by multiple isomorphous replacement combined with anomalous scattering of mercuric derivatives (Table 1). Initial MIR phases calculated with program MLPHARE had a mean figure of merit of 0.44 to 2.5 Å, and were improved by solvent flattening and histogram matching using DM. An MIR map was generated which had continuous electron density for most regions of the protein. A model was built with the program O (Jones et al., 1991), and the structure was refined against 1.9 Å data using energy minimization, simulated annealing and B-factor refinement with the program CNS (Brunger et al., 1998). The N-terminal six residues and the C-terminal His-tag had no electron density and were not included in this model. There was no electron density for UDP-GlcNAc.

Conclusion

This first structure of a member of the MurG family of glycosyltransferases lays the groundwork for further mechanistic and structural investigations, which may lead to the design of inhibitors and perhaps even new antibiotics. The work also shows that there can be conserved subdomains even in very different glycosyltransferase families. Information on conserved subdomains will be useful for structure prediction and may help guide experiments directed towards changing substrate specificity.

EXAMPLE 2

This example describes a method of isolating the C-terminal domain of the *E. coli* MurG protein, expressing the domain in *E. coli* cells and utilizing nuclear magnetic resonance (NMR) to determine the ability of compounds to bind.

MurG can also be used to determine the ability of a chemical compound to bind to the C domain by a) determining the start of c domain based on the MurG crystal structure; b) independently expressing the C domain; and c) using NMR methods to identify binding site and/or bound conformation of ligand. The same procedure is used for the acceptor binding domains.

NMR methods are used to identify the protein binding sites and screen for ligands that bind. The MurG C-terminal domain region of the protein has been expressed independently. The C domain has a much lower molecular weight than the full-length protein. Therefore, the expression of the C domain results in much sharper NMR peaks which will facilitate the NMR interpretation. Also the protein chemical shifts are very sensitive to their environment. Binding of a compound will introduce local environment changes, thus changing the proton chemical shifts. In this way, residues involved in the binding can be differentiated easily from other amino acid residues not involved in binding a ligand. This method has also been used to identify ligands that bind to low molecular weight drug targets (i.e., small proteins).

Relevant references to NMR techniques are: Discovering high-affinity ligands for proteins: SAR by NMR, S. Shuker, P. Hajduk, R. Meadows, and S. Fesik, Science 274, 1531 (1996); Lin Y, Nageswara Rao BD. Structural characterization of adenine nucleotides bound to Escherichia coli adenylate kinase. 1. Adenosine conformations by proton two-dimensional transferred nuclear Overhauser effect spectroscopy. Biochemistry. 2000 Apr 4;39(13):3636-46; and Fejzo J, et al., Chem Biol 1999 Oct;6(10):755-69 (incorporated herein by reference).

The SHAPES strategy is also useful for NMR identification of binding residues, ligands and drug discover which is an NMR-based approach for lead generation in drug discovery. Recently, it has been shown that nuclear magnetic resonance (NMR) may be used to identify ligands that bind to low molecular weight protein drugtargets. Recognizing the utility of NMR as a very sensitive method for detecting binding, we have focused on developing alternative approaches that are applicable to larger molecular weight drug targets and do not require isotopic labeling. A new method for lead generation (SHAPES) uses NMR to detect the binding of a limited but diverse library of small molecules to a potential drug target. The compound scaffolds are derived from shapes most commonly found in known therapeutic agents. NMR detection of low (microM-mM) affinity binding is achieved using either differential line broadening or transferred NOE (nuclear Overhauser effect) NMR techniques. The SHAPES method for lead generation by NMR is useful for identifying potential lead classes of drugs early in a drug design program, and is easily integrated with other discovery tools such as virtual screening, high-throughput screening and combinatorial chemistry.

EXAMPLE 3

This example describes the method of using the three-dimensional structure of *E. coli* MurG to determine the crystal structures of its mutant, enzyme-ligand complex, and MurG homologs, which share the same folding motif. First, a crystalline form of the new protein or the protein complex should be obtained. The *E.coli* MurG mutants should be crystallized in a condition very similar to what we have showed in the method section. The protein-ligand complex can be obtained by soaking the protein crystals in a ligand-containing buffer. Other MurG homologs can be expressed in a His-tagged fashion and purified using affinity column. Presumably they can be crystallized in a similar way using a detergent as the additive. Next, the diffraction data should be collected and processed. After the data collection, the molecular replacement method is used to determine the unknown structure. Either the whole *E. coli* MurG protein or one single domain can serve as a search model. This search model can be rotated and translated until the correct orientation is located in the unit cell of this unknown structure. The search model may only represent part of the contents of the asymmetric unit. However, the location of the first model is now already available. While the first location of the search model is fixed, the second round of translation search can be carried out to search more molecules or domains in the asymmetric unit cell. The phases from the final model generated by molecular replacement can be used to calculate

the electron density map. Finally, a model is built based on the electron density map, and the model needs to be refined using program CNS or XPLOR.

EXAMPLE 4

5 This example describes the method of using the three-dimensional coordinate structure of *E. coli* MurG to produce a protein fragment that can be used in an NMR-based lead discovery program. The crystal structure reveals the boundaries of the C domain and permits us to design a gene containing only the C domain from the gene containing both domains. The C domain starting at residue 164 and ending at residue 340 was cloned into an expression
10 vector to generate a C-terminal His tag fusion. It was over-expressed in *E. coli* cells and purified by affinity column. The protein was shown to be monomeric by size exclusion chromatography and to be soluble at least up to 0.15 mM, a concentration more than adequate for NMR analysis. C domains from other Murg homologues can be similarly expressed and used.

EXAMPLE 5

 This example describes the co-crystallization of a MurG protein with a ligand. A MurG-ligand complex is formed by either co-crystallizing MurG protein with appropriate ligand or soaking the MurG crystals in buffers containing appropriate ligand. Co-crystallization is done by
20 pre-mixing the protein sample with a certain amount of substrate or substrate analogs. Then the hanging drop method is used to produce crystals as described infra.

 Alternatively, ligands are incorporated into the crystals by soaking the protein crystals in the ligand containing buffer for a period of time to allow for infiltration into the crystal. The time
25 ranges from a couple of hours to a couple of days. The concentration of ligand in the buffer ranges from several milimolar to several hundred mili molar.

DEPOSIT OF COORDINATES

The crystal structure three-dimensional coordinates of the *E. coli* MurG as set forth in Table 1 were deposited with the Protein Data Bank and have been assigned the indicated ID Code (Accession No.) 1FOK.

Although the invention is described in detail with reference to specific embodiments thereof, it will be understood that variations which are functionally equivalent are within the scope of this invention. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and accompanying drawings. Such modifications are intended to fall within the scope of the appended claims.

Various publications are cited herein, the disclosures of which are incorporated by reference in their entireties.

References

- Baker PJ, Britton KL, Rice DW, Rob A, Stillman TJ. 1992. Structural consequences of sequence patterns in the fingerprint region of the nucleotide binding fold: Implications for nucleotide specificity. *J. Mol. Biol.* 228: 662-671.
- Benson TE, Filman DJ, Walsh CT, Hogle JM. 1995. An enzyme-substrate complex involved in bacterial cell wall biosynthesis. *Nature Struct. Biol* 2: 644-653.
- Bertrand JA, Auger G, Fanchon E, Martin L, Blanot D, van Heijenoort J, Dideberg O. 1997. Crystal structure of UDP-N-acetylmuramoyl-L-alanine:D-glutamate ligase from *Escherichia coli*. *EMBO J* 16: 3416-3425.
- Branden C, Tooze J. 1998. *Introduction to Protein Structure*. New York: Garland Publishing, Inc.
- Brunger AT, Adams PD, Clore GM, Delano WL, Gros P, Grosse-Kunstleve RW, Jiang JS, Kuszewski J, Nilges N, Pannu NS, Read RJ, Rice LM, Simonson T, Warren GL. 1998. Crystallography and NMR system (CNS): a new software system for macromolecular structure determination. *Acta Crystallogr. D* 54: 905-921.
- Bugg TDH, Walsh CT. 1993. Intracellular steps of bacterial cell wall peptidoglycan biosynthesis: enzymology, antibiotics, and antibiotic resistance. *Nat Prod Rep.* : 199-215.

Bupp K, van Heijenoort J. 1993. The final step of peptidoglycan subunit assembly in *Escherichia Coli* occurs in the cytoplasm. *J Bacteriol* 175: 1841-1843.

Carago O, Argos P. 1997. NADP-dependent enzymes. I: Conserved stereochemistry of cofactor binding. *Proteins* 28: 10-28.

5 CCP4. 1994. The CCP4 suite: programs for protein crystallography. *Acta Crystallogr. D* 50: 760-763.

Chamok SJ, Davies GJ. 1999. Structure of the nucleotide-diphospho sugar transferase, SpsA from *Bacillus subtilis*, in native and nucleotide-complexed forms. *Biochemistry* 38: 6380-6385.

Dennis JW, Granovsky M, Warren CE. 1999. Glycoprotein glycosylation and cancer progression. *Biochim. Biophys. Acta* 1473: 21-34.

10 Fan C, Moews PC, Walsh CT, Knox JR. 1994. Vancomycin resistance: Structure of D-alanine:D-alanine ligase at 2.3 Å resolution. *Science* 266: 43-443.

Gastinel LN, Cambillau C, Bourne Y. 1999. Crystal structures of the bovine b4 galactosyltransferase catalytic domain and its complex with uridine diphosphogalactose. *EMBO J.* 18: 3546-3557.

Ha S, Chang E, Lo M-C, Men H, Park P, Ge M, Walker S. 1999. The kinetic characterization of *Escherichia coli* MurG using synthetic substrate analogues. *J Am. Chem. Soc.* 121: 8415-8426.

Jones TA, Zou J-Y, Cowan SW, Kjeldgaard M. 1991. Improved methods for building protein models in electron density maps and the location of errors in these models. *Acta Crystallogr. A* 47: 110-119.

Klaulis PJ. 1991. Molscript: a program to produce both detailed and schematic plots of protein structures. *J Appl. Crystallogr.* 24: 946-950.

20 Koya D, Dennis JW, Warren CE, Takahara N, Schoen FJ, Nishio Y, Nakajima T, Lipes MA, King GL. 1999. Overexpression of core 2 N-acetylglycosaminyltransferase enhances cytokine actions and induces hypertrophic myocardium in transgenic mice. *FASEB J.* 13: 2329-2337.

Mackenzie PI. 1990. Structure and regulation of UDP glucuronosyltransferases. In: Ruckpaul K, Rein H eds. *In Frontiers in Biotransformation: Principles, Mechanisms and Biological*

25 *Consequences of Induction*, pp. 211-243. Berlin: Akademie-Verlag.

Men H, Park P, Ge M, Walker S. 1998. Substrate synthesis and activity assay for MurG. *J Am. Chem. Soc.* 120: 2484-2485.

Merrit EA, Murphy ME. 1994. Raster3D Version 2.0: a program for photorealistic molecular
30 graphics. *Acta Crystallogr. D* 50: 869-873.

- Moréra S, Imberty A, Aschke-Sonnenborn U, Rüger W, Freemont PS. 1999. T4 phage b-glucosyltransferase: Substrate binding and proposed catalytic mechanism. *J. Mol. Biol.* 292: 717-730.
- Otwinowski Z, Minor W. 1997. Processing of X-ray diffraction data collected in oscillation mode. *Methods Enzymol.* 276: 307-326.
- Skarzynski T, Mistry A, Wonacott A, Hutchinson SE, Kelly VA, Duncan K. 1996. Structure of UDP-N-acetylglucosamine enolpyruvyl transferase, an enzyme essential for the synthesis of bacterial peptidoglycan, complexed with substrate UDP-N-acetylglucosamine and the drug fosfomycin. *Structure* 4: 1465-1474.
- Verbert A, Cacan R. 1999. Trafficking of oligomannosides released during N-glycosylation: a clearing mechanism of the rough endoplasmic reticulum. *Biochim. Biophys. Acta* 1473: 137-146.
- Vrielink A, Rüger W, Driessen HPC, Freemont PS. 1994. Crystal structure of the DNA modifying enzyme b-glucosyltransferase in the presence and absence of the substrate uridine diphosphoglucose. *EMBO J* 13: 3413-3422.